

# 2024 Interoperability Standards Advisory

Reference Edition





# Contents

|   |          |
|---|----------|
| <b>Introduction to the Interoperability Standards Advisory Reference Edition.....</b> | <b>5</b> |
| <b>Vocabulary/Code Set/Terminology .....</b>  | <b>6</b> |
| Allergies and Intolerances .....  | 6        |
| Biologics .....   | 9        |
| Clinical Notes .....  | 10       |
| Clinical Tests.....   | 11       |
| Cognitive Status .....  | 12       |
| COVID-19 Novel Coronavirus Pandemic .....   | 13       |
| Demographics .....  | 16       |
| Dietary and Nutritional Needs .....   | 17       |
| Emergency Medical Services.....   | 18       |
| Encounter Diagnosis, Assessment and Plan.....   | 20       |
| Family Health History .....   | 22       |
| Functional Status/Disability.....   | 23       |
| Goals .....   | 25       |
| Health Care Providers, Family Members and Other Caregivers .....                      | 26       |
| Health Concerns .....   | 28       |
| Imaging (Diagnostics, Interventions and Procedures) .....                             | 29       |
| Immunizations .....   | 30       |
| Laboratory.....   | 32       |
| Medications.....  | 35       |
| Nursing .....   | 36       |
| Patient Clinical Problem List (i.e., "Conditions") .....                              | 39       |
| Preferred Language .....  | 40       |
| Pregnancy Status.....   | 41       |
| Procedures.....   | 42       |
| Provenance.....   | 44       |
| Public Health Emergency Preparedness and Response .....                               | 45       |
| Race, Ethnicity and Tribal Affiliation.....   | 49       |
| Research .....  | 51       |
| Sex at Birth, Sexual Orientation and Gender Identity .....                            | 53       |
| Social, Psychological and Behavioral Data .....                                       | 56       |
| Tobacco Use.....  | 70       |
| Units of Measure .....  | 73       |
| Vital Signs.....  | 74       |
| Work Information.....   | 75       |





|   |                |
|---|----------------|
| <b>Content/Structure .....</b>  | <b>77</b>      |
| Admission, Discharge and Transfer .....                                     | 77             |
| Care Coordination .....   | 81             |
| Care Plan .....   | 85             |
| Clinical Decision Support.....  | 92             |
| Clinical Notes .....  | 94             |
| Clinical Quality Measurement and Reporting .....                            | 96             |
| Data Provenance .....   | 99             |
| Diet and Nutrition .....  | 101            |
| Family Health History (Clinical Genomics).....                              | 102            |
| Healthy Weight.....   | 104            |
| Human and Social Services.....  | 105            |
| Images.....   | 106            |
| Laboratory.....   | 110            |
| Medical Device Communication to Other Information Systems/Technologies..... | 115            |
| Patient Education Materials.....  | 117            |
| Patient Identity/Identification Management.....                             | 118            |
| Patient Preference/Consent.....   | 121            |
| Pharmacy Interoperability.....  | 123            |
| Public Health Reporting.....  | 158            |
| Research .....  | 172            |
| Security Tags for Sensitive Information.....                                | 180            |
| Summary Care Record.....  | 182            |
| Unique Device Identification .....  | 184            |
| Work Information.....   | 188            |
| <br><b>Services/Exchange.....</b>   | <br><b>191</b> |
| “Push” Exchange.....  | 191            |
| Clinical Decision Support Services .....                                    | 200            |
| Consumer Access/Exchange of Health Information.....                         | 203            |
| Healthcare Directory, Provider Directory.....                               | 212            |
| Image Exchange .....  | 214            |
| Infrastructure.....   | 217            |
| Patient Identity/Identification Management.....                             | 219            |
| Public Health Exchange .....  | 221            |
| Publish and Subscribe.....  | 222            |
| Query.....  | 223            |
| Resource Location .....   | 229            |



|   |            |
|---|------------|
| <b>Administrative .....</b>                                 | <b>231</b> |
| Administrative Transactions - Non-Claims .....              | 231        |
| Administrative Transactions to Financial Exchanges .....    | 238        |
| Administrative Transactions to Support Clinical Care .....  | 243        |
| Administrative Transactions: Price Transparency.....        | 249        |
| Health Care Claims and Coordination of Benefits .....       | 251        |
| Operating Rules to Support Administrative Transactions..... | 262        |
| <br>  |            |
| <b>Appendices .....</b>                                     | <b>275</b> |

The Interoperability Standards Advisory (ISA) represents the Office of the National Coordinator for Health Information Technology’s (ONC) current assessment of the health IT standards landscape. It is for informational purposes only. It is non-binding and does not create nor confer any rights or obligations for or on any person or entity.

This document contains numerous links to other federal agencies and to private organizations. You are subject to these sites’ privacy policies when you access them. HHS is not responsible for Section 508 compliance (accessibility) on other federal or private sites. HHS is not responsible for the contents of any "off-site" web page referenced from this document.





# Introduction to the Interoperability Standards Advisory Reference Edition

The Interoperability Standards Advisory (ISA) process represents the model by which the Office of the National Coordinator for Health Information Technology (ONC) coordinates the identification, assessment, and public awareness of interoperability standards and implementation specifications that can be used by the healthcare industry to address specific interoperability needs including, but not limited to, interoperability for clinical, public health, research, and administrative purposes. ONC encourages all stakeholders to implement and use the standards and implementation specifications identified in the ISA as applicable to the specific interoperability needs they seek to address. Furthermore, ONC encourages further pilot testing and industry experience to be sought with respect to standards and implementation specifications identified as “emerging” in the ISA.

The 2024 ISA Reference Edition reflects the numerous changes made across the ISA throughout 2023. To learn more about what has changed, refer to the [Recent ISA Updates](#) page, which provides a summary of major changes to the ISA. In addition, registered users may subscribe to change notifications to be alerted by e-mail of all revisions to individual interoperability needs or for ISA-wide changes. Anyone may become a registered user, by [creating an account](#). Once logged in, look for the blue “change notification” button at the bottom of the interoperability need page, or at the bottom of the home page to be notified of any changes across the ISA. An [RSS feed](#), capturing more granular changes to individual pages across the ISA, is also available.

For additional information about the ISA, including scope, purpose, structure, an overview of the informative characteristics attributed to each standard/implementation specification, frequently asked questions, and the annual timeline and comment process, please see pages under the site’s [About the ISA](#) section.





# Vocabulary/Code Set/Terminology

## ALLERGIES AND INTOLERANCES


### Interoperability Need: Representing Patient Allergic Reactions

| Type                            | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ●●●●○          | Yes                | Free | N/A                    |
| Standard for observations       | <a href="#">LOINC®</a>                  | Final                      | Production              | ●●●○○          | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>SNOMED CT U.S. Edition may not be sufficient to differentiate between an allergy or adverse reaction, or the level of severity.</li> <li>For use of SNOMED CT U.S. Edition, codes should generally be chosen from the clinical finding axis.</li> <li>For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li>'<a href="#">Adverse Clinical Reaction</a>' value set (OID: <a href="#">2.16.840.1.113883.3.2074.1.1.30</a>) contains SNOMED CT U.S. Edition findings and disorders resulting from reactions to substances.</li> <li>'<a href="#">Allergy and Intolerance Type</a>' value set (OID: <a href="#">2.16.840.1.113883.3.88.12.3221.6.2</a>) contains SNOMED CT U.S. Edition disorders representing classes of reactions and intolerances.</li> </ul> |

### Interoperability Need: Representing Patient Allergies and Intolerances; Environmental Substances

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ●●●○○          | No                 | Free | N/A                    |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>The starter value set Common Environmental Substances for Allergy and Intolerance documentation (<a href="#">2.16.840.1.113762.1.4.1186.4</a>) provides a limited set of SNOMED CT codes for substances commonly associated with allergic reactions, but it is not exhaustive. Many other substances with codes in the SNOMED CT Substance hierarchy may be associated with allergic reactions.</li> <li>The Allergic disposition (disorder) hierarchy provides an alternative representation for allergies that can be used on a problem list, medical history, or encounter diagnosis.</li> </ul> | <ul style="list-style-type: none"> <li>Common Environmental Substances for Allergy and Intolerance documentation (<a href="#">2.16.840.1.113762.1.4.1186.4</a>)</li> <li><a href="#">Allergic disposition (disorder) (SNOMED CT U.S. Edition 609328004)</a> is parent code to:                             <ul style="list-style-type: none"> <li><a href="#">Environmental allergy (disorder) (SNOMED CT U.S. Edition 426232007)</a></li> <li><a href="#">Allergy to substance (disorder) (SNOMED CT U.S. Edition 419199007)</a> and other related codes</li> </ul> </li> </ul> |

**Interoperability Need: Representing Patient Allergies and Intolerances; Food Substances**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ●●●●○          | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>The starter value set <a href="#">Common dietary substances for allergy and intolerance documentation (2.16.840.1.113762.1.4.1186.3)</a> provides a limited set of SNOMED CT codes for substances commonly associated with allergic reactions, but is not exhaustive. Many other substances with codes in the SNOMED CT Substance hierarchy may be associated with allergic reactions.</li> <li>The Propensity to adverse reactions to food (disorder) hierarchy provides an alternative representation for allergies that can be used on a problem list, medical history, or encounter diagnosis.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Adverse Clinical Reaction (2.16.840.1.113883.3.2074.1.1.30)</a> (SNOMED CT U.S. Edition value set)</li> <li><a href="#">Propensity to adverse reactions to food (disorder) (SNOMED CT U.S. Edition 418471000)</a> is a parent SNOMED CT U.S. Edition code to:                             <ul style="list-style-type: none"> <li><a href="#">Food allergy (disorder) (SNOMED CT U.S. Edition 414285001)</a></li> <li><a href="#">Food intolerance (disorder) (SNOMED CT U.S. Edition 235719002)</a></li> </ul> </li> <li><a href="#">Food Allergen (2.16.840.1.113762.1.4.1156.1)</a> (SNOMED CT U.S. Edition value set-Steward Partners Healthcare)</li> <li><a href="#">Common dietary substances for allergy and intolerance documentation (2.16.840.1.113762.1.4.1186.3)</a> (SNOMED CT U.S. Edition value set-Steward HL7 Patient Care Work Group)</li> </ul> |



**Interoperability Need: Representing Patient Allergies and Intolerances; Medications**

| Type                     | Standard / Implementation Specification                   | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required  | Cost        | Test Tool Availability |
|--------------------------|---|----------------------------|-------------------------|---------------------------|---------------------|-------------|------------------------|
| Standard                 | <a href="#">RxNorm</a>                                    | Final                      | Production              | ●●●●○                     | <a href="#">Yes</a> | Free        | N/A                    |
| Standard                 | <a href="#">SNOMED CT® U.S. Edition</a>                   | Final                      | Production              | ●●●○○                     | Yes                 | Free        | N/A                    |
| Standard                 | <a href="#">National Drug Code (NDC)</a>                  | Final                      | Production              | Feedback Requested        | No                  | Free        |                        |
| <i>Emerging Standard</i> | <a href="#">Medication Reference Terminology (MED-RT)</a> | <i>Final</i>               | <i>Pilot</i>            | <i>Feedback Requested</i> | <i>No</i>           | <i>Free</i> | <i>No</i>              |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>When a medication allergy necessitates capture by medication class, SNOMED CT U.S. Edition should be used.</li> <li>MED-RT replaces VA's NDF-RT, which was sunsetted in 2018. MED-RT has the capability to represent medication classes for use as an allergen category, and currently requires MeSH terms for medication classes.</li> <li>RxNorm: Refers to the RxNorm source specifically (and not to other sources that are included with the RxNorm download).</li> </ul> | <p>Representing Medication:</p> <ul style="list-style-type: none"> <li><a href="#">Clinical Drug Ingredient (2.16.840.1.113762.1.4.1010.7) (RxNorm ingredient codes)</a></li> </ul> <p>Representing Drug Classes for Allergy and Intolerance documentation:</p> <ul style="list-style-type: none"> <li><a href="#">Pharmaceutical / biologic product (product) (SNOMED CT U.S. Edition 373873005) is the parent to pharmaceutical/biologic class hierarchy</a></li> <li>Medication drug class for allergen intolerance SCT (<a href="#">2.16.840.1.113762.1.4.1114.14</a>)</li> </ul> <p>Representing Adverse Reactions/Intolerances:</p> <ul style="list-style-type: none"> <li><a href="#">Propensity to adverse reactions to drug (disorder) (SNOMED CT U.S. Edition 419511003)</a> is parent to:                             <ul style="list-style-type: none"> <li><a href="#">Drug Allergy (disorder) (SNOMED CT U.S. Edition 416098002)</a> and child terms/codes</li> </ul> </li> </ul> |





## BIOLOGICS

### Interoperability Need: Representing Biological Products

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">ISBT 128</a>                | Final                      | Production              | ● ● ● ● ●      | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>ISBT 128 is the global standard for the terminology, identification, coding and labeling of medical products of human origin (including blood, cell, tissue, milk, and organ products).</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



## CLINICAL NOTES

### Interoperability Need: Representing Clinical Notes

| Type                      | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|---------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard for observations | <a href="#">LOINC®</a>                  | Final                      | Production              | ●●●●●          | Yes                | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <p><b>LOINC:</b></p> <ul style="list-style-type: none"> <li>A Consultation note is generated as part of a request from a clinician for an opinion or advice from another clinician.</li> <li>A Discharge Summary note is a synopsis of a patient's admission and course in a hospital or post-acute care setting.</li> <li>A History &amp; Physical note documents the current and past conditions of the patient.</li> <li>A Progress Note represents a patient's interval status during a hospitalization, outpatient visit, treatment with a LTPAC provider, or other healthcare encounter.</li> </ul> <p><b>IHE:</b></p> <ul style="list-style-type: none"> <li>See also <a href="#">Integrating the Healthcare Enterprise (IHE) IT Infrastructure White Paper: Enabling Document Sharing Health Information Exchange Using IHE Profiles</a>.</li> </ul> | <p><b>LOINC:</b></p> <ul style="list-style-type: none"> <li>Consultation note (<a href="#">LOINC code 11488-4</a>)</li> <li>Discharge Summary note (<a href="#">LOINC code 18842-5</a>)</li> <li>History and Physical note (<a href="#">LOINC code 34117-2</a>)</li> <li>Progress Note (<a href="#">LOINC code 11506-3</a>)</li> </ul> <p><b>IHE:</b></p> <ul style="list-style-type: none"> <li><a href="#">IHE FormatCode Vocabulary</a></li> </ul> |



## CLINICAL TESTS

### Interoperability Need: Representing Clinical Tests Ordered/Performed

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | Feedback Requested | No                 | Free |                        |
| Standard | <a href="#">CPT®</a>                    | Final                      | Production              | Feedback Requested | No                 | \$   | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>Clinical Tests is a USCDI data class representing non-imaging and non-laboratory tests performed on a patient that results in structured or unstructured (narrative) findings specific to the patient, such as electrocardiogram (ECG), visual acuity exam, macular exam, or graded exercise testing (GXT), to facilitate the diagnosis and management of conditions.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">USCDI Clinical Tests Minimum Set</a> <ul style="list-style-type: none"> <li>This value set represents a sampling of several specialty specific tests including cardiology and ophthalmology, and is not the entire universe of possible clinical test codes that may be needed for these or other specialties.</li> </ul> </li> <li><a href="#">Current Procedural Terminology (CPT)</a></li> </ul> |

### Interoperability Need: Representing Clinical Tests Result/Value

| Type                            | Standard / Implementation Specification                   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a>                   | Final                      | Production              | ●●●○○          | Yes                | Free | N/A                    |
| Standard for observation values | <a href="#">LOINC®</a>                                    | Final                      | Production              | ●○○○○          | Yes                | Free | N/A                    |
| Standard for observation values | <a href="#">Unified Codes for Units of Measure (UCUM)</a> | Final                      | Production              | ●○○○○          | Yes                | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Value Set(s) and Starter Set(s)                            |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



## COGNITIVE STATUS

### Interoperability Need: Representing Patient Cognitive Status

| Type   | Standard / Implementation Specification                     | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required | Cost        | Test Tool Availability |
|--|---|----------------------------|---------------------------|---------------------------|--------------------|-------------|------------------------|
| Standard for observations                    | <a href="#">LOINC®</a>                                      | Final                      | Production                | ●●○○○                     | No                 | Free        | N/A                    |
| <i>Emerging Implementation Specification</i> | <a href="#">HL7® FHIR® US Core R.4.0 – Cognitive Status</a> | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>The <a href="#">PACIO Project</a> is developing FHIR use cases for the exchange of functional status and cognitive status information between healthcare settings.                             <ul style="list-style-type: none"> <li><a href="#">Cognitive Status Implementation Guide</a></li> </ul> </li> <li>The <a href="#">CMS Data Element Library</a> provides the ability to download assessment data elements, including functional status, and <a href="#">associated health IT standards</a> from the:                             <ul style="list-style-type: none"> <li>Inpatient Rehabilitation Facility Patient Assessment Instrument (IRF-PAI)</li> <li>Long-Term Care Hospital Continuity Assessment Record Set (LCDS)</li> <li>Resident Assessment Instrument - Minimum Data Set (MDS)</li> <li>Outcome and Assessment Information Set (OASIS)</li> <li>Hospice Item Set (HIS)</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>Value sets were published by Regenstrief on December 15, 2017, v2.63, and continued to be updated as needed with new releases, including the most recent release v2.72. Cognitive Status data elements and their associated LOINCs were published in the Data Element Library (DEL) in June 2018. The BIMS and CAM are included in CMS PAC assessments.</li> <li>LOINC Cognitive Status Codes:                             <ul style="list-style-type: none"> <li>Brief interview for mental status (BIMS) <a href="#">52491-8</a></li> <li>Confusion Assessment Method (CAM) <a href="#">52495-9</a></li> <li>Montreal Cognitive Assessment (MoCA) <a href="#">72133-2</a></li> <li>Mini-Mental State Examination (MMSE) <a href="#">72107-6</a></li> </ul> </li> </ul> |




## COVID-19 NOVEL CORONAVIRUS PANDEMIC

### Interoperability Need: COVID-19 Novel Coronavirus Pandemic

| Type                                  | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|---------------------------------------|--|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Standard                              | <a href="#">LOINC®</a>   | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | Free | N/A                    |
| Standard                              | <a href="#">SNOMED CT® U.S. Edition</a>  | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | Free | N/A                    |
| Standard                              | <a href="#">ICD-10-CM</a>  | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | Free | N/A                    |
| Standard                              | <a href="#">Current Procedural Terminology (CPT®)</a>  | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | \$   | N/A                    |
| Standard                              | <a href="#">HCPCS</a>  | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | Free | N/A                    |
| Standard                              | <a href="#">Clinical Vaccines Administered (CVX)</a>   | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | Free | N/A                    |
| Standard                              | <a href="#">National Drug Code (NDC)</a>   | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | Free | N/A                    |
| Implementation Specification          | <a href="#">HL7 Version 2.5.1 Implementation Guide for Immunization Messaging, Release 1.5 2018 Update</a> | Final                      | Production              | ● ● ● ● ●          | No                  | Free | <a href="#">Yes</a>    |
| Standard                              | <a href="#">Manufacturing Vaccine Formulation (MVX)</a>  | Final                      | Production              | ● ● ● ● ○          | No                  | Free | N/A                    |
| Standard                              | <a href="#">RxNorm</a>   | Final                      | Production              | Feedback Requested | No                  | Free | N/A                    |
| Implementation Specification          | <a href="#">HL7® FHIR® (v4.0.1) Situational Awareness for Novel Epidemic Response 1.0.0 - STU Release</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  | Free | N/A                    |
| Emerging Implementation Specification | <a href="#">Logica COVID-19 (FHIR v4.0.1) Implementation Guide CI Build</a>                                | In Development             | Feedback Requested      | Feedback Requested | No                  | Free | N/A                    |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>• The following artifacts provide additional guidance on adopting codes, terminologies and coding guidance:                             <ul style="list-style-type: none"> <li>• <a href="#">CDC Official FY2022 Coding and Reporting Guidelines for ICD-10-CM</a></li> <li>• <a href="#">Logica (FHIR v4.0) Implementation Guide: COVID-19</a></li> <li>• <a href="#">SNOMED CT U.S. Edition Coding for COVID-19 Data</a></li> <li>• <a href="#">Guidance for mapping to SARS-CoV-2 LOINC terms</a></li> <li>• <a href="#">LOINC In Vitro Diagnostic (LIVD) Test Code Mapping for SARS-CoV-2 Tests, Specimens and Results (CDC/FDA)</a></li> <li>• <a href="#">COVID-19 Lab Data Reporting Implementation Specifications</a> includes HL7 Field and HL7 V2 Message guidance</li> <li>• <a href="#">NCPDP® Emergency Preparedness Guidance document</a> – This document provides guidance to the pharmacy industry for resources available during the pandemic.</li> </ul> </li> <li>• The FHIR profiles in the Logica IG: COVID-19 contains FHIR profiles representing COVID-19 related data elements to support patient care, billing, research, or public reporting. The goal is to create consistent and reusable data and FHIR profiles for different COVID-19 implementation guides.</li> <li>• The HL7 Situational Awareness for Novel Epidemic Response (SANER) Implementation Guide enables transmission of high-level situational awareness information from inpatient facilities to centralized data repositories to support the treatment of novel influenza-like illness.</li> <li>• The <a href="#">COVID-19 Interoperability Alliance</a> stewards more than 600 value sets on behalf of collaborators that include SNOMED International, Regenstrief, Logica Health, the National Association of Community Health Centers, MITRE and more. These value sets support data aggregation, analytics, population cohort identification, clinical trials, and medical research.</li> <li>• CDC and FDA maintain mapping of all current US approved SARS-CoV-2 invitro diagnostic lab and their corresponding specimen types and results.</li> </ul> | <ul style="list-style-type: none"> <li>• <a href="#">COVID-19 Related Value Sets in NLM Value Set Authority Center</a></li> <li>• <a href="#">LOINC terms for SARS-CoV-2 and COVID-19 related concepts</a></li> <li>• <a href="#">CDC Immunization Information Systems (IIS) Code Sets</a></li> <li>• <a href="#">AMA CPT coding and guidance for COVID-19</a></li> <li>• <a href="#">AMA CPT New SARS-CoV-2 Vaccine Codes</a></li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s) |
|---|--|
| <ul style="list-style-type: none"> <li>• <a href="#">CMS Press Release on HCPCS Codes for Coronavirus Lab Testing</a></li> <li>• CARES Act Section 18115 require laboratories to report results of SARS-CoV2 or COVID-19 testing to the Secretary of HHS in the form and manner outlined in this memo "<a href="#">COVID-19 Pandemic Response, Laboratory Data Reporting: CARES Act Section 18115 June 4, 2020</a>"</li> <li>• <a href="#">CMS COVID-19 Vaccine Policies &amp; Guidance</a></li> <li>• <a href="#">CDC COVID-19 Vaccine Data Systems</a></li> </ul> |  |





## DEMOGRAPHICS

### Interoperability Need: Representing Patient Contact Information for Telecommunications

| Type     | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard | <a href="#">ITU-T E.123 (02/2001) International Telecommunication Union E.123: Notation for national and international telephone numbers, e-mail addresses and web addresses</a> and <a href="#">ITU-T E.164 International Telecommunication Union E.164: The international public telecommunication numbering plan</a> | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>Telecom Data Elements:                             <ul style="list-style-type: none"> <li>Phone Number, Phone Number Type - For <a href="#">§170.315 (b)(1) Transitions of care and §170.315 (b)(4) Common Clinical Data Set summary record – create</a>, patient matching data must represent phone number (home, business, cell) in accordance with the above standards. All phone numbers must be included when multiple phone numbers are present.</li> <li>Email Address - Per <a href="#">ITU-T E.123 (02/2001)</a> above, an electronic mail address, if present, should be printed in the SMTP style below the telephone number information, and denoted by the label "E-mail" or some easily recognized variation such as "email," or the equivalent in the appropriate language.</li> </ul> </li> </ul> | <b>Examples from ITU-T E.123 (02/2001)</b><br>Multiple phone numbers: <ul style="list-style-type: none"> <li>Tel. (0607) 123 4567</li> <li>Fax (0607) 123 4568</li> <li>Mobile (0607) 321 9876</li> </ul> Phone numbers and email: <ul style="list-style-type: none"> <li>Telephone: (0609) 123 4567</li> <li>International +22 609 123 4567</li> <li>Mobile (0607) 321 9876</li> <li>E-mail: jdeo@isp.com</li> </ul> |





## DIETARY AND NUTRITIONAL NEEDS

### Interoperability Need: Representing Nutrition Assessment, Diagnosis, Interventions and Monitoring/Evaluation

| Type     | Standard / Implementation Specification                   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">Current Procedural Terminology (CPT®)</a>     | Final                      | Production              | ● ● ● ● ●          | No                 | \$   | No                     |
| Standard | <a href="#">LOINC®</a>                                    | Final                      | Production              | ● ● ● ○ ○          | No                 | Free | N/A                    |
| Standard | <a href="#">NCPT (Nutrition Care Process Terminology)</a> | Final                      | Production              | ● ● ● ○ ○          | No                 | \$   | N/A                    |
| Standard | <a href="#">SNOMED CT® U.S. Edition</a>                   | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |
| Standard | <a href="#">HL7® FHIR® Nutrition Intake Resource</a>      | Balloted Draft             | Production              | Feedback Requested | No                 | Free | <a href="#">Yes</a>    |
| Standard | <a href="#">HL7 FHIR Nutrition Product Resource</a>       | Balloted Draft             | Production              | Feedback Requested | No                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>Nutrition Care Process Terminology (NCPT) and is owned, maintained, and distributed by the Academy of Nutrition and Dietetics to support standardization of the Nutrition Care Process. Many of the terms in the NCPT have been mapped to SNOMED and/or LOINC.</li> <li>Refer to the <a href="#">Gravity Project</a> for details on identifying food insecurities.</li> <li>Refer to <a href="#">Allergies and Intolerances-Representing Patient Allergies and Intolerances: Food Substances</a> for detail on identifying allergies and intolerances related to food substances.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Food and Nutrient Delivery SNOMED CT U.S. Edition (2.16.840.1.113762.1.4.1095.2)</a></li> <li><a href="#">Food and Nutrition Related History LOINC (2.16.840.1.113762.1.4.1095.78)</a></li> <li><a href="#">Food and Nutrition Related History SNOMED CT U.S. Edition (2.16.840.1.113762.1.4.1095.84)</a></li> <li><a href="#">Nutrition Diagnosis Grouping (2.16.840.1.113762.1.4.1095.85)</a></li> <li>CPT 97802 – 97804: identify patient assessment and intervention of medical nutrition therapy</li> </ul> |




## EMERGENCY MEDICAL SERVICES

### Interoperability Need: Representing Health Care Data for Emergency Medical Services

| Type     | Standard / Implementation Specification               | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Standard | <a href="#">RxNorm</a>                                | Final                      | Production              | ●●●●○              | Yes                 | Free | N/A                    |
| Standard | <a href="#">National Drug Code (NDC)</a>              | Final                      | Production              | ●●●○○              | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">NEMESIS Version 3.4</a>                   | Final                      | Production              | ●●●●●              | No                  | Free | <a href="#">Yes</a>    |
| Standard | <a href="#">NEMESIS Version 3.5</a>                   | Final                      | Production              | ●●●●○              | No                  | Free | <a href="#">Yes</a>    |
| Standard | <a href="#">Current Procedural Terminology (CPT®)</a> | Final                      | Production              | Feedback Requested | No                  | \$   | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>The National Emergency Medical Services Information System (NEMESIS) administered by the National Highway Traffic Safety Administration’s Office of Emergency Medical Services provides a universal standard for the collection and transmission of emergency medical services (EMS) operations and patient care data. Using NEMESIS-compliant electronic patient care record (ePCR) software products, data are collected by EMS practitioners at the point of care and includes information on the EMS system response, scene characteristics, patient demographics, patient condition, medical treatment provided, transport decision, patient and incident disposition and EMS system times (e.g., response time, scene time, transport time). NEMESIS includes the National EMS Database which accepts EMS data voluntarily submitted by U.S. States and Territories. Using NEMESIS-compliant ePCR software products, local EMS systems collect a national set of data elements for submission to the National EMS Database through their respective state. Local EMS systems and states have the option to collect additional NEMESIS data elements to meet local and</li> </ul> | <ul style="list-style-type: none"> <li>CPT 99281 - 99285: patient evaluation, examination, and medical decision making for emergency department services</li> <li>CPT 99288: direction of emergency care to EMS personnel by a physician or other qualified health care professional</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s) |
|---|--|
| <p>state needs. The NEMSIS standard follows a 5-year revisioning cycle. The two most recent NEMSIS standard versions (V3.4.0 and 3.5.0 as of January 2021) are available for ePCR software product compliance testing and submission to the National EMS Database. NEMSIS standard version 3.5.0 was released in 2019. NEMSIS Version 3 standards (i.e., V3.4.0, and V3.5.0) include integration of several HL7® data standards, such as LOINC®, RxNorm, and ICD-10-CM. NEMSIS standard versions V3.4.0 and V3.5.0 are HL7 compliant and ANSI accredited.</p> <ul style="list-style-type: none"> <li>• NEMSIS uses Extensible Markup Language (XML) to move data. States and software companies create products that are used to send and receive EMS data in the proper XML format from agencies to states, then on to the National EMS Database. More information about NEMSIS is available at <a href="https://nemsis.org/technical-resources/">https://nemsis.org/technical-resources/</a>.</li> <li>• <a href="#">Mapping and translation resources</a> are available for mapping or translating older versions of the NEMSIS dataset to newer versions of the dataset.</li> </ul> |  |



## ENCOUNTER DIAGNOSIS, ASSESSMENT AND PLAN

### Interoperability Need: Representing Assessment and Plan of Treatment

| Type                            | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>                  | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Value Set(s) and Starter Set(s)                            |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

### Interoperability Need: Representing Patient Dental Encounter Diagnosis

| Type     | Standard / Implementation Specification       | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">SNODENT®</a>                      | Final                      | Production              | ● ● ● ● ○      | No                 | \$   | N/A                    |
| Standard | <a href="#">ICD-10 Dental Diagnosis Codes</a> | Final                      | Production              | ● ● ● ● ○      | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>SNODENT is owned, maintained and distributed by the American Dental Association (ADA®). The SNODENT code set is available under license at no cost for non-commercial use. The license agreement terms also permit licensees to use SNODENT in the development of non-commercial, academic, scholarly articles and presentations for publication.</li> </ul> | <ul style="list-style-type: none"> <li>Vital Sign Result Value Set.                             <ul style="list-style-type: none"> <li><a href="#">OID 2.16.840.1.113883.3.3150</a></li> </ul> </li> </ul> |



**Interoperability Need: Representing Patient Medical Encounter Diagnosis**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">ICD-10-CM</a>               | Final                      | Production              | ●●●●○          | Yes                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>• Use of SNOMED CT U.S. Edition codes should generally be chosen from three axes: Clinical finding, Situation with explicit context, and Event.</li> <li>• The use of these standards may be further constrained by other standards and implementation specifications found elsewhere in the ISA.</li> <li>• Systems should be able to process (or at minimum display) data coded using the older ICD-9-CM standard, as this legacy content still exists and may be used for analysis/decision support/quality measurement needs, where retroactive analysis is often required, but ICD-9 should not be collected for new entries. NLM has maps from ICD-9-CM diagnosis and procedure codes to SNOMED CT U.S. Edition to facilitate code translation and integration with newly collected SNOMED CT U.S. Edition data:                         <ul style="list-style-type: none"> <li>• <a href="#">ICD-9-CM Diagnostic Codes to SNOMED CT U.S. Edition</a></li> <li>• <a href="#">ICD-9-CM Procedure Codes to SNOMED CT U.S. Edition</a></li> </ul> </li> <li>• A <a href="#">mapping</a> from SNOMED CT U.S. Edition to ICD-10-CM is available from the National Library of Medicine to support semi-automated generation of ICD-10-CM codes from clinical data encoded in SNOMED CT U.S. Edition for reimbursement and statistical purposes.</li> <li>• HIPAA mandates the use of ICD-10 for pharmacy claims using NCPDP® standards, while SNOMED CT U.S. Edition is optional for this use.</li> </ul> | <ul style="list-style-type: none"> <li>• Problem urn:oid:2.16.840.1.113883.3.88.12.3221.7.4 (SNOMED CT U.S. Edition)</li> <li>• Recommended starter set: CORE Problem List Subset urn:oid:2.16.840.1.113762.1.4.1018.240</li> </ul> |



## FAMILY HEALTH HISTORY

### Interoperability Need: Representing Patient Family Health History

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ●●●○○          | <a href="#">Yes</a> | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>Some details around family genomic health history may not be captured by SNOMED CT U.S. Edition.</li> <li>For clinical genomics purposes, the <a href="#">Human Phenotype Ontology (HPO)</a> developed by Robinson, et al. and uses information from the <a href="#">Online Mendelian Inheritance in Man</a> to generate its terms. It is used by some organizations to describe "phenotypic abnormalities".</li> <li>For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <p>Diagnosis and Conditions:</p> <ul style="list-style-type: none"> <li>Problem Type 2.16.840.1.113883.3.88.12.3221.7.2 (SNOMED CT U.S. Edition)</li> <li>Problem urn:oid:2.16.840.1.113883.3.88.12.3221.7.4 (SNOMED CT U.S. Edition)</li> </ul> <p>For genomic data:</p> <ul style="list-style-type: none"> <li>Gene Identifier: HGNC Value Set (2.16.840.1.113883.4.642.2.468)</li> <li>Transcript Reference Sequence Identifier: NCBI vocabulary</li> <li>DNA Sequence Variation Identifier: NCBI vocabulary</li> <li>DNA Sequence Variation: HGVS nomenclature (2.16.840.1.113883.4.642.2.392)</li> </ul> <p>For family relationships and roles:</p> <ul style="list-style-type: none"> <li><a href="#">Personal Relationship Role Type</a><br/>urn:oid:2.16.840.1.113883.1.11.19563</li> <li><a href="#">Personal And Legal Relationship Role Type</a><br/>urn:oid:2.16.840.1.113883.11.20.12.1</li> </ul> |




## FUNCTIONAL STATUS/DISABILITY

### Interoperability Need: Representing Patient Functional Status and/or Disability

| Type   | Standard / Implementation Specification                      | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required | Cost        | Test Tool Availability |
|--|--|----------------------------|---------------------------|---------------------------|--------------------|-------------|------------------------|
| Standard for observations                    | <a href="#">LOINC®</a>                                       | Final                      | Production                | ● ● ○ ○ ○                 | No                 | Free        | N/A                    |
| Standard for observation values              | <a href="#">SNOMED CT® U.S. Edition</a>                      | Final                      | Production                | ● ○ ○ ○ ○                 | No                 | Free        | N/A                    |
| <i>Emerging Implementation Specification</i> | <a href="#">HL7® FHIR® US Core R.4.0 – Functional Status</a> | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>Resources for this interoperability need include:                             <ul style="list-style-type: none"> <li><a href="#">Social Security Association’s Disability Determination Process</a></li> <li><a href="#">American College of Occupational and Environmental Medicine</a> additional resources on Functional Status/Disability.</li> <li>American Medical Association's <a href="#">“Guides to the Evaluation of Permanent Impairment, Sixth Edition”</a></li> <li>The <a href="#">International Classification of Functioning, Disability and Health (ICF)</a> is a World Health Organization (WHO) framework to describe and measure health and disability at both individual and population levels.</li> </ul> </li> <li>The <a href="#">CMS Data Element Library</a> also provides the ability to download assessment data elements, including functional status, and <a href="#">associated health IT standards</a> from the:                             <ul style="list-style-type: none"> <li>Inpatient Rehabilitation Facility Patient Assessment Instrument (IRF-PAI)</li> <li>Long-Term Care Hospital Continuity Assessment Record and Evaluation Data Set (LCDS)</li> <li>Resident Assessment Instrument - Minimum Data Set (MDS)</li> <li>Outcome and Assessment Information Set (OASIS)</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>Functional Status data elements were developed by CMS and are integrated in CMS PAC assessments and CMS’ Home and Community Based Services (HCBS) Functional Assessment Standardized Items (FASI). Value sets on functional status were published by Regenstrief in version 2.63 and continue to be updated in recent versions as needed, including the most recent release v2.72. Functional Status data elements and their associated LOINCs were published in the DEL in 2018.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s) |
|--|--|
| <ul style="list-style-type: none"> <li>• Functional Assessment Standardized Items (FASI)</li> <li>• The <a href="#">PACIO Project</a> is developing FHIR use cases for the exchange of functional status and cognitive status information between healthcare settings.                             <ul style="list-style-type: none"> <li>• PACIO's <a href="#">Functional Status Implementation Guide (IG)</a> has been officially published as Standard for Trial Use specifications by HL7.</li> </ul> </li> <li>• For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> <li>• The interoperability need is directed to cover people's functional activities at the level of the individual, including activity limitations, the ability to participate in or be involved in all areas of life, and any participation restrictions as a person or member of society.</li> </ul> |  |





## GOALS

### Interoperability Need: Representing Patient Goals

| Type                            | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○ ○    | No                 | Free | N/A                    |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ● ○ ○ ○ ○ ○    | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>The <a href="#">CMS Data Element Library</a> also provides the ability to download assessment data elements, including various assessments of patient goals, and <a href="#">associated health IT standards</a> such as LOINC and SNOMED CT U.S. Edition from the:                             <ul style="list-style-type: none"> <li>Inpatient Rehabilitation Facility Patient Assessment Instrument (IRF-PAI)</li> <li>Long-Term Care Hospital Continuity Assessment Record and Evaluation Data Set (LCDS)</li> <li>Resident Assessment Instrument - Minimum Data Set (MDS)</li> <li>Outcome and Assessment Information Set (OASIS)</li> <li>Functional Assessment Standardized Items (FASI)</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>Eating - Functional Goal <a href="#">89409-7</a></li> </ul> |



## HEALTH CARE PROVIDERS, FAMILY MEMBERS AND OTHER CAREGIVERS

### Interoperability Need: Representing Health Care Providers

| Type     | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">National Plan and Provider Enumeration System National Provider Identifier (NPI)</a> | Final                      | Production              | ● ● ● ● ●      | Yes                | Free | N/A                    |
| Standard | <a href="#">National Uniform Claim Committee (NUCC) Health Care Provider Taxonomy</a>            | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>NPPES permits non-billable care team members to apply for an NPI number to capture the concept of 'person'.</li> <li>The National Uniform Claim Committee (NUCC) Health Care Provider Taxonomy code set identifies health care provider groupings, classifications, and areas of specialization. It does include other providers than health care providers, which is defined by federal regulations.</li> <li>The adoption of NPI for pharmacy/prescribing may be higher than for general use, however, not all prescribers (e.g., veterinarians, etc) are able to obtain an NPI.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">NUCC Provider Codes: 2.16.840.1.113883.6.101</a></li> </ul> |



**Interoperability Need: Representing Provider Role in Team Care Settings**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ●●●○○          | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Pharmacy e-Health Information Technology Collaborative Occupations of Providers SNOMED CT U.S. Edition value set 2.16.840.1.113762.1.4.1096.129</a></li> </ul> |

**Interoperability Need: Representing Relationship Between Patient and Another Person**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">HL7® V3 Vocabulary</a>      | Final                      | Production              | ●●○○○          | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>This value set is derived from the HL7 Vocabulary code system "<a href="#">RoleCode</a>".</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Personal And Legal Relationship Role Type (VSAC OID 2.16.840.1.113883.11.20.12.1)</a> <ul style="list-style-type: none"> <li>This value set can be used to record relationships based on personal or family ties or through legal assignment of responsibility.</li> </ul> </li> </ul> |




## HEALTH CONCERNS

### Interoperability Need: Representing Patient Health Concerns

| Type                            | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○ ○    | No                 | Free | N/A                    |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ● ○ ○ ○ ○ ○    | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>A Health Concern is a health related matter that is of interest, importance or worry to someone, who may be the patient, patient's family or patient's health care provider. Health concerns are derived from a variety of sources within an EHR (such as Problem List, Family History, Social History, Social Worker Note, etc.). Health concerns can be medical, surgical, nursing, allied health or patient-reported concerns.</li> </ul> | <ul style="list-style-type: none"> <li>Health Concern Document (<a href="#">LOINC® code 75310-3</a>)</li> </ul> |



## IMAGING (DIAGNOSTICS, INTERVENTIONS AND PROCEDURES)

### Interoperability Need: Representing Imaging Diagnostics, Interventions and Procedures

| Type     | Standard / Implementation Specification               | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                                | Final                      | Production              | ● ● ● ● ●      | Yes                | Free | N/A                    |
| Standard | <a href="#">Current Procedural Terminology (CPT®)</a> | Final                      | Production              | ● ● ● ● ●      | Yes                | \$   | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>Radiological Society of North America (<a href="#">Radlex</a>) and <a href="#">Regenstrief Institute (LOINC)</a> have harmonized terms for radiology procedures.</li> <li><a href="#">Current Procedural Terminology (CPT)</a> is a code set, maintained by the American Medical Association (AMA) used to bill outpatient and office procedures.</li> </ul> <p><b>LOINC:</b></p> <ul style="list-style-type: none"> <li>An Imaging Narrative contains a consulting specialist's interpretation of image data.</li> </ul> | <p><b>LOINC:</b></p> <ul style="list-style-type: none"> <li>Diagnostic imaging study (<a href="#">LOINC code 18748-4</a>)</li> <li><a href="#">Radlex LOINC Imaging Document Codes</a></li> </ul> |




## IMMUNIZATIONS

### Interoperability Need: Representing Immunizations

| Type     | Standard / Implementation Specification                 | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">Clinical Vaccines Administered (CVX)</a>    | Final                      | Production              | ● ● ● ● ●          | Yes                | Free | N/A                    |
| Standard | <a href="#">National Drug Code (NDC)</a>                | Final                      | Production              | ● ● ● ● ●          | Yes                | Free | N/A                    |
| Standard | <a href="#">Manufacturing Vaccine Formulation (MVX)</a> | Final                      | Production              | ● ● ● ● ○          | No                 | Free | N/A                    |
| Standard | <a href="#">Current Procedural Terminology (CPT®)</a>   | Final                      | Production              | ● ● ● ● ○          | No                 | \$   | No                     |
| Standard | <a href="#">RxNorm</a>                                  | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <p><b>General considerations:</b></p> <ul style="list-style-type: none"> <li>The list above includes any vocabulary used to record immunizations in any health IT system including IIS, pharmacy, billing, etc.</li> <li>NDC has been used by pharmacies to report historical doses for billing purposes, so it is included here in that context.</li> <li>The CDC's <a href="#">National Center for Immunization and Respiratory Diseases (NCIRD)</a> developed and maintains the CVX and MVX code systems, and developed and maintains the NDC vaccine tables based on information published by the FDA.</li> <li>RxNorm is an acceptable alternative code set for use at the local level.</li> <li>RxNorm is not utilized for reporting of previous dispensing.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">CVX: Vaccines Administered</a></li> <li><a href="#">MVX: entire code set</a></li> <li><a href="#">NDC concepts used to represent vaccines</a></li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s) |
|---|--|
| <p><b>For Immunization Information System (IIS) consideration:</b></p> <ul style="list-style-type: none"> <li>• The CDC's <a href="#">National Center for Immunization and Respiratory Diseases (NCIRD)</a> developed and maintains the CVX and MVX code systems, and developed and maintains the NDC vaccine tables based on information published by the FDA.</li> <li>• CVX codes are designed to represent administered and historical immunizations and will not contain manufacturer-specific information.</li> <li>• If an MVX code is paired with a CVX (vaccine administered) code, the specific trade named vaccine may be indicated providing further specificity as to the vaccines administered.</li> <li>• There is a potential issue with use of the National Drug Code regarding which code to use when there are multiple active ingredients in a single package or multiple separate ingredients that need to be mixed together. CDC has published guidance on NDC Unit of Use and Unit of Sale; it can be found at: <a href="https://www.cdc.gov/vaccines/programs/iis/2d-barcodes/downloads/guidance-documenting-ndc.pdf">https://www.cdc.gov/vaccines/programs/iis/2d-barcodes/downloads/guidance-documenting-ndc.pdf</a>.</li> <li>• The lot number is used in conjunction with the NDC when reporting immunizations to IIS. There is no standard codification for lot numbers.</li> <li>• The IIS community does not utilize RxNorm as a code set and thus it may have limitations for interoperability across systems.</li> </ul> |  |



## LABORATORY

### Interoperability Need: Representing Laboratory Result Values


| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>Correct handling and interpretation of laboratory test values requires information about the test instance, including the result value, the units, the reference range.</li> <li>Units of measure for quantitative result values may be represented using UCUM, see <a href="#">Representing Units of Measure</a>.</li> <li>Qualitative result values may be represented using LOINC answer lists or SNOMED CT U.S. Edition codes.</li> <li>Future uses of laboratory test results may include “real world evidence” collection for final regulatory approval, test harmonization status, and performance monitoring of specific commercial products. These tasks will require results to include device IDs, test kit IDs, kit versions, reagent lots, and calibrator lots.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Representing Units of Measure</a></li> </ul> |

### Interoperability Need: Representing Laboratory Test Ordered

| Type     | Standard / Implementation Specification                    | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                                     | Final                      | Production              | ● ● ○ ○ ○ ○    | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">CPT® Proprietary Laboratory Analyses (PLA)</a> | Final                      | Production              | ● ○ ○ ○ ○ ○    | No                  | \$   |                        |





| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>LOINC codes identify the clinical concept of the test ordered, which enables consistent interpretation across systems and organizations regardless of a laboratory's local codes. The LOINC code to represent the order may not be the same LOINC code as the one for the performed test when the performed test code is more specific in one of the LOINC parts (e.g., method or system) or when the order combines multiple tests into a panel.</li> <li>CPT-PLA codes represent advanced diagnostic laboratory tests (ADLTs) and clinical diagnostic laboratory tests (CDLTs) that are cleared and approved by the Food and Drug Administration (FDA). CPT-PLA codes provide relevant clinical information about the test ordered, including information on analytical services required for the analysis (e.g., cell lysis, nucleic acid stabilization, extraction, digestion, amplification, hybridization, and detection).</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">LOINC Code Rankings for Top 20,000 Codes</a> In the context of Laboratory Test Ordered, where the Order/Observation attribute is <b>not</b> equal to <i>obs only</i>.</li> <li>CPT:                         <ul style="list-style-type: none"> <li><a href="#">CPT Proprietary Laboratory Analyses (PLA) Codes</a> PLA codes are published and available on the AMA website to represent laboratory tests.</li> <li>80047 - 89398 - including Multianalyte Assays with Algorithmic Analyses (MAAA) codes 81490-81599.</li> <li>MAAA administrative M Codes (0002M-0013M).</li> </ul> </li> </ul> |

**Interoperability Need: Representing Laboratory Test Performed**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | Feedback Requested | <a href="#">Yes</a> | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>Laboratory test performed is used by a laboratory to report test results.</li> <li>LOINC codes represent laboratory tests in general and do not represent a manufacturer's specific laboratory test.</li> <li>For more information about representing laboratory tests as a procedure, see the <a href="#">Representing Medical Procedures</a> page.</li> <li>For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">LOINC Code Rankings for Top 20,000 codes</a> where the Order/Observation attribute is <b>not</b> <i>order only</i>.</li> </ul> |



**Interoperability Need: Representing Laboratory Test Specimen**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ●●○○○          | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Specimen Type: SNOMED CT U.S. Edition specimen hierarchy</li> <li>Specimen Source Type: SNOMED CT U.S. Edition body structure hierarchy</li> <li>Specimen Source Site Modifier: SNOMED CT U.S. Edition qualifier hierarchy</li> <li>Specimen Collection Method: SNOMED CT U.S. Edition procedure hierarchy</li> </ul> |



## MEDICATIONS

### Interoperability Need: Representing Patient Medications

| Type     | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard | <a href="#">RxNorm</a>                   | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">National Drug Code (NDC)</a> | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">SNOMED CT® U.S. Edition</a>  | Final                      | Production              | ● ● ● ● ●      | No                  | Free | Yes                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>RxNorm is often used for the exchange of information; however, it may not be available for export and import by end users.</li> <li>RxNorm is a terminology built on and derived from other terminologies which represent various elements within RxNorm, including dose form and units of measure. RxNorm reflects and preserves the meanings, drug names, attributes, and relationships from its sources.</li> <li>The use of NDC in conjunction with RxNorm can help minimize gaps in representing medications, including compounded products, over-the-counter medications, and herbals.</li> <li>Note that medications include over-the-counter, botanicals, herbal supplements need to be considered in the management of medications and conditions for which they are used. Not all of these are well-represented using the standards indicated above.</li> <li>Immunizations are not considered medications for this interoperability need.</li> <li>Medication Route and other components of Medication is often represented using SNOMED CT, US Edition in some interoperability specifications such as C-CDA.</li> </ul> | <ul style="list-style-type: none"> <li>Grouping Value Set: Medication Clinical Drug 2.16.840.1.113762.1.4.1010.4                             <ul style="list-style-type: none"> <li>Medication Clinical General Drug (2.16.840.1.113883.3.88.12.80.17)</li> <li>Medication Clinical Brand-specific Drug (2.16.840.1.113762.1.4.1010.5) (RxNorm).</li> </ul> </li> <li>Grouping Value Set: Clinical Substance 2.16.840.1.113762.1.4.1010.2                             <ul style="list-style-type: none"> <li>Medication Clinical Drug (2.16.840.1.113762.1.4.1010.4) (RxNorm)</li> <li>Unique Ingredient Identifier - Complete Set (2.16.840.1.113883.3.88.12.80.20) (UNII)</li> </ul> </li> </ul> |



## NURSING


### Interoperability Need: Representing Clinical/Nursing Assessments

| Type                            | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ● ○ ○ ○      | No                 | Free | N/A                    |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ● ● ○ ○ ○      | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>• Concepts for observation values from <a href="#">SNOMED CT U.S. Edition</a> should generally be chosen from two axes: Clinical finding and Situation with explicit context.</li> <li>• When representing validated scales, LOINC should be used for the question and LOINC answers (LA Codes) should be used for the answers.</li> <li>• Question/Answer (name/value) pairs are a valuable representation of assessments, but best practices indicate the full question with answer should be included in communication.</li> <li>• For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li>• <a href="#">Inpatient Rehabilitation Facility Patient Assessment Instrument (IRF-PAI) - Version 2.0 [CMS Assessment]: LOINC 88329-8</a></li> <li>• <a href="#">Long-Term Care Hospital Continuity Assessment Record &amp; Evaluation (CARE) Data Set (LCDS) v.4.0 [CMS Assessment]: LOINC 87509-6</a></li> <li>• <a href="#">Resident Assessment Instrument (RAI) Minimum Data Set (MDS) v.1.16 Nursing Home Comprehensive (NC) item set [CMS Assessment]: LOINC 88954-3</a></li> <li>• <a href="#">Outcome and Assessment Information Set (OASIS) - Version D - Start of Care [CMS Assessment]: LOINC 88373-6</a></li> </ul> |

### Interoperability Need: Representing Nursing Interventions

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>According to the <a href="#">Journal of Nursing Education</a>, nursing interventions can be defined as "any task that a nurse does to or for the patient" or "something that directly leads to a patient outcome."</li> <li>Coded interventions may be linked as related/dependent concepts to observations and assessments, as appropriate.</li> <li>The Procedure axis of SNOMED CT U.S. Edition is the terminology used for Nursing Interventions.</li> </ul> | <ul style="list-style-type: none"> <li>A resource available is a <a href="#">map set from ICNP to SNOMED CT U.S. Edition</a>.</li> </ul> |

**Interoperability Need: Representing Outcomes for Nursing**

| Type                            | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>                  | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)                            |
|---|---|
| <ul style="list-style-type: none"> <li>Reference to <a href="#">Standard Nursing Terminologies</a></li> <li>Other ANA-recognized terminologies should be mapped to LOINC for comparison across health systems and/or transmission.</li> <li>Use LOINC if the outcome is a measurement.</li> <li>Use SNOMED CT U.S. Edition if the outcome is an observed assessment that a patient state has improved. In addition, when the outcome is recorded as an assertion (e.g., normotensive, afebrile, etc.) the terminology to be used is SNOMED CT U.S. Edition.</li> <li>Additional information about terminology standards related to nursing is available in an ONC-funded report: <a href="#">Standard Nursing Terminologies (A Landscape Analysis)</a></li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



|  |   |
|--|---|
| <b>Limitations, Dependencies, and Preconditions for Consideration</b>  | <b>Applicable Value Set(s) and Starter Set(s)</b> |
| <ul style="list-style-type: none"> <li>For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> |   |

**Interoperability Need: Representing Patient Problems for Nursing**

| Type                            | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |

|   |  |
|---|--|
| <b>Limitations, Dependencies, and Preconditions for Consideration</b>   | <b>Applicable Value Set(s) and Starter Set(s)</b>  |
| <ul style="list-style-type: none"> <li>The use of SNOMED CT U.S. Edition for this interoperability need, codes should generally be chosen from two axes: Clinical finding and Situation with explicit context.</li> <li>Local and other ANA-recognized terminologies should be converted to SNOMED CT U.S. Edition for comparison across health systems and/or transmission.</li> </ul> | <ul style="list-style-type: none"> <li>Starter Set: <a href="#">Nursing Problem List Subset of SNOMED CT U.S. Edition</a></li> </ul> |



## PATIENT CLINICAL PROBLEM LIST (I.E., "CONDITIONS")

### Interoperability Need: Representing Patient Clinical Problem List (i.e., "Conditions")

| Type                            | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | N/A                    |
| Standard                        | <a href="#">ICD-10-CM</a>               | Final                      | Production              | ● ● ● ● ○      | No                  | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>The use of SNOMED CT U.S. Edition for this interoperability need, codes should generally be chosen from three axes: Clinical finding, Situation with explicit context, and Event.</li> <li>SNOMED CT U.S. Edition supports the combination of codes (post-coordination) to generate new meaning. Codes from other axes can be used in post-coordination. The need to pick multiple codes may be seen as a disadvantage. This can be avoided if post-coordination is limited to the backend, exposing a single code for users to pick.</li> <li>For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">PHINVADS Problem Value Set 2.16.840.1.113883.3.88.12.3221.7.4</a></li> <li><a href="#">CORE Problem List Subset urn:oid:2.16.840.1.113762.1.4.1018.240</a></li> </ul> |




## PREFERRED LANGUAGE

### Interoperability Need: Representing Patient Preferred Language (Presently)

| Type     | Standard / Implementation Specification        | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Standard | <a href="#">Request for Comment (RFC) 5646</a> | Final                      | Production              | Feedback Requested | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">LOINC®</a>                         | Final                      | Production              | Feedback Requested | No                  | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>RFC 5646 encompasses ISO 639-1, ISO 639-2, ISO 639-3 and other standards related to identifying preferred language.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">PHIN VADS PHVS Language ISO 639-2 Alpha3 (OID 2.16.840.1.114222.4.11.831)</a></li> <li>The following questions are collected on CMS Assessments:                             <ul style="list-style-type: none"> <li>What is your preferred language? <a href="#">LOINC 54899-0</a></li> <li>Do you need or want an interpreter to communicate with a doctor or health care staff? <a href="#">LOINC 54588-9</a></li> </ul> </li> </ul> |





## PREGNANCY STATUS

### Interoperability Need: Representing Patient Pregnancy Status

| Type                            | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>   | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | Free | No                     |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a>  | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | Free | No                     |
| Standard                        | <a href="#">Longitudinal Maternal and Child Health Information for Research FHIR R4 Implementation Guide</a> | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>When patient is currently pregnant, additional data fields should be collected, including: date of pregnancy status, estimated delivery date or gestational age. See applicable value sets and <a href="#">Recommendations from Collaboration of the Health IT Policy and Health IT Standards Committees' Public Health Task Force</a> (Excel File Download, 31KB) for more details.</li> <li>There are ongoing deliberations within CDC and other organizations to identify the best location to capture pregnancy status in provider workflows..</li> <li>For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li>LOINC code: <a href="#">82810-3 Pregnancy status</a> <ul style="list-style-type: none"> <li>SNOMED CT U.S. Edition:                             <ul style="list-style-type: none"> <li>Patient currently pregnant (finding), 77386006</li> <li>Not pregnant (finding), 60001007</li> <li>Possible pregnancy (finding), 102874004</li> </ul> </li> </ul> </li> <li>LOINC code: <a href="#">11778-8 Estimated Delivery Date</a> or <a href="#">21299-3 Gestational age method</a></li> </ul> |



## PROCEDURES


### Interoperability Need: Representing Dental Procedures Performed

| Type     | Standard / Implementation Specification                           | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">Code on Dental Procedures and Nomenclature (CDT®)</a> | Final                      | Production              | ● ● ● ● ○      | No                 | \$   | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Value Set(s) and Starter Set(s)                            |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

### Interoperability Need: Representing Medical Procedures Performed

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">CPT®</a>                    | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | \$   | N/A                    |
| Standard | <a href="#">HCPCS</a>                   | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">ICD-10-PCS</a>              | Final                      | Production              | ● ● ● ● ○          | No                  | Free | N/A                    |
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | Feedback Requested | Yes                 | Free | N/A                    |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>ICD-10-PCS is primarily a billing code used only in inpatient settings.</li> <li>CPT and HCPCS are codes used to report procedures and services in outpatient procedures.</li> <li>ICD-10-PCS is named in the 2015 Edition certification rules as an optional code set for procedures.</li> <li>SNOMED CT U.S. Edition procedure codes can be used to describe treatment in any clinical setting and is not tied to billing but can be cross-mapped to corresponding ICD-10-PCS and CPT/HCPCS codes.</li> </ul> <p><b>LOINC:</b></p> <ul style="list-style-type: none"> <li>A Procedure Note records the indications for a non-operative procedure and, when applicable, post-procedure diagnosis, pertinent events of the procedure, and the patient's tolerance of the procedure.</li> <li>A Pathology Report Narrative contains a consulting specialist's interpretation of the pathology report.</li> </ul> | <ul style="list-style-type: none"> <li>LOINC:                             <ul style="list-style-type: none"> <li>Procedure Note (<a href="#">LOINC code 28570-0</a>)</li> </ul> </li> </ul> |

**Interoperability Need: Representing Social Care Procedures**

| Type     | Standard / Implementation Specification                  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">211 LA County Taxonomy of Human Services</a> | Final                      | Production              | ●●●●●          | No                 | \$   | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Value Set(s) and Starter Set(s)                            |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



## PROVENANCE

### Interoperability Need: Representing Data Provenance

| Type   | Standard / Implementation Specification        | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|--|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| <i>Emerging Implementation Specification</i> | <a href="#">C2PA Technical Specification</a>   | <i>In Development</i>      | <i>Production</i>       | ● ● ○ ○ ○          | No                 | Free |                        |
| Implementation Specification                 | <a href="#">HL7® FHIR® Provenance Resource</a> | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)                            |
|--|---|
| <ul style="list-style-type: none"> <li>Data Elements:                             <ul style="list-style-type: none"> <li>Author Time Stamp-indicates the time the information was recorded</li> <li>Author Organization-the organization the author is associated with at the time they interacted with the data.</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



## PUBLIC HEALTH EMERGENCY PREPAREDNESS AND RESPONSE


### Interoperability Need: Representing Healthcare Personnel Status

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ●●●○○          | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>The CDC, Center of Emergency Preparedness and Response, Situational Awareness branch, collaborating with the National Information Exchange Model (NIEM), developed -a population-level public health emergency preparedness and response information exchange requirements, which includes a minimum data set, and standardized vocabulary. Data comes directly from hospital and long-term care facility databases, not directly linked to the EHR.</li> <li><i>The Healthcare personnel status section of the minimum data set provides vocabulary for a population-level reporting healthcare personnel morbidity and mortality during an emergency event.</i></li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Healthcare personnel status (LOINC 95892-6 prerelease)</a></li> <li><a href="#">Minimum Data Set (MDS) for Public Health Emergency Operations Centers (EOC) [CDC Emergency Operations Centers] (89724-9)</a></li> </ul> |

### Interoperability Need: Representing Hospital/Facility Beds Utilization

| Type                                  | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard                              | <a href="#">LOINC®</a>  | Final                      | Production              | ●●●○○              | No                 | Free | No                     |
| Emerging Implementation Specification | <a href="#">HL7® FHIR® (v4.0.1) Situational Awareness for Novel Epidemic Response 1.0.0 - STU Release</a> | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | N/A                    |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>The CDC, Center of Emergency Preparedness and Response, Situational Awareness branch, collaborating with the National Information Exchange Model (NIEM), developed -a population-level public health emergency preparedness and response information exchange requirements, which includes a minimum data set, and standardized vocabulary. Data comes directly from hospital and long-term care facility databases not directly linked to the EHR.</li> <li><i>The Hospital/facility beds utilization section of the minimum data set provides vocabulary for reporting a beds utilization during an emergency event.</i></li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Hospital/facility beds utilization report (LOINC 95893-4 prerelease)</a></li> <li><a href="#">Minimum Data Set (MDS) for Public Health Emergency Operations Centers (EOC) [CDC Emergency Operations Centers] (89724-9)</a></li> </ul> |

**Interoperability Need: Representing Laboratory Operations (Population Laboratory Surveillance)**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ●●●●○          | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>The CDC, Center of Emergency Preparedness and Response, Situational Awareness branch, collaborating with the National Information Exchange Model (NIEM), developed -a population-level public health emergency preparedness and response information exchange requirements, which includes a minimum data set, and standardized vocabulary. Data comes directly from hospital and long-term care facility databases, not directly linked to the EHR.</li> <li><i>The Laboratory operations section of the minimum data set provides vocabulary for population level laboratory tests reporting (i.e., number of tests completed, positive results etc.) during an emergency event.</i></li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Laboratory operations report (LOINC 89756-1)</a></li> <li><a href="#">Minimum Data Set (MDS) for Public Health Emergency Operations Centers (EOC) [CDC Emergency Operations Centers] (89724-9)</a></li> </ul> |




**Interoperability Need: Representing Mass Vaccination Status**

| Type                         | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard                     | <a href="#">LOINC®</a>                  | Final                      | Production              | ●●●○○          | No                 | Free | No                     |
| Implementation Specification | <a href="#">ICD-10</a>                  | Final                      | Production              | ●●●●○          | Yes                | \$   | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>The CDC, Center of Emergency Preparedness and Response, Situational Awareness branch, collaborating with the National Information Exchange Model (NIEM), developed a population-level public health emergency preparedness and response information exchange requirements, which includes a minimum data set, and standardized vocabulary. Data comes directly from hospital and long-term care facility databases, not directly linked to the EHR.</li> <li>The Reporting Mass Vaccination Status panel defines the vocabulary for a population level reporting of a mass vaccination.</li> <li>ICD-10 included as a value as pharmacies report mass vaccinations using ICD-10.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Mass vaccination status (LOINC 96987-3)</a></li> <li><a href="#">Minimum Data Set (MDS) for Public Health Emergency Operations Centers (EOC) [CDC Emergency Operations Centers] (89724-9)</a></li> </ul> |


**Interoperability Need: Representing Population-Level Morbidity and Mortality**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ●●●●○          | No                 | Free | No                     |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>The CDC, Center of Emergency Preparedness and Response, Situational Awareness branch, collaborating with the National Information Exchange Model (NIEM), developed a population-level public health emergency preparedness and response information exchange requirements, which includes a minimum data set, and standardized vocabulary. Data comes directly from hospital and long-term care facility databases, often not directly linked to the EHR.</li> <li><i>The Reporting event status section of the minimum data set</i> provides vocabulary for population-level reporting morbidity and mortality by healthcare entity (i.e., hospital, long term care facility, regional healthcare coalition) or territorial level (county, state, national) during an emergency event.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Reporting event status (LOINC 89754-6)</a></li> <li><a href="#">Minimum Data Set (MDS) for Public Health Emergency Operations Centers (EOC) [CDC Emergency Operations Centers] (89724-9)</a></li> </ul> |





## RACE, ETHNICITY AND TRIBAL AFFILIATION

### Interoperability Need: Representing Patient Race and Ethnicity

| Type     | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard | <a href="#">OMB standards for Maintaining, Collecting, and Presenting Federal Data on Race and Ethnicity, Statistical Policy Directive No. 15, Oct 30, 1997</a> | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">CDC Race and Ethnicity Code Set Version 1.2</a>   | Final                      | Production              | ●●●●○          | Yes                 | Free | Yes                    |
| Standard | <a href="#">CDC Race and Ethnicity Code Set Version 1.0</a>   | Final                      | Production              | ●●●●○          | Yes                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>The <a href="#">CDC Developed Code Systems</a> includes <a href="#">Race &amp; Ethnicity Code System – CDCREC 1.2</a> and <a href="#">Race &amp; Ethnicity Code System – CDCREC 1.0</a> which expands upon and can be rolled up to the OMB standards may help to further define race and ethnicity for this interoperability need as it allows for multiple races and ethnicities to be chosen for the same patient.</li> <li>The CDC Race and Ethnicity Code Set Version 1.2 is minor update to Version 1.0 and is the current version for CDC reporting requirements.</li> <li>The high-level race/ethnicity categories in the OMB Standard may be suitable for some statistical or epidemiologic or public health reporting purposes but may not be adequate for other uses such as in the pursuit of precision medicine and enhancing therapy or clinical decisions.</li> <li>LOINC® provides observation codes for use in the observation/observation value pattern for communicating race and ethnicity. LOINC is used to capture race and/or ethnicity in multiple coded panels; some of these align with the OMB race and ethnicity Category codes (e.g., <a href="#">72826-1</a> <a href="#">69490-1</a>).</li> </ul> | <ul style="list-style-type: none"> <li>Race (Category):                             <ul style="list-style-type: none"> <li><a href="#">PHINVADS Race Category Excluding Nulls</a></li> <li><a href="#">VSAC Race Category Excluding Nulls</a></li> <li><a href="#">Race</a> (Note, the use of “Other Race” is discourage)</li> </ul> </li> <li>Race (Detailed):                             <ul style="list-style-type: none"> <li><a href="#">PHINVADS Race Value Set</a></li> <li><a href="#">VSAC Race Value Set</a></li> </ul> </li> <li>Ethnicity (Category)                             <ul style="list-style-type: none"> <li><a href="#">PHINVADS Ethnicity Group Value Set</a></li> <li><a href="#">VSAC Ethnicity</a></li> </ul> </li> <li>Ethnicity (extended set, 43 codes):                             <ul style="list-style-type: none"> <li><a href="#">PHINVADS Detailed Ethnicity Value Set</a></li> <li><a href="#">VSAC Detailed Ethnicity</a></li> </ul> </li> </ul> |



**Interoperability Need: Representing Tribal Affiliation**

| Type                         | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7 TribalEntityUS</a>      | Final                      | Production              | Feedback Requested | No                 | Free | No                     |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>Any patient receiving healthcare in the United States may have some tribal affiliation, including patients from any other country or locale in the world. Some patients are members of a federally recognized tribe, some are members of a state recognized tribe, some are members of tribes in the process of seeking federal or state recognition, and some may self-report an affiliation or enrollment in more than one tribe or community inside or outside the U.S. Only tribes define and determine tribal enrollment. Federal, state, and local entities do not have the ability to verify tribal enrollment. Use of tribal affiliation allows for the collection of what tribe(s) an individual patient identifies with, without impeding on tribal sovereignty in any way.</li> <li>The HL7 TribalEntityUS code system is modeled after the Bureau of Indian Affairs (BIA) list of federally recognized tribes, state recognized tribes, and other entities in Alaska and the contiguous U.S. To aid in identifying Tribal name changes, the Tribe's previously listed, former name, or also known as (aka) is included in parentheses after the correct current Tribal name on the <a href="https://www.bia.gov/as-ia/ofa">https://www.bia.gov/as-ia/ofa</a> website.</li> </ul> | <ul style="list-style-type: none"> <li>The HL7 codesystem for TribalEntityUS is defined as "Indian entities recognized and eligible to receive services from the United States Bureau of Indian Affairs".</li> <li>This Code system is referenced in the content logical definition of the following value sets:                         <ul style="list-style-type: none"> <li><a href="#">NativeEntityAlaska</a></li> <li><a href="#">NativeEntityContiguous</a></li> <li><a href="#">TribalEntityUS</a></li> <li>urn:oid:2.16.840.1.113883.5.140</li> </ul> </li> </ul> |



## RESEARCH

### Interoperability Need: Representing Data for Biomedical and Health Services Research Purposes

| Type     | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard | <a href="#">Clinical Data Interchange Standards Consortium (CDISC) Controlled Terminology Standards for Data Aggregation through Study Data Tabulation Model (SDTM) (including QRS, Medical Device and Pharmacogenomics Data), Hosted by NCI-EVS</a> | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use (ICH) Medical Dictionary for Regulatory Activities (MedDRA)</a>  | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | \$   | N/A                    |
| Standard | <a href="#">Clinical Data Interchange Standards Consortium (CDISC) Controlled Terminology for Analysis Dataset Model (ADaM) Hosted by NCI-EVS</a>  | Final                      | Production              | ● ● ● ○ ○      | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">Clinical Data Interchange Standards Consortium (CDISC) Controlled Terminology for Therapeutic Area Standards</a>   | Final                      | Production              | ● ○ ○ ○ ○      | <a href="#">Yes</a> | Free | N/A                    |
| Standard | <a href="#">Clinical Data Interchange Standards Consortium (CDISC) Controlled Terminology Standards for Data Collection through Clinical Data Acquisition Standards Harmonization (CDASH), Hosted by NCI-EVS</a>                                     | Final                      | Production              | ● ● ● ○ ○      | No                  | Free | N/A                    |



| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard                     | <a href="#">Clinical Data Interchange Standards Consortium (CDISC) Controlled Terminology for Data Collection for Protocol Hosted by NCI-EVS</a> | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |
| Standard                     | <a href="#">Observational Medical Outcomes Partnership (OMOP) Common Data Model (CDM)</a>  | Final                      | Production              | ● ● ● ● ○          | No                 | Free | <a href="#">Yes</a>    |
| Standard                     | <a href="#">Sentinel Common Data Model</a>   | Final                      | Production              | ● ● ○ ○ ○          | No                 | Free | N/A                    |
| Standard                     | <a href="#">National Cancer Institute (NCI) Enterprise Vocabulary Service (EVS)</a>  | Final                      | Production              | ● ● ● ○ ○          | No                 | Free | N/A                    |
| Standard                     | <a href="#">National Cancer Institute (NCI) cancer Data Standards Repository (caDSR)</a>   | Final                      | Production              | ● ● ● ○ ○          | No                 | Free | N/A                    |
| Standard                     | <a href="#">National Cancer Institute (NCI) Metathesaurus</a>  | Final                      | Production              | ● ● ● ○ ○          | No                 | Free | N/A                    |
| Implementation Specification | <a href="#">HL7® FHIR® Common Data Models Harmonization (CDMH) IG</a>  | Final                      | Production              | ● ○ ○ ○ ○          | No                 | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)                            |
|--|---|
| <ul style="list-style-type: none"> <li>The adoption and federally required levels for using CDISC SDTM for QRS, Medical Devices and Pharmacogenomics purposes vary.</li> <li>Medical Dictionary for Regulatory Activities (MedDRA) is a standardized medical terminology developed by ICH, to facilitate sharing of regulatory information internationally for medical products used by humans. It is used for registration, documentation and safety monitoring of medical products both before and after a product has been authorized for use.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



## SEX AT BIRTH, SEXUAL ORIENTATION AND GENDER IDENTITY

### Interoperability Need: Representing Patient Gender Identity

| Type                            | Standard / Implementation Specification    | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|---------------------------------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>                     | Final                      | Production              | ●●●○○          | No                  | Free | N/A                    |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a>    | Final                      | Production              | ●●●○○          | <a href="#">Yes</a> | Free | N/A                    |
| Standard for observation values | <a href="#">HL7® Version 3 Null Flavor</a> | Final                      | Production              | ●●●○○          | <a href="#">Yes</a> | Free | N/A                    |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>An <a href="#">article in JAMIA</a> provides helpful information for planning and implementing sexual orientation and gender identity data collection in electronic health records.</li> <li>Even though clinicians and their patients would benefit from having these data in patient records, this does not suggest that it is the sole responsibility of clinicians and their staffs to collect these sensitive data.</li> <li>When patients provide a response to this question in a patient portal, it could contradict with the information collected by providers.</li> <li>For more information about observations and observation values, see Appendix II for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> <li>The <a href="#">Gender Harmony Project</a> is updating the representation of several sex-related concepts, including gender identity. Their proposed value set (extensible for other use cases) for gender identity does not include the concepts of <a href="#">Female-to-Male (FTM)/Transgender Male/Trans Man</a>, <a href="#">Male-to-Female (MTF)/Transgender Female/Trans Woman</a>, or <a href="#">Additional gender category or other, please specify. HL7 Version 3 code: OTH</a> that are included in the ONC value set which was established in regulation and incorporated by reference.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Gender identity. LOINC code: 76691-5</a></li> <li><a href="#">Male. SNOMED CT U.S. Edition code 446151000124109</a></li> <li><a href="#">Female. SNOMED CT U.S. Edition code 446141000124107</a></li> <li><a href="#">Female-to-Male (FTM)/Transgender Male/Trans Man. SNOMED CT U.S. Edition code: 407377005</a></li> <li><a href="#">Male-to-Female (MTF)/Transgender Female/Trans Woman. SNOMED CT U.S. Edition code: 407376001</a></li> <li><a href="#">Identifies as non-conforming gender (SNOMED CT U.S. Edition synonyms include: Genderqueer; Identifies as neither exclusively male nor female, Non-binary gender) SNOMED CT U.S. Edition code: 446131000124102</a></li> <li><a href="#">Additional gender category or other, please specify. HL7 Version 3 code: OTH</a></li> <li><a href="#">Choose not to disclose. HL7 Version 3 code: ASKU</a></li> </ul> |



**Interoperability Need: Representing Patient Sex (At Birth)**

| Type                            | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>  | Final                      | Production              | ●●●●●          | No                  | Free | N/A                    |
| Standard for observation values | <a href="#">For Male and Female, HL7® Version 3 Value Set; for Administrative Gender Unknown, HL7 Version 3 Null Flavor</a> | Final                      | Production              | ●●●●●          | <a href="#">Yes</a> | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>• Patient Sex (at birth), or Assigned Sex, is the sex (male or female) given to a child at birth, most often based on the child's external anatomy.</li> <li>• HL7 Version 2 and 3 need to be harmonized.</li> <li>• For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li>• <a href="#">LOINC code: 76689-9 Sex assigned at birth</a></li> <li>• <a href="#">Administrative Gender (HL7 V3) 2.16.840.1.113883.1.11.1</a></li> <li>• ONC's 2015 Edition certification requirements reference the following value set for birth sex that use a combination of HL7 Version 3 (V3) Standard value set for Administrative Gender and NullFlavor:                         <ul style="list-style-type: none"> <li>(1) M ("Male")</li> <li>(2) F ("Female")</li> <li>(3) <a href="#">UNK ("Unknown") (HL7 V3 NullFlavor code)</a></li> </ul> </li> <li>• Other HL7 V3 NullFlavor codes, while not specifically required, may also be useful:                         <ul style="list-style-type: none"> <li>(1) OTH ("Other")</li> <li>(2) ASKU ("Asked, but Unknown")</li> <li>(3) NASK ("Not asked")</li> </ul> </li> </ul> |



**Interoperability Need: Representing Patient-Identified Sexual Orientation**

| Type                            | Standard / Implementation Specification    | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|---------------------------------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>                     | Final                      | Production              | ●●○○○          | No                  | Free | N/A                    |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a>    | Final                      | Production              | ●●○○○          | <a href="#">Yes</a> | Free | N/A                    |
| Standard for observation values | <a href="#">HL7® Version 3 Null Flavor</a> | Final                      | Production              | ●●●○○          | <a href="#">Yes</a> | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>An <a href="#">article in JAMIA</a> provides helpful information for planning and implementing sexual orientation and gender identity data collection in electronic health records.</li> <li>For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li>LOINC code: 76690-7 Sexual orientation</li> <li>ONC's 2015 Edition certification requirements reference the following value set for sexual orientation. Codes from (i) through (iii) are SNOMED CT U.S. Edition and (iv) through (vi) are from HL7 Version 3:                         <ul style="list-style-type: none"> <li>(i) <i>Lesbian, gay or homosexual</i>.38628009</li> <li>(ii) <i>Straight or heterosexual</i>. 20430005</li> <li>(iii) <i>Bisexual</i>. 42035005</li> <li>(iv) <i>Something else, please describe</i>.nullFlavor OTH</li> <li>(v) <i>Don't know</i>. nullFlavor UNK</li> <li>(vi) <i>Choose not to disclose</i>. nullFlavor ASKU</li> </ul> </li> <li>SNOMED CT U.S. Edition code: Sexually attracted to neither male nor female sex 765288000 (Not required in ONC's 2015 Edition certification requirements)</li> </ul> |



## SOCIAL, PSYCHOLOGICAL AND BEHAVIORAL DATA

### Interoperability Need: Representing Alcohol Use

| Type                            | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard                        | <a href="#">HCPCS</a>                   | Final                      | Production              | ●●●○○          | No                 | Free | N/A                    |
| Standard for observations       | <a href="#">LOINC®</a>                  | Final                      | Production              | ●○○○○          | Yes                | Free | N/A                    |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ●○○○○          | No                 | Free | N/A                    |
| Standard                        | <a href="#">CPT-4</a>                   | Final                      | Production              | ●○○○○          | No                 | \$   | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>The <a href="#">Alcohol Use Disorder Identification Test - Consumption [AUDIT-C]</a> consists of the first ten questions of the World Health Organization’s 10-question AUDIT alcohol screening that can help identify patients who are hazardous drinkers or have active alcohol use disorders (including alcohol abuse or dependence), is best suited for this interoperability need.</li> <li>Screening, Brief Intervention, and Referral to Treatment (SBIRT) is an approach to the delivery of early intervention and treatment to people with alcohol and other substance use disorders and those at risk of developing these disorders.</li> <li>For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">AUDIT-C panel (LOINC code 72109-2)</a></li> <li>AUDIT-C member codes:                             <ul style="list-style-type: none"> <li>LOINC code 68518-0 (with LOINC answer list ID LL2179-1)</li> <li>LOINC code 68519-8 (with LOINC answer list ID LL2180-9)</li> <li>LOINC code 68520-6 (with LOINC answer list ID LL2181-7)</li> <li>AUDIT-C total score (LOINC code 75626-2)</li> </ul> </li> <li><a href="#">AUDIT panel (LOINC code 72110-0)</a> (Included for reference)</li> <li><a href="#">AUDIT panel total score (LOINC code 75624-7)</a> (Included for reference)</li> <li>SBIRT Service Codes (CPT 99408, 99409; HCPCS G0396, G0397, H0049, H0050)</li> </ul> |





**Interoperability Need: Representing Depression**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | Yes                | Free | N/A                    |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>The <a href="#">Patient Health Questionnaire 2 item (PHQ-2)</a> is a two-question prescreen for symptoms of depression in the past two weeks. It consists of the first two questions of the PHQ-9, which is the screening tool used to determine if a patient meets the criteria for depressive disorder, which is more appropriate for “Representing Depression”. The LOINC codes specified in the panel <a href="#">LOINC 55757-9</a> are the codes required to meet the ONC certification criteria for depression screening as part of the <a href="#">§170.315(a)(15) Social, psychological, and behavioral data</a>.</li> <li>The <a href="#">full Patient Health Questionnaire 9 item (PHQ-9)</a> incorporates DSM-IV depression criteria with other leading major depressive symptoms into a brief self-report instrument commonly used for screening and diagnosis, as well as selecting and monitoring treatment.</li> <li>There are other PHQ-9 administration modalities used in other clinical settings, such as post-acute care settings, that are represented by other LOINC panels such as <a href="#">LOINC 44249-1 (PHQ-9 quick depression assessment panel)</a> and <a href="#">LOINC 54635-8 Resident mood interview (PHQ-9)</a>. Additional information regarding these panels can be found at PACIO Project (<a href="http://pacioproject.org/">http://pacioproject.org/</a>).</li> <li>The Beck Depression Inventory Fast Screen (BDI FS) is a shorter version of the Beck Depression Inventory II (BDI II) [<a href="#">LOINC 89210-9</a>]. The BDI FS contains seven items from the BDI II and, like the BDI II, evaluates depression symptoms in alignment with the Diagnostic and Statistical Manual of Mental Disorders, fourth edition (DSM-IV) criteria for depression. [<a href="#">PMID:19010075</a>]</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">PHQ-2 panel LOINC code 55757-9</a> <ul style="list-style-type: none"> <li>PHQ-2 member codes:                             <ul style="list-style-type: none"> <li>PHQ-2 Q1 LOINC 44250-9</li> <li>PHQ-2 Q2 LOINC 44255-8</li> <li>PHQ-2 Total Score LOINC 55758-7</li> </ul> </li> </ul> </li> <li><a href="#">PHQ-9 panel LOINC code 44249-1</a> (Listed for reference.)</li> <li><a href="#">PHQ-9 panel LOINC code 69729-2</a></li> <li>Beck Depression Inventory Fast Screen [BDI] <a href="#">LOINC code 89211-7</a></li> </ul> |



**Interoperability Need: Representing Drug Use**

| Type     | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">ICD-10-CM</a>                | Final                      | Production              | ●●●●●          | No                 | Free | No                     |
| Standard | <a href="#">RxNorm</a>                   | Final                      | Production              | ●●●●●          | No                 | Free | No                     |
| Standard | <a href="#">National Drug Code (NDC)</a> | Final                      | Production              | ●●●●●          | No                 | Free | No                     |
| Standard | <a href="#">HCPCS</a>                    | Final                      | Production              | ●●●○○          | No                 | Free | No                     |
| Standard | <a href="#">LOINC®</a>                   | Final                      | Production              | ●○○○○          | No                 | Free | No                     |
| Standard | <a href="#">SNOMED CT® U.S. Edition</a>  | Final                      | Production              | ●○○○○          | No                 | Free | No                     |
| Standard | <a href="#">CPT®-4</a>                   | Final                      | Production              | ●○○○○          | No                 | \$   | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>• <a href="#">SNOMED CT U.S. Edition</a> is used to represent conditions, findings and observations.</li> <li>• RxNorm and NDC:                             <ul style="list-style-type: none"> <li>• RxNorm is a terminology built on and derived from other terminologies which represent various elements within RxNorm, including dose form and units of measure. RxNorm reflects and preserves the meanings, drug names, attributes, and relationships from its sources.</li> <li>• The use of NDC in conjunction with RxNorm can help minimize gaps in representing medications, including controlled substances as defined and scheduled by the <a href="#">Drug Enforcement Administration</a>.</li> </ul> </li> <li>• The <a href="#">Drug Abuse Screen Test (DAST-10)</a> was designed to provide a brief, self-report instrument for population screening, clinical case finding and treatment evaluation research. It can be used with adults and older youth.                             <ul style="list-style-type: none"> <li>• (c)1982 Harvey Skinner, PhD, Centre for Addiction and Mental Health, Toronto, Canada.</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>• Drug Abuse Screening Test-10 [DAST-10] (LOINC code <a href="#">82666-9</a>)</li> <li>• DAST-10 Total Score LOINC code <a href="#">82667-7</a></li> <li>• SBIRT Service Codes (CPT 99408, 99409; HCPCS G0396, G0397, H0049, H0050)</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s) |
|--|--|
| <ul style="list-style-type: none"> <li>Screening, Brief Intervention, and Referral to Treatment (SBIRT) is an approach to the delivery of early intervention and treatment to people with alcohol and other substance use disorders and those at risk of developing these disorders.</li> <li>Prescription Drug Monitoring Programs (PDMPs) are electronic databases that track controlled substance prescriptions in a state. More information on standards and implementation specifications in use for the exchange of PDMP data can be found on the <a href="#">Allows for the Exchange of State Prescription Drug Monitoring Program (PDMP) Data</a> ISA page.</li> </ul> |  |

**Interoperability Need: Representing Exposure to Violence (Intimate Partner Violence)**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | Yes                | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>The <a href="#">HARK (Humiliation, Afraid, Rape, Kick)</a> is a four-question screen for identifying women who have experienced intimate partner violence (IPV) in the past year and may help women disclose IPV in general practice. It is best suited for use with this interoperability need</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">HARK panel LOINC code 76499-3</a> <ul style="list-style-type: none"> <li>HARK member codes:                             <ul style="list-style-type: none"> <li>LOINC code 76500-8 (with LOINC answer list ID LL963-0)</li> <li>LOINC code 76501-6 (with LOINC answer list ID LL963-0)</li> <li>LOINC code 76502-4 (with LOINC answer list ID LL963-0)</li> <li>LOINC code 76503-2 (with LOINC answer list ID LL963-0)</li> <li>HARK total score LOINC code 76504-0</li> </ul> </li> </ul> </li> </ul> |




**Interoperability Need: Representing Financial Resource Strain**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | Yes                | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>A single-item question used to determine the patient's overall financial resource strain developed from the <a href="#">Coronary Artery Risk Development in Young Adults (CARDIA) study</a> is best suited for this interoperability need.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Overall financial resource strain (CARDIA) LOINC code 76513-1</a></li> <li><a href="#">LOINC answer list ID LL3266-5</a></li> </ul> |

**Interoperability Need: Representing Food Insecurity**


| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |
| Standard | <a href="#">ICD-10-CM</a>               | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |
| Standard | <a href="#">CPT®-4</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | No                 | \$   | N/A                    |
| Standard | <a href="#">HCPCS</a>                   | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | N/A                    |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>• <a href="#">The Hunger Vital Sign</a> [HVS] is a two-question food insecurity screening tool based on the US Household Food Security Scale developed by Children's Health Watch. Centers for Medicare &amp; Medicaid Services uses the HVS in the <a href="#">Accountable Health Communities</a> screening tool.</li> <li>• <a href="#">SNOMED CT U.S. Edition</a> is used to represent conditions, observations, and non-medical interventions related to Social Determinants of Health.</li> <li>• <a href="#">ICD-10 Z55-Z65</a> is used to capture diagnoses related to certain Social Determinants of Health.</li> <li>• <a href="#">CPT-4</a> and <a href="#">HCPCS</a> is used to capture medical and non-medical procedures and interventions related to Social Determinants of Health.</li> </ul> | <ul style="list-style-type: none"> <li>• <a href="#">LOINC 88121-9</a> Hunger Vital Sign [HVS]:                         <ul style="list-style-type: none"> <li>• <a href="#">LOINC 88122-7</a> Within the past 12 months we worried whether our food would run out before we got money to buy more [U.S. FSS]</li> <li>• <a href="#">LOINC 88123-5</a> Within the past 12 months the food we bought just didn't last and we didn't have money to get more [U.S. FSS]</li> <li>• <a href="#">LOINC 88124-3</a> Food insecurity risk [HVS]</li> </ul> </li> <li>• <a href="#">LOINC 93025-5</a> Protocol for Responding to and Assessing Patients' Assets, Risks, and Experiences [PRAPARE] Panel</li> </ul> |

**Interoperability Need: Representing Housing Insecurity**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |
| Standard | <a href="#">ICD-10-CM</a>               | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |
| Standard | <a href="#">CPT®-4</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | No                 | \$   | N/A                    |
| Standard | <a href="#">HCPCS</a>                   | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | N/A                    |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>Housing situation screening question is part of the <a href="#">Protocol for Responding to and Assessing Patients' Assets, Risks, and Experiences [PRAPARE]</a> screening instrument licensed by the National Association of Community Health Centers (NACHC).</li> <li><a href="#">LOINC</a> is used to represent screening assessments related to Social Determinants of Health.</li> <li><a href="#">SNOMED CT U.S. Edition</a> is used to represent conditions, findings and observations related to Social Determinants of Health.</li> <li><a href="#">ICD-10 Z55-Z65</a> codes are used to capture diagnoses related to certain Social Determinants of Health.</li> <li><a href="#">CPT-4</a> and <a href="#">HCPCS</a> are used to capture medical and non-medical procedures and interventions related to Social Determinants of Health.</li> </ul> | <ul style="list-style-type: none"> <li>What is your current housing situation? (<a href="#">LOINC code 71802-3</a>)                             <ul style="list-style-type: none"> <li>Answer list (<a href="#">LOINC code LL5350-5</a>)                                     <ul style="list-style-type: none"> <li>I have housing</li> <li>I do not have housing (staying with others, in a hotel, in a shelter, living outside on the street, on a beach, in a car, or in a park)</li> <li>I choose not to answer that question</li> </ul> </li> </ul> </li> <li>Protocol for Responding to and Assessing Patients' Assets, Risks, and Experiences [PRAPARE] Panel (<a href="#">LOINC code 93025-5</a>)</li> </ul> |

**Interoperability Need: Representing Level of Education**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | Yes                | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>A single question, "current educational attainment" used to determine the highest grade or level of school completed or highest degree received, developed as part of the <a href="#">National Health and Nutrition Examination Survey (NHANES)</a> is best suited for this interoperability need.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Current educational attainment (NHANES) LOINC code 63504-5</a></li> <li><a href="#">LOINC answer list ID LL1069-5</a></li> </ul> |



**Interoperability Need: Representing Physical Activity**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | Yes                | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>The two-question screen, "moderate to strenuous activity in last 7 days" adapted by SAMHSA from the Kaiser Permanente Exercise Vital Sign screen of physical activity is best suited for this interoperability need.</li> </ul> | <ul style="list-style-type: none"> <li>How many days of moderate to strenuous exercise, like a brisk walk, did you do in the last 7 days? <a href="#">LOINC code 68515-6</a></li> <li>On those days that you engaged in moderate to strenuous exercise, how many minutes, on average, did you exercise? <a href="#">LOINC code 68516-4</a></li> <li>Responses use applicable UCUM unit of measure</li> </ul> |


**Interoperability Need: Representing Social Care Services Information**

| Type     | Standard / Implementation Specification                  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">211 LA County Taxonomy of Human Services</a> | Final                      | Production              | ● ● ● ● ●      | No                 | \$   | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

**Interoperability Need: Representing Social Connection and Isolation**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | Yes                | Free | N/A                    |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>The Social connection and isolation panel is a set of five questions used to assess the number of types of social relationships on which a patient is connected and not isolated. It was developed for the <a href="#">National Health and Nutrition Examination Survey (NHANES)</a>, and is best suited for this interoperability need.</li> <li>Identification of loneliness and isolation is assessed in PAC assessments and included in the CMS Data Element Library and mapped to health IT standards.</li> </ul> | <ul style="list-style-type: none"> <li>Social connection and isolation panel <a href="#">LOINC code 76506-5</a> <ul style="list-style-type: none"> <li>Member codes:                             <ul style="list-style-type: none"> <li>LOINC code 63503-7 (with LOINC answer list ID LL1068-7)</li> <li>LOINC code 76508-1</li> <li>LOINC code 76509-9</li> <li>LOINC code 76510-7</li> <li>LOINC code 76511-5 (with LOINC answer list ID LL963-0)</li> <li>Social isolation score LOINC code 76512-3</li> <li>LOINC code 93159-2</li> </ul> </li> </ul> </li> </ul> |

**Interoperability Need: Representing Social Determinants of Health - Conditions and Diagnoses**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | Feedback Requested | No                 | Free |                        |
| Standard | <a href="#">ICD-10-CM</a>               | Final                      | Production              | Feedback Requested | No                 |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>SDOH Problems/Health Concerns represent problems and diagnoses identified by the Gravity Project and as determined by screening assessments of a SDOH-related risk.</li> <li>These are represented by SNOMED CT U.S. Edition and ICD-10-CM codes that have been identified through the Gravity Project community consensus voting process.</li> <li>The Gravity Project established and maintains current value sets which represent SDOH Conditions and Diagnoses within many SDOH domains, such as Food, Housing, and Transportation Security.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Social Determinants of Health Conditions</a> Value Set contains SNOMED CT U.S. Edition and ICD 10 CM conditions and diagnoses that have been identified through the Gravity Project community consensus voting process.</li> </ul> |






| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s) |
|--|--|
| <ul style="list-style-type: none"> <li>The United States Core Data for Interoperability version 3 (USCDI v3) includes SDOH Problems/Health Concerns as a data element used to capture and exchange data on a patient's SDOH risks and needs. The value sets included on this page are intended to guide development of the ability to capture this type of data in health IT.</li> <li>A white paper developed by National Council for Prescription Drug Programs (NCPDP), <a href="#">Collecting and Exchanging Social Determinants of Health Data in the Pharmacy</a>, may assist in the usage of ICD-10-CM and SNOMED CT US Edition codes within the NCPDP SCRIPT and Telecommunication Standards, as well as the Pharmacist eCare Plan.</li> </ul> |  |

**Interoperability Need: Representing Social Determinants of Health - Goals**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | Feedback Requested | No                 | Free |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>SDOH Goals identify future desired conditions or changes in a patient's condition related to an SDOH risk in any domain and is established by the patient or provider. (e.g., Has adequate quality meals and snacks, Transportation security-able to access health and social needs).</li> <li><a href="#">SNOMED CT U.S. Edition</a> is used to represent SDOH Goals.</li> <li>The Gravity Project established and maintains current value sets which represent SDOH Goals across many SDOH domains, such as Food, Housing, and Transportation Security.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Social Determinants of Health Goals Value Set</a> - represent all of the individual domain goals identified by the Gravity Project</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s) |
|---|--|
| <ul style="list-style-type: none"> <li>The United States Core Data for Interoperability version 2 (USCDI v2) includes SDOH Goals as a data element used to capture and exchange data on a patient's SDOH risks and needs. The value set included on this page is intended to guide development of the ability to capture this type of data in health IT.</li> </ul> |  |

**Interoperability Need: Representing Social Determinants of Health - Interventions**

| Type     | Standard / Implementation Specification                    | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">SNOMED CT® U.S. Edition</a>                    | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |
| Standard | <a href="#">Current Procedural Terminology (CPT®) 2022</a> | Final                      | Production              | ● ● ● ● ●          | No                 | \$   |                        |
| Standard | <a href="#">HCPCS</a>                                      | Final                      | Production              | Feedback Requested | No                 | Free |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>SDOH Interventions represent service requests and responding procedures/interventions identified by the Gravity Project that can be used to address a Social Determinants of Health-related health concern, condition, or diagnosis.</li> <li>These concepts Includes SNOMED CT U.S. Edition, CPT, HCPCS codes identified by the Gravity Project's community consensus voting process.</li> <li>The Gravity Project established and maintains current value sets which represent SDOH Interventions across many SDOH domains, such as Food, Housing, and Transportation Security.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Social Determinants of Health Service Requests</a> Value Set represent interventions identified by the Gravity Project that can be used to request services from partners in the clinical and social care ecosystem.</li> <li><a href="#">Social Determinants of Health Procedures</a> Value Set represents interventions identified by the Gravity Project to document services delivered across the clinical and social care ecosystem.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s) |
|---|--|
| <ul style="list-style-type: none"> <li>The United States Core Data for Interoperability version 3 (USCDI v3) includes SDOH Interventions as a data element used to capture and exchange data on a patient's SDOH risks and needs. The value sets included on this page are intended to guide development of the ability to capture this type of data in health IT.</li> </ul> |  |

**Interoperability Need: Representing Social Determinants of Health - Screening Assessments**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | Feedback Requested | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>SDOH Screening Assessments are screening questionnaire-based, structured evaluations (e.g., PRAPARE, Hunger Vital Sign, AHC-HRSN screening tool) for a Social Determinants of Health-related risk.</li> <li>These are represented by <a href="#">LOINC panel codes</a> for screening assessment that have been identified through the Gravity Project community consensus voting process</li> <li>The Gravity Project established and maintains current value sets which represent SDOH Screening Assessments across many SDOH domains, such as Food, Housing, and Transportation Security.</li> <li>The United States Core Data for Interoperability version 3 (USCDI v3) includes SDOH Assessments as a data element used to capture and exchange data on a patient's SDOH risks and needs. The value set included on this page is intended to guide development of the ability to capture this type of data in health IT.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">Social Determinants of Health Screening Assessments</a> Value Set represents all of the individual domain assessment screening instruments identified by the Gravity Project</li> </ul> |



**Interoperability Need: Representing Stress**


| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | Yes                | Free | N/A                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>A single-question stress measure primarily tested in Scandinavian populations is part of the Occupational Stress Questionnaire™ (Q41) developed by the <a href="#">Finnish Institute of Occupational Health</a> is best suited for this interoperability need.</li> </ul> | <ul style="list-style-type: none"> <li>Occupational Stress Questionnaire Q41 <a href="#">LOINC code 76542-0</a></li> <li><a href="#">LOINC answer list LL3267-3</a></li> </ul> |

**Interoperability Need: Representing Transportation Insecurity**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">LOINC®</a>                  | Final                      | Production              | ● ● ● ● ●      | No                 | Free | No                     |
| Standard | <a href="#">ICD-10-CM</a>               | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | No                     |
| Standard | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>Transportation insecurity screening question is part of the screening <a href="#">Protocol for Responding to and Assessing Patients' Assets, Risks, and Experiences [PRAPARE]</a> screening instrument licensed by the National Association of Community Health Centers (NACHC).</li> <li><a href="#">SNOMED CT U.S. Edition</a> is used to represent conditions, findings and observations related to Social Determinants of Health.</li> <li><a href="#">ICD-10 Z55-Z65</a> codes are used to capture diagnoses related to certain Social Determinants of Health.</li> </ul> | <ul style="list-style-type: none"> <li>Has lack of transportation kept you from medical appointments, meetings, work, or from getting things needed for daily living? [PRAPARE] <a href="#">(LOINC code 93030-5)</a></li> <li>Protocol for Responding to and Assessing Patients' Assets, Risks, and Experiences [PRAPARE] Panel <a href="#">(LOINC code 93025-5)</a></li> </ul> |



| <b>Limitations, Dependencies, and Preconditions for Consideration</b>  | <b>Applicable Value Set(s) and Starter Set(s)</b> |
|--|---|
| <ul style="list-style-type: none"><li>• Transportation insecurity screening is collected in CMS Post-acute Care assessments, included in the CMS Data Element Library and mapped to <a href="#">LOINC 93030-5</a>.</li></ul> |   |





## TOBACCO USE


### Interoperability Need: Representing Patient Electronic Cigarette Use (Vaping)

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ● ● ● ● ●          | Yes                | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">SNOMED CT® U.S. Edition</a>                                       | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>The 2015 Edition smoking status criterion (§ 170.315(a)(11)) only applies to status of use for smoked tobacco. It does not require a terminology standard, nor does it require the ability to capture other forms of tobacco or nicotine use (e.g., smokeless tobacco, e-cigarettes, secondhand smoke).</li> <li>For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li>Electronic Cigarette User: SNOMED CT U.S. Edition code 722499006</li> <li>SNOMED CT U.S. Edition code for “electronic cigarette user”</li> <li>785889008  Nicotine-filled electronic cigarette user (finding) </li> <li>786063001  Non-nicotine-filled electronic cigarette user (finding) </li> </ul> |

### Interoperability Need: Representing Patient Secondhand Tobacco Smoke Exposure


| Type                            | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>                  | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a> | Final                      | Production              | Feedback Requested | No                 | Free | N/A                    |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>The 2015 Edition smoking status criterion (§ 170.315(a)(11)) only applies to status of use for smoked tobacco. It does not require a terminology standard, nor does it require the ability to capture other forms of tobacco or nicotine use (e.g., smokeless tobacco, e-cigarettes, secondhand smoke).</li> <li>For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li>Exposure to Secondhand Tobacco Smoke: SNOMED CT U.S. Edition 16090371000119103</li> <li>Exposed to Tobacco Smoke at Home (current): SNOMED CT U.S. Edition 228524006</li> <li>Exposed to Tobacco Smoke at Work (current): SNOMED CT U.S. Edition 228523000</li> <li>No Known Exposure to Secondhand Tobacco Smoke: SNOMED CT U.S. Edition 711563001</li> </ul> |


**Interoperability Need: Representing Patient Tobacco Use (Smoking Status)**

| Type                            | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|---------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Standard for observations       | <a href="#">LOINC®</a>  | Final                      | Production              | ● ● ● ● ●          | No                  | Free | N/A                    |
| Standard for observation values | <a href="#">SNOMED CT® U.S. Edition</a>                                       | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | Free | N/A                    |
| Implementation Specification    | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ● ● ● ● ●          | Yes                 | \$   | <a href="#">Yes</a>    |
| Implementation Specification    | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  |      |                        |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>• The 2015 Edition smoking status criterion (§ 170.315(a)(11)) only applies to status of use for smoked tobacco. It does not require a terminology standard.</li> <li>• There are limitations in SNOMED CT U.S. Edition for this interoperability need, which include, but not limited to: not being able to capture severity of dependency, level of use, quit attempts, lifetime exposure, and use of e-Cigarettes.</li> <li>• LOINC includes codes that support recording smoking status in the CDC's preferred (and sometimes required) responses (e.g. Tobacco smoking status NHIS[76691-5]) and other kinds of observations (e.g. Have you smoked at least 100 cigarettes in your entire life [PhenX] [63581-3] or How old were you when you first started smoking cigarettes every day [PhenX] [63609-2]).</li> <li>• For more information about observations and observation values, see Appendix III for an <a href="#">informational resource</a> developed by the Health IT Standards Committee.</li> </ul> | <ul style="list-style-type: none"> <li>• Value Set: Current Smoking Status<br/>urn:oid:2.16.840.1.113883.11.20.9.38</li> <li>• SNOMED CT US Edition Findings:             <ol style="list-style-type: none"> <li>1. Current every day smoker: 449868002</li> <li>2. Current some day smoker: 428041000124106</li> <li>3. Former smoker: 8517006</li> <li>4. Never smoker: 266919005</li> <li>5. Smoker, current status unknown: 77176002</li> <li>6. Unknown if ever smoked: 266927001</li> <li>7. Heavy tobacco smoker: 428071000124103</li> <li>8. Light tobacco smoker: 428061000124105</li> <li>9. User of smokeless tobacco: 713914004</li> <li>10. Smokeless tobacco non-user: 451381000124107</li> <li>11. Former smokeless tobacco user: 456711000124105</li> <li>12. Chews tobacco : 81703003</li> <li>13. Snuff user: 228494002</li> <li>14. User of moist powdered tobacco: 228504007</li> <li>15. No known exposure to tobacco smoke: 711563001</li> </ol> </li> <li>• LOINC Observation Codes:             <ol style="list-style-type: none"> <li>1. Date quit tobacco smoking: 74010-0</li> <li>2. Date quit smokeless tobacco: 88030-2</li> <li>3. Tobacco smoking status NHIS: 72166-2</li> <li>4. Have you smoked at least 100 cigarettes in your entire life: 63581-3</li> <li>5. How old were you when you first started smoking cigarettes every day: 63609-2</li> </ol> </li> </ul> |





## UNITS OF MEASURE

### Interoperability Need: Representing Units of Measure (For Use with Numerical References and Values)

| Type     | Standard / Implementation Specification               | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability                     |
|----------|---|----------------------------|-------------------------|----------------|---------------------|------|--|
| Standard | <a href="#">The Unified Code for Units of Measure</a> | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | <a href="#">Yes</a><br><a href="#">Yes</a> |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)   |
|---|--|
| <ul style="list-style-type: none"> <li>UCUM is a syntax for representing units of measure for use with numerical references and values. It is not an enumerated set of codes.</li> <li>The case sensitive version is the correct unit string to be used for interoperability purposes.</li> <li>Per public comments received, there may be some limitations with UCUM in the laboratory domain that remain unresolved.</li> <li>The abbreviations used for a few of the units of measure listed in the UCUM standard are currently on lists of <a href="#">prohibited abbreviations from the Institute for Safe Medication Practice (ISMP)</a>.</li> <li>Some abbreviations for units of measure include symbols which may be in conflict with other HL7 standards.</li> <li>Some abbreviations for units are nonstandard for human understanding. (For example, if a result for a White Blood Cell count is 9.6 x 10<sup>3</sup>/μL, the UCUM recommendation for rendering this value in a legacy character application is 9.6 x 10*3/uL. Because the "*" is a symbol for multiplication in some systems.) This recommendation may result in errors either by the information system or the human reading the result.</li> <li>Some abbreviations used in UCUM are not industry standard for the tests that use these units of measure.</li> </ul> | <ul style="list-style-type: none"> <li>Units Of Measure Case Sensitive 2.16.840.1.113883.1.11.12839 (most frequently used codes)</li> <li>"Table of Example UCUM Codes for Electronic Messaging" published by the Regenstrief Institute, Inc. Value set is made available at <a href="http://loinc.org/usage/units">http://loinc.org/usage/units</a> and identified by the OID 1.3.6.1.4.1.12009.10.3.1</li> </ul> |



## VITAL SIGNS

### Interoperability Need: Representing Patient Vital Signs

| Type     | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability                     |
|----------|---|----------------------------|-------------------------|----------------|---------------------|------|--|
| Standard | <a href="#">LOINC®</a>  | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | N/A  |
| Standard | <a href="#">ISO/IEEE 11073 Health informatics - Medical / health device communication standards</a> | Final                      | Production              | ● ● ● ○ ○      | No                  | \$   | <a href="#">Yes</a><br><a href="#">Yes</a> |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>See <a href="#">Section I - Units of Measure</a> for discussion of units of measure used with quantitative observations.</li> <li>See <a href="#">LOINC collaboration with IEEE</a> for information on the Medical Device Code Mapping Table, which provides linkages between LOINC terms and IEEE EMB/11073 standard.</li> <li>ISO/IEEE 11073 is a family of standards for point-of-care medical device communication, with specific standards within the 11073 family that support collection of vital signs from medical devices, including:                         <ul style="list-style-type: none"> <li>IEEE P11073-10404: Device Specialization - Pulse Oximeter</li> <li>IEEE 11073-10406: Device Specialization - Basic electrocardiograph (ECG)</li> <li>IEEE P11073-10407: Device Specialization - Blood Pressure Monitor</li> <li>IEEE 11073-10408: Device Specialization - Thermometer</li> <li>IEEE P11073-10415: Device Specialization - Weighing Scale</li> <li>IEEE 11073-10417: Device Specialization - Glucose Meter</li> <li>IEEE 11073-10201: Implantable Cardiac Devices</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>Vital Sign Result urn:oid:2.16.840.1.113883.3.88.12.80.62</li> <li>LOINC standard applies to USCDI required vital signs:                         <ul style="list-style-type: none"> <li>Diastolic blood pressure</li> <li>Systolic blood pressure</li> <li>Body height</li> <li>Body weight</li> <li>Heart Rate</li> <li>Respiratory rate</li> <li>Body temperature</li> <li>Pulse oximetry</li> <li>Inhaled oxygen concentration</li> <li>BMI Percentile (2 - 20 years)</li> <li>Weight-for-length Percentile (Birth - 36 Months)</li> <li>Head Occipital-frontal Circumference Percentile (Birth - 36 Months)</li> </ul> </li> </ul> |




## WORK INFORMATION

### Interoperability Need: Representing Job, Usual Work, and Other Work Information

| Type                            | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard for observation values | <a href="#">Occupational Data for Health (ODH) Code System</a>                                   | Balloted Draft             | Pilot                   | Feedback Requested | No                 | Free | No                     |
| Standard for observations       | <a href="#">LOINC®</a>   | Final                      | Production              | ● ○ ○ ○ ○          | No                 | Free | N/A                    |
| Standard for observation values | <a href="#">CDC Census 2010 Industry and Occupation System</a>                                   | Balloted Draft             | Production              | ● ○ ○ ○ ○          | No                 | Free | Yes                    |
| Implementation Specification    | <a href="#">HL7 EHRS-FM Release 2: Functional Profile; Work and Health, Release 1 – US Realm</a> | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>Self-reported, structured and standardized work history has broad applicability to healthcare as part of the medical record and is suitable for many use cases supporting patient care, population health, and public health.</li> <li>An Information Model, Occupational Data for Health (ODH), supports the collection and classification of Work Information in health IT systems and has been <a href="#">published in JAMIA</a>.</li> <li>NIOSH has prepared <a href="#">A Guide to the Collection of Occupational Data for Health</a> to provide tips to health IT system developers seeking to implement work concepts.</li> <li>The ODH industry value set includes the search-friendly terms from the North American Industry Classification System (NAICS) index with the respective category. The terms in this value set are relatable to the general public.</li> <li>The ODH occupation value set includes the search-friendly terms from the Occupational Information Network-Standard Occupational Classification (O*NET-SOC) system alternate titles with the respective category. The terms in this value set are relatable to the general public.</li> </ul> | <p>Representing Industry:</p> <ul style="list-style-type: none"> <li><a href="#">Past or Present Industry Question (LOINC code 86188-0)</a></li> <li><a href="#">Usual Industry Question (LOINC code 21844-6)</a></li> <li><a href="#">PHVS Industry NAICS Detail ODH (urn:oid:2.16.840.1.114222.4.11.7900)</a></li> <li><a href="#">PHVS Industry CDC Census2010 codes (urn:oid:2.16.840.1.114222.4.11.7187)</a></li> </ul> <p>Representing Occupation:</p> <ul style="list-style-type: none"> <li><a href="#">Past or Present Occupation Question (LOINC code 11341-5)</a></li> <li><a href="#">Usual Occupation Question (LOINC code 21843-8)</a></li> <li><a href="#">PHVS Occupation CDC ONETSOC Detail ODH (urn: oid:2.16.840.1.114222.4.11.7901)</a></li> <li><a href="#">PHVS Occupation CDC Census2010 codes (urn:oid:2.16.840.1.114222.4.11.7186)</a></li> </ul> <p>Representing Employment Status:</p> <ul style="list-style-type: none"> <li><a href="#">Employment Status Question (LOINC code 74165-2)</a></li> <li><a href="#">PHVS EmploymentStatus ODH (urn:oid:2.16.840.1.114222.4.11.7129)</a></li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>The CDC_Census 2010 Industry and Occupation System will be deprecated when the HL7 CDA R2 Implementation Guide: Reporting to Public Health Cancer Registries from Ambulatory Healthcare Providers, Release 1; DSTU Release 1.1 – US Realm.is updated through SVAP.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">HL7 ValueSet: employmentStatusODH (urn:oid:2.16.840.1.113883.1.11.20562)</a></li> </ul> <p>Representing Work Schedule:</p> <ul style="list-style-type: none"> <li><a href="#">Work Schedule Question (LOINC code 74159-5)</a></li> <li><a href="#">PHVS WorkSchedule_ODH (urn:oid:2.16.840.1.114222.4.11.7130)</a></li> <li><a href="#">HL7 ValueSet: WorkScheduleODH (urn:oid:2.16.840.1.113883.1.11.20561)</a></li> </ul> <p>Representing Work Classification:</p> <ul style="list-style-type: none"> <li><a href="#">Work Classification Question (LOINC code 85104-8)</a></li> <li><a href="#">PHVS WorkClassification_ODH (urn:oid:2.16.840.1.114222.4.11.7597)</a></li> <li><a href="#">HL7 ValueSet: WorkClassificationODH (urn:oid:2.16.840.1.113883.1.11.20560)</a></li> </ul> <p>Representing Job Supervisory Level or Pay Grade:</p> <ul style="list-style-type: none"> <li><a href="#">Job Supervisory Level or Pay Grade Question (LOINC code 87707-6)</a></li> <li><a href="#">PHVS JobSupervisoryLevelorPayGrade_ODH (urn:oid:2.16.840.1.114222.4.11.7613)</a></li> </ul> |




# Content/Structure

## ADMISSION, DISCHARGE AND TRANSFER

**Interoperability Need: Sending a Notification of a Long-Term Care Patient’s Admission, Discharge and/or Transfer Status to the Servicing Pharmacy**

| Type     | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">HL7® 2.5.1 (or later) ADT message</a>                                 | Final                      | Production              | ● ● ● ● ●          | No                 | Free | No                     |
| Standard | <a href="#">NCPDP Specialized Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ● ● ● ○ ○          | No                 | \$   | No                     |
| Standard | <a href="#">NCPDP Specialized Standard, Implementation Guide, Version 2023011</a> | Final                      | Feedback Requested      | Feedback Requested | No                 | \$   | No                     |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>The “Census Message” transaction allows for long-term and post-acute care settings to notify the servicing pharmacy of a patient’s admission, discharge and/or transfer status.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-serve and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery and having multi-directional feedback loops for prompt access to ancillary data, for clarifications, and for quickly reporting and addressing system and data transmission errors.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration | Applicable Security Patterns for Consideration   |
|--|--|
|  | <ul style="list-style-type: none"> <li>• <b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li>• <b>Purpose of Use</b> - Identifies the purpose for the transaction.</li> </ul> |

**Interoperability Need: Sending a Notification of a Patient’s Admission, Discharge and/or Transfer Status to Other Providers**


| Type   | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required | Cost        | Test Tool Availability |
|--|---|----------------------------|-------------------------|---------------------------|--------------------|-------------|------------------------|
| Standard                                     | <a href="#">HL7® 2.5.1 (or later) ADT message</a>   | Final                      | Production              | ● ● ● ● ●                 | No                 | Free        | No                     |
| Implementation Specification                 | <a href="#">IHE Patient Administration Management (PAM) Integration Profile</a>                             | Final                      | Feedback Requested      | Feedback Requested        | No                 | Free        | No                     |
| Implementation Specification                 | <a href="#">HL7 FHIR® DaVinci Unsolicited Notifications Implementation Guide</a>                            | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○                 | No                 | Free        | No                     |
| Implementation Specification                 | <a href="#">ANSI/DS 2020-03-100-2022 - Event Notifications via the Direct Standard™ Release Version 1.0</a> | Final                      | Production              | ● ● ● ● ○                 | No                 | Free        | No                     |
| <i>Emerging Implementation Specification</i> | <a href="#">Carequality Subscription Implementation Guide for Push Notifications</a>                        | <i>In Development</i>      | <i>Pilot</i>            | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>A variety of transport protocols are available for use for event notifications delivery. Trading partners will need to determine which transport tools best meet their interoperability needs, however, Direct (referenced further in <a href="#">Exchange/Services - "Push" Exchange</a>), has been adopted by both EHRs and by intermediaries as a prominent option for transport. Even when HIE networks are in place, Direct is often used as a transport protocol to deliver notifications to EHRs in provider workflows.</li> <li>DirectTrust Standards Implementation Guide "Event Notifications via the Direct Standard(R)" provides a profile for the payload included in event notifications when Direct is the transport. The guide standardizes HL7 2.5.1 usage and maps metadata elements to support appropriate routing and workflow for receiving systems. Human readable text is also stipulated as a part of the specification to support uncomplicated edge systems. The Implementation Guide was published and ANSI approved May 11, 2022.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., – SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> -Identifies the purpose for the transaction.</li> </ul> |


**Interoperability Need: Sending a Notification of a Patient’s Encounter to a Record Locator Service**

| Type                         | Standard / Implementation Specification                          | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability  |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|---|
| Implementation Specification | <a href="#">IHE-PDQ (Patient Demographics Query)</a>             | Final                      | Production              | Feedback Requested | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification | <a href="#">IHE-XCPD (Cross-Community Patient Discovery)</a>     | Final                      | Production              | Feedback Requested | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a>                        |
| Implementation Specification | <a href="#">Carequality-QBDE (Query Based Document Exchange)</a> | In Development             | Feedback Requested      | Feedback Requested | No                 | Free | No  |



| <b>Limitations, Dependencies, and Preconditions for Consideration</b> | <b>Applicable Security Patterns for Consideration</b>                 |
|---|---|
| <ul style="list-style-type: none"><li>• Feedback requested.</li></ul> | <ul style="list-style-type: none"><li>• Feedback requested.</li></ul> |





## CARE COORDINATION

### Interoperability Need: Advance Directive

| Type                                  | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Emerging Implementation Specification | <a href="#">HL7® CDA® R2 Implementation Guide: ePOLST: Portable Medical Orders About Resuscitation and Initial Treatment, Release 1 - US Realm</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | No                     |
| Emerging Implementation Specification | <a href="#">PACIO Advance Directive Interoperability Implementation Guide</a>  | In Development             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>The ePOLST CDA Implementation Guide is based on the National POLST form, first published in August 2019 and adopted by several states. The National POLST form represents a major step toward national consensus on a POLST form developed through many months of interviews and listening, consensus building, feedback, compromise, and iterative revisions. Use of the ePOLST CDA Implementation Guide requires that a state-adopted POLST form be compatible with the National POLST form, but does not require adoption of the National POLST form.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



**Interoperability Need: Referral from Acute Care to a Skilled Nursing Facility**

| Type   | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required | Cost        | Test Tool Availability |
|--|---|----------------------------|---------------------------|---------------------------|--------------------|-------------|------------------------|
| Implementation Specification                 | <a href="#">HL7® Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use, Release 2.1</a> | Balloted Draft             | Production                | Feedback Requested        | No                 | Free        | <a href="#">Yes</a>    |
| Implementation Specification                 | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2 - US Realm</a>  | Balloted Draft             | Production                | Feedback Requested        | No                 | Free        | No                     |
| Implementation Specification                 | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm</a>  | Balloted Draft             | Production                | Feedback Requested        | No                 | Free        | No                     |
| <i>Emerging Implementation Specification</i> | <a href="#">360X and Long Term Care Transfers</a>   | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>The HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



**Interoperability Need: Referral to a Specialist - Request, Status Updates, Outcome**

| Type   | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|--|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification                 | <a href="#">HL7® Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use, Release 2.1</a> | Balloted Draft             | Production              | ●●●●●              | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification                 | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2 - US Realm</a>  | Balloted Draft             | Production              | Feedback Requested | No                  | Free | No                     |
| Implementation Specification                 | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm</a>  | Balloted Draft             | Production              | Feedback Requested | No                  | Free | No                     |
| <i>Emerging Implementation Specification</i> | <a href="#">IHE Patient Care Coordination Technical Framework Supplement: 360 Exchange - Closed Loop Referral (360X) Rev. 1.1 – Trial Implementation</a>          | <i>Balloted Draft</i>      | <i>Production</i>       | ●○○○○              | No                  | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>The HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC's Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



**Interoperability Need: Referrals Between Clinicians and Community-Based Organizations and Other Extra-Clinical Services**

| Type                                  | Standard / Implementation Specification                                 | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard                              | <a href="#">HL7® FHIR® R4: Observation Resource</a>                     | Final                      | Production              | ●●●○○              | No                 | Free | No                     |
| Emerging Standard                     | <a href="#">HL7 FHIR R4: Messaging</a>                                  | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |
| Emerging Standard                     | <a href="#">HL7 FHIR R4: ServiceRequest Resource</a>                    | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |
| Emerging Standard                     | <a href="#">HL7 FHIR R4: Task Resource</a>                              | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |
| Emerging Implementation Specification | <a href="#">HL7 Bidirectional Services eReferrals (BSeR) FHIR IG</a>    | In Development             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |
| Emerging Implementation Specification | <a href="#">360X and Social Determinants of Health (SDoH) Referrals</a> | In Development             | Pilot                   | Feedback Requested | No                 | Free | No                     |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Use cases under this section refer to interactions between clinical settings and organizations outside of the clinical setting ("extra-clinical").</li> <li>The <a href="#">360X Project</a>, building on and in close coordination with the <a href="#">Gravity Project</a>, is leveraging existing IHE 360X profiles to <a href="#">develop a profile designed to support closed-loop referrals to extra-clinical organizations</a> in support of social determinants of health use cases.</li> <li>FHIR Resources are in various stages of maturity. Please refer to the FHIR website for updates on specific profiles and their progress. The FHIR Maturity Model and each of the levels is described on the <a href="#">HL7 wiki</a>.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



## CARE PLAN

### Interoperability Need: Documenting and Sharing Care Plans for a Single Clinical Context


| Type   | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required  | Cost        | Test Tool Availability |
|--|--|----------------------------|---------------------------|---------------------------|---------------------|-------------|------------------------|
| Implementation Specification                 | <a href="#">HL7® FHIR® US Core R.3.0 - Care Plan Profile</a>   | Final                      | Production                | ●●●○○                     | No                  | Free        | N/A                    |
| Implementation Specification                 | <a href="#">Argonaut Data Query Implementation Guide v1.0.0 (based on FHIR R2)</a>   | Final                      | Production                | ●●○○○                     | <a href="#">Yes</a> | Free        |                        |
| Implementation Specification                 | <a href="#">HL7 Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use, Release 2.1</a> | Balloted Draft             | Production                | ●●●○○                     | <a href="#">Yes</a> | Free        | <a href="#">Yes</a>    |
| Implementation Specification                 | <a href="#">HL7 C-CDA on FHIR Care Plan</a>  | Final                      | Production                | ●○○○○                     | No                  | Free        | No                     |
| Implementation Specification                 | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2 - US Realm</a>   | Balloted Draft             | Production                | Feedback Requested        | No                  | Free        | No                     |
| Implementation Specification                 | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm</a>   | Balloted Draft             | Production                | Feedback Requested        | No                  | Free        | No                     |
| <i>Emerging Implementation Specification</i> | <a href="#">HL7 FHIR US Core R.4.0 - Care Plan Profile</a>   | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>           | <i>Free</i> | <i>No</i>              |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>The care plan as expressed in the C-CDA standard does not attempt to represent the longitudinal care plan; rather it represents a “snapshot” of a care plan at a single point in time for transmission to other providers and teams to ensure continuity of care.</li> <li>The Care Plan Domain Analysis Model is used as a reference model for C-CDA care plan documents in the context of the longitudinal care plan.</li> <li>FHIR Resources are in various stages of maturity. Please refer to the FHIR website for updates on specific profiles and their progress. The FHIR Maturity Model and each of the levels is described on the <a href="#">HL7 wiki</a>.</li> <li>The HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |


**Interoperability Need: Documenting and Sharing Medication-Related Care Plans by Pharmacists**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® FHIR® US Core R.3.0 - Care Plan Profile</a>  | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 C-CDA on FHIR Care Plan</a>   | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 CDA® R2 Implementation Guide: Pharmacist Care Plan Document, Release 1 - US Realm, Volume 1</a> | Final                      | Production              | ● ● ○ ○ ○      | No                 | Free | Yes                    |
| Implementation Specification | <a href="#">NCPDP® Pharmacist eCare Plan Version 1.0 Guidance on the Use</a>                                    | Final                      | Production              | ● ● ○ ○ ○      | No                 | \$   | No                     |



| Type   | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required  | Cost        | Test Tool Availability |
|--|---|----------------------------|-------------------------|---------------------------|---------------------|-------------|------------------------|
|  | <a href="#">of the HL7 CDA Consolidated Templates for Clinical Notes R2.1 Care Plan</a>   |                            |                         |                           |                     |             |                        |
| Implementation Specification                 | <a href="#">HL7 Implementation Guide for CDA Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use, Release 2.1</a> | Balloted Draft             | Production              | ●●●○○                     | <a href="#">Yes</a> | Free        | No                     |
| Implementation Specification                 | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2 - US Realm</a>  | Balloted Draft             | Production              | Feedback Requested        | No                  | Free        | No                     |
| Implementation Specification                 | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm</a>  | Balloted Draft             | Production              | Feedback Requested        | No                  | Free        | No                     |
| <i>Emerging Implementation Specification</i> | <a href="#">HL7 FHIR Pharmacist Care Plan Implementation Guide, US Realm</a>  | <i>Balloted Draft</i>      | <i>Pilot</i>            | <i>Feedback Requested</i> | <i>No</i>           | <i>Free</i> | <i>No</i>              |
| <i>Emerging Implementation Specification</i> | <a href="#">HL7 FHIR US Core R.4.0 - Care Plan Profile</a>  | <i>In Development</i>      | <i>Production</i>       | ●○○○○                     | <i>No</i>           | <i>Free</i> | <i>No</i>              |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>The Pharmacist eCarePlan implementation specifications listed for this interoperability need are a result of a joint effort between HL7 and NCPDP to create a standardized, interoperable document for exchange of consensus-driven prioritized medication-related activities, plans and goals for an individual needing care. This project was partially funded by ONC's <a href="#">High Impact Pilots Cooperative Agreement Program</a>. The <a href="#">Community Pharmacy Enhanced Services Network</a> maintains a listing of vendor participants from this program.</li> <li>More than 100 value sets are currently captured in <a href="#">VSAC</a> in support of this interoperability need. Search for "PharmacyHIT" to view them.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>The HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> |  |

**Interoperability Need: Documenting Care Plans for Person Centered Services**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® FHIR® Electronic Long-Term Services and Supports (eLTSS) Release 1 - US Realm</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○      | No                 | Free | No                     |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>The electronic Long-Term Services and Supports (eLTSS) Implementation Guide (IG) is based on FHIR R4. The standards were developed to enable the creation, exchange and re-use of interoperable person centered service plans for use by health care, home and community based service providers, payers and the individuals they serve. These plans can help to improve the coordination of health and social services that support an individual’s mental and physical health.</li> <li>The eLTSS data referenced in this implementation guide refers to the eLTSS Dataset that was developed by the eLTSS Initiative, a joint project between the Office of the National Coordinator for Health Information Technology (ONC) and the Centers for Medicare and Medicaid Services (CMS). See <a href="#">eLTSS Initiative website</a> for more information.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |





**Interoperability Need: Domain or Disease-Specific Care Plan Standards**


| Type                                  | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|---------------------------------------|--|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification          | <a href="#">HL7® FHIR® US Core R.3.0 - Care Plan Profile</a>   | Final                      | Production              | ●●●○○              | No                  | Free | No                     |
| Implementation Specification          | <a href="#">HL7 Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use, Release 2.1</a>       | Balloted Draft             | Production              | ●●●○○              | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification          | <a href="#">HL7 C-CDA on FHIR Care Plan</a>  | Final                      | Production              | ●○○○○              | No                  | Free |                        |
| Implementation Specification          | <a href="#">IHE Quality, Research, and Public Health Technical Framework Supplement, Early Hearing Detection and Intervention (EHDI), Rev 2.1 Trial Implementation</a> | Balloted Draft             | Pilot                   | ●●●○○              | No                  | Free | No                     |
| Implementation Specification          | <a href="#">HL7 CDA R2 Implementation Guide: Personal Advance Care Plan Document, Release 1 - US Realm</a>   | Balloted Draft             | Pilot                   | ●○○○○              | No                  | Free | No                     |
| Implementation Specification          | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2 - US Realm</a>   | Balloted Draft             | Production              | Feedback Requested | No                  | Free | No                     |
| Implementation Specification          | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm</a>   | Balloted Draft             | Production              | Feedback Requested | No                  | Free | No                     |
| Emerging Implementation Specification | <a href="#">HL7 FHIR US Core R.4.0 - Care Plan Profile</a>   | In Development             | Feedback Requested      | Feedback Requested | No                  | Free | No                     |
| Emerging Implementation Specification | <a href="#">MCC eCare Plan Draft Implementation Guide</a>  | In Development             | Feedback Requested      | Feedback Requested | No                  | Free | No                     |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>The HL7 CDA R2 IG is based on C-CDA R2.1 and aligns with the Care Plan document specifications.</li> <li>The IHE Profile is based on HL7 V2.6 IG: Early Hearing Detection and Intervention (EHDI) Messaging, Release 1.</li> <li>The Personal Advance Care Plan Document is for the domain of patient-authored goals, priorities and preferences, including but not limited to Advance Directives.</li> <li>The HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC's Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

**Interoperability Need: Sharing Patient Care Plans for Multiple Clinical Contexts**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7 Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use, Release 2.1</a> | Balloted Draft             | Production              | ●●●○○          | <a href="#">Yes</a> | Free | No                     |
| Implementation Specification | <a href="#">HL7® FHIR® US Core R.3.0 - Care Plan Profile</a>   | Final                      | Production              | ●●●○○          | No                  | Free | No                     |
| Implementation Specification | <a href="#">HL7 C-CDA on FHIR Care Plan</a>  | Final                      | Production              | ●●●○○          | No                  | Free |                        |
| Implementation Specification | <a href="#">IHE Dynamic Care Planning (DCP), Rev 1.2 Trial Implementation</a>  | Balloted Draft             | Pilot                   | ●○○○○          | No                  | Free | No                     |
| Implementation Specification | <a href="#">IHE Dynamic Care Team Management (DCTM), Rev 1.1 Trial Implementation</a>  | Balloted Draft             | Pilot                   | ●○○○○          | No                  | Free |                        |



| Type   | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required | Cost        | Test Tool Availability |
|--|--|----------------------------|---------------------------|---------------------------|--------------------|-------------|------------------------|
| Implementation Specification                 | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2 - US Realm</a> | Balloted Draft             | Production                | Feedback Requested        | No                 | Free        | No                     |
| Implementation Specification                 | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm</a> | Balloted Draft             | Production                | Feedback Requested        | No                 | Free        | No                     |
| <i>Emerging Implementation Specification</i> | <a href="#">HL7 FHIR US Core R.4.0 - Care Plan Profile</a>   | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |
| <i>Emerging Implementation Specification</i> | <a href="#">MCC eCare Plan Draft Implementation Guide</a>  | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>The HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



## CLINICAL DECISION SUPPORT

### Interoperability Need: Communicate Appropriate Use Criteria with the Order and Charge to the Filling Provider and Billing System for Inclusion on Claims

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">IHE: Clinical Decision Support Order Appropriateness Tracking (CDS-OAT)</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○    | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration                    | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>No CDS-OAT-specific test tools.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

### Interoperability Need: Provide Access to Appropriate Use Criteria

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">HL7® CDS Hooks Services</a> | Final                      | Production              | ● ● ● ● ○      | No                 | Free | Yes                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>The CDS Hooks specification describes the RESTful APIs and interactions between EHRs and CDS Services.</li> <li><a href="#">Guideline Appropriate Ordering using CDS Hooks</a>, is a stakeholder-led initiative and part of the Argonaut project, supports Protecting Access to Medicare Act (PAMA) requirements.</li> <li>Note that the maturity level of FHIR resources may vary and is described with the specification itself.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



**Interoperability Need: Shareable Clinical Decision Support**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard                     | <a href="#">HL7® Standard: Clinical Quality Language Specification, Release 1, R5 (CQL 1.5)</a> | Final                      | Production              | ●●●●○          | No                 | Free | Yes                    |
| Standard                     | <a href="#">HL7 FHIR® Clinical Reasoning Module, FHIR STU Release 4B</a>                        | Final                      | Production              | ●●●●○          | No                 | Free | Yes                    |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR 5 Clinical Reasoning Module</a>  | <i>Balloted Draft</i>      | <i>Pilot</i>            | ●○○○○          | No                 | Free | N/A                    |
| Standard                     | <a href="#">HL7 FHIR Profile: Quality (QI Core), STU 4</a>                                      | Balloted Draft             | Pilot                   | ●●○○○          | No                 | Free | Yes                    |
| Standard                     | <a href="#">HL7 FHIR QI-Core Implementation Guide 4.1.0</a>                                     | Final                      | Production              | ●●●○○          | No                 | Free | N/A                    |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR QI-Core Implementation Guide 5.0.0 - STU5</a>                              | <i>Final</i>               | <i>Production</i>       | ●○○○○          | No                 | Free | N/A                    |
| Implementation Specification | <a href="#">FHIR Clinical Guidelines, STU 1</a>   | Balloted Draft             | Pilot                   | ●●○○○          | No                 | Free | Yes                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Note that the FHIR Maturity Model and each of the levels is described on the <a href="#">HL7 wiki</a>.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |




## CLINICAL NOTES

### Interoperability Need: Documentation of Clinical Notes

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use, Release 2.1</a> | Final                      | Production              | Feedback Requested | Yes                | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2 - US Realm</a>  | Balloted Draft             | Production              | Feedback Requested | Yes                | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm</a>  | Balloted Draft             | Production              | Feedback Requested | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 FHIR® US Core Implementation Guide</a>  | Balloted Draft             | Feedback Requested      | Feedback Requested | Yes                | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                          |
|---|---|
| <ul style="list-style-type: none"> <li>• A Consultation note is generated as part of a request from a clinician for an opinion or advice from another clinician.</li> <li>• A Discharge Summary note is a synopsis of a patient's admission and course in a hospital or post-acute care setting.</li> <li>• A History &amp; Physical note documents the current and past conditions of the patient.</li> <li>• An Imaging Narrative contains a consulting specialist's interpretation of image data.</li> <li>• A Laboratory Report Narrative contains a consulting specialist's interpretation of the laboratory report.</li> <li>• A Pathology Report Narrative contains a consulting specialist's interpretation of the pathology report.</li> </ul> | <ul style="list-style-type: none"> <li>• Feedback requested.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>• A Procedure Note records the indications for a non-operative procedure and, when applicable, post-procedure diagnosis, pertinent events of the procedure, and the patient's tolerance of the procedure.</li> <li>• A Progress Note represents a patient's interval status during a hospitalization, outpatient visit, treatment with a LTPAC provider, or other healthcare encounter.</li> <li>• The HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC's Standards Version Advancement Process (SVAP).</li> </ul> |  |



## CLINICAL QUALITY MEASUREMENT AND REPORTING

### Interoperability Need: Reporting Aggregate Quality Data for Quality Reporting Initiatives

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard                     | <a href="#">HL7® Clinical Document Architecture (CDA®), Release 2.0, Final Edition</a>  | Final                      | Production              | ● ● ● ● ●      | No                  | Free | No                     |
| Standard                     | <a href="#">HL7 FHIR R4 Clinical Reasoning STU Release 4</a>  | Balloted Draft             | Production              | ● ● ● ○ ○      | No                  | Free | Yes                    |
| Implementation Specification | <a href="#">CMS Implementation Guide for Quality Reporting Document Architecture: Category III; Eligible Clinicians Programs; Implementation Guide for 2023</a> | Final                      | Production              | ● ● ● ● ○      | Yes                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 CDA R2 Implementation Guide: Quality Reporting Document Architecture - Category III (QRDA III) STU Release 2.1</a>                              | Balloted Draft             | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 FHIR Implementation Guide: Data Exchange for Quality Measures for FHIR R4, STU3.1.0</a>   | Balloted Draft             | Pilot                   | ● ● ● ○ ○      | No                  | Free | Yes                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>The CMS Implementation Guide for Quality Reporting Document Architecture: Category III; Eligible Clinicians and Eligible Professionals Programs; Implementation Guide for 2022 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC's Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |





**Interoperability Need: Reporting Patient-level Quality Data for Quality Reporting Initiatives**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">CMS Implementation Guide for Quality Reporting Document Architecture: Category I; Hospital Quality Reporting; Implementation Guide for 2022</a> | Final                      | Production              | Feedback Requested | Yes                | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7® CDA® R2 Implementation Guide: Quality Reporting Document Architecture I (QRDA I) Release 1, STU Release 5.1 with Errata (US Realm)</a>     | Balloted Draft             | Production              | ● ● ● ● ○          | Yes                | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 CDA R2 Implementation Guide: Quality Reporting Document Architecture I (QRDA I) Release 1, STU Release 5.2 with Errata (US Realm)</a>       | Balloted Draft             | Production              | ● ● ● ● ○          | Yes                | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 FHIR® DaVinci Data Exchange For Quality Measures (DEQM) Implementation Guide</a>  | Balloted Draft             | Pilot                   | ● ● ○ ○ ○          | Yes                | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Testing tools for FHIR and QRDA-based quality reporting are available:                             <ul style="list-style-type: none"> <li><a href="https://ecqi.healthit.gov/fhir?qttabs_fhir=1">https://ecqi.healthit.gov/fhir?qttabs_fhir=1</a></li> <li><a href="https://ecqi.healthit.gov/qrda?qttabs_qrda=1">https://ecqi.healthit.gov/qrda?qttabs_qrda=1</a></li> </ul> </li> <li>The Data Exchange for Quality Measures Implementation Guide is being expanded to support communication for gaps-in-care.</li> <li>The CMS Implementation Guide for Quality Reporting Document Architecture: Category I; Hospital Quality Reporting; Implementation Guide for 2022 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC's Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



**Interoperability Need: Sharing Quality Measure Artifacts for Quality Reporting Initiatives**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard                     | <a href="#">HL7® V3: Representation of the Health Quality Measures Format (eMeasure), DSTU Release 2.1</a> | Final                      | Production              | ●●●●○              | No                 | Free | <a href="#">Yes</a>    |
| Standard                     | <a href="#">HL7 Standard: Clinical Quality Language Specification, Release 1, R5 (CQL 1.5)</a>             | Final                      | Production              | ●●●●○              | No                 | Free | <a href="#">Yes</a>    |
| Standard                     | <a href="#">HL7 Cross-Paradigm Specification: CQL Release 1 STU 4</a>                                      | Balloted Draft             | Production              | ●●●●○              | No                 | Free | <a href="#">Yes</a>    |
| Standard                     | <a href="#">HL7 FHIR® Clinical Reasoning STU Release 3</a>   | Balloted Draft             | Production              | ●●○○○              | No                 | Free | Yes                    |
| Standard                     | <a href="#">HL7 CQL-based HQMF Implementation Guide STU 4 based on HQMF R1</a>                             | In Development             | Production              | ●●●●○              | No                 | Free | <a href="#">Yes</a>    |
| Standard                     | <a href="#">HL7 FHIR Clinical Reasoning STU Release 4</a>  | In Development             | Pilot                   | Feedback Requested | No                 | Free |                        |
| Implementation Specification | <a href="#">HL7 CQL-based HQMF, Release 2 DSTU 3 (based on HQMF 2.1 - US Realm)</a>                        | Balloted Draft             | Production              | ●●●●○              | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 FHIR profile: Quality (QI Core) STU 4.0</a>  | Balloted Draft             | Production              | ●●○○○              | No                 | Free | Yes                    |
| Implementation Specification | <a href="#">HL7 FHIR Quality Measure IG STU 2 for FHIR R4</a>  | Balloted Draft             | Production              | ●●○○○              | No                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>QI Core Profiles are used to express the data involved in a shareable measure and depend on US Core profiles.</li> <li>Note that the maturity level of FHIR resources may vary. The FHIR Maturity Model and each of the levels is described on the <a href="#">HL7 wiki</a>.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |




## DATA PROVENANCE

**Interoperability Need: Establishing the Authenticity, Reliability, and Trustworthiness of Content Between Trading Partners**

| Type   | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required  | Cost        | Test Tool Availability     |
|--|---|----------------------------|-------------------------|---------------------------|---------------------|-------------|----------------------------|
| Standard                                     | <a href="#">HL7® FHIR® Provenance Resource</a>  | Balloted Draft             | Production              | ● ○ ○ ○ ○ ○               | No                  | Free        | No                         |
| Implementation Specification                 | <a href="#">IHE IT Infrastructure Technical Framework</a>                                     | Final                      | Production              | ● ● ● ○ ○                 | No                  |             | <a href="#">Yes – Open</a> |
| Implementation Specification                 | <a href="#">HL7 FHIR US Core IG Provenance Profile</a>  | Final                      | Production              | Feedback Requested        | <a href="#">Yes</a> | Free        | <a href="#">Yes</a>        |
| Implementation Specification                 | <a href="#">HL7 C-CDA Companion Guide: Provenance Author Participation Template</a>           | Final                      | Production              | Feedback Requested        | <a href="#">Yes</a> | Free        |                            |
| Implementation Specification                 | <a href="#">HL7 CDA® Release 2 Implementation Guide Data Provenance, Release 1 - US Realm</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○               | No                  | Free        | <a href="#">Yes – Open</a> |
| <i>Emerging Implementation Specification</i> | <a href="#">Basic Provenance Implementation Guide</a>   | <i>Balloted Draft</i>      | <i>Pilot</i>            | <i>Feedback Requested</i> | <i>No</i>           | <i>Free</i> | <i>No</i>                  |
| <i>Emerging Implementation Specification</i> | <a href="#">C2PA Technical Specification</a>  | <i>In Development</i>      | <i>Production</i>       | ● ● ○ ○ ○ ○               | <i>No</i>           | <i>Free</i> |                            |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>The first implementation specification listed is focused on data provenance representation for CDA R2 implementations and the use of CDA templates.</li> <li>Note that the maturity level of FHIR resources may vary. The FHIR Maturity Model and each of the levels is described on the <a href="#">HL7 wiki</a>.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> <li>Information about security patterns can be found in <a href="#">Appendix I</a>.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>• The FHIR implementation specification listed leverages the W3C Provenance specification to represent HL7 support of provenance throughout its standards. It is explicitly modeled as functional capabilities in ISO/HL7 10781 EHR System Functional Model Release 2 and ISO 21089 Trusted End-to-End Information Flows. <a href="#">Mappings are available</a> within the resource.</li> <li>• The Basic Provenance IG "provides the functional and technical guidance for communicating 'Minimum Viable Provenance' in CDA and FHIR when information is moved from the source to downstream systems." It includes a design for representing the 'last hop' only and doesn't address the potential need to share and display full provenance (full chain of custody).</li> <li>• The Object Management Group (OMG) Data Governance Working Group is developing an RFP on Data Provenance &amp; Pedigree. ONC will consider inclusion of the standard in a future version of the ISA when it is available. More information can be found at: <a href="https://www.omgwiki.org/datagovernance/doku.php">https://www.omgwiki.org/datagovernance/doku.php</a>.</li> <li>• The IHE IT Infrastructure (ITI) Technical Framework defines a number of profiles for health information exchange. The document sharing profiles (e.g., XDS, XCA, XDR, XDM, MHD) define metadata elements for documents, including the full provenance of the document. The Document Digital Signature (DSG) Profile defines general purpose methods of digitally signing documents for communication and persistence. For additional information, please see the <a href="#">Enabling Document Sharing Health Information Exchange Using IHE Profiles</a> whitepaper.</li> </ul> |  |



## DIET AND NUTRITION

### Interoperability Need: Exchanging Diet and Nutrition Orders Across the Continuum of Care

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard                     | <a href="#">HL7® Version 3 Standard: Diet and Nutrition, STU Release 1</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | Yes                    |
| Implementation Specification | <a href="#">HL7 CDA® R2 Implementation Guide: C-CDA R2.1 Supplemental Templates for Nutrition, Release 1 (US Realm)</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | No                     |
| Emerging Standard            | <a href="#">HL7 FHIR® Nutrition Order Resource</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | Yes                    |
| Emerging Standard            | <a href="#">HL7 FHIR Nutrition Intake Resource</a>  | In Development             | Pilot                   | Feedback Requested | No                 | Free | No                     |
| Emerging Standard            | <a href="#">HL7 FHIR Nutrition Product Resource</a>   | In Development             | Pilot                   | Feedback Requested | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration       | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>Feedback Requested</li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |




## FAMILY HEALTH HISTORY (CLINICAL GENOMICS)


### Interoperability Need: Representing Family Health History for Clinical Genomics

| Type                         | Standard / Implementation Specification                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard                     | <a href="#">HL7® FHIR® R4 - Resource FamilyMemberHistory</a>  | Balloted Draft             | Production              | ● ○ ○ ○ ○ ○        | No                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 FHIR R4 Implementation Guidance: Genomics</a> | Balloted Draft             | Production              | ● ○ ○ ○ ○ ○        | No                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 FHIR, R4 - Genomic Pedigree</a>               | Final                      | Pilot                   | Feedback Requested | No                 | Free | Yes                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>There is no widely recognized vocabulary to capture family genomic health history, but several vocabularies/value sets are available for consideration.</li> <li>Further constraint of this standard and implementation specification may be required to support this interoperability need.</li> <li>The Office of the National Coordinator for Health Information Technology (ONC), in partnership with the National Institutes of Health (NIH), created <a href="#">Sync for Genes</a> to strengthen genomic data sharing, a key component of the Precision Medicine Initiative. This project is also in alignment with the recommendations made by the Precision Medicine Task Force under the Health IT Standards Committee (HITSC) to advance data standards, address relevant privacy policies, and advance innovations in health IT that support precision medicine. Sync for Genes is the first step toward integrating clinical genomics into the point-of-care by expediting the use of standards, such as Health Level 7 (HL7) Fast Healthcare Interoperability Resource (FHIR), to enable and improve patient’s ability to seamlessly share their genomics information via point-of-care applications, such as application programming interfaces (APIs). Sync for Genes supports a critical element of sharing genomic data amplifying the ability to seamlessly share genomic information for research and commercial</li> </ul> | <p>The following vocabularies/value sets may be considered:</p> <ul style="list-style-type: none"> <li>Gene Identifier: HGNC Value Set</li> <li>Transcript Reference Sequence Identifier: NCBI vocabulary</li> <li>DNA Sequence Variation Identifier: NCBI vocabulary</li> <li>DNA Sequence Variation: HGVS nomenclature</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s) |
|---|--|
| <p>purposes. Below are the HL7 FHIR Clinical Genomic profiles that were tested as part of the Sync for Genes work:</p> <ul style="list-style-type: none"> <li>• <b>Family Health History Genetics</b> <ul style="list-style-type: none"> <li>• <a href="https://www.hl7.org/fhir/pushpull.html">https://www.hl7.org/fhir/pushpull.html</a></li> </ul> </li> <li>• <b>Sequencing Quality and Regulatory Genomics</b> <ul style="list-style-type: none"> <li>• <a href="https://www.hl7.org/fhir/STU3/sequence.html">https://www.hl7.org/fhir/STU3/sequence.html</a></li> <li>• <a href="https://www.hl7.org/fhir/STU3/bundle.html">https://www.hl7.org/fhir/STU3/bundle.html</a></li> <li>• <a href="https://www.hl7.org/fhir/STU3/capabilitystatement.html">https://www.hl7.org/fhir/STU3/capabilitystatement.html</a></li> </ul> </li> <li>• The <a href="#">HL7 Version 2.5.1 Implementation Guide: Lab Results Interface (LRI) Version 1, STU 3 - US Realm</a> includes a section that regards genomic information variants. It may be used as an option for meeting this interoperability need until FHIR resources are more mature.</li> <li>• The U.S. Surgeon General also offers the <a href="#">My Family Health Portrait</a>, allowing individuals to enter their family health history details to share with their family members and/or healthcare providers, learn about risk for conditions that can be hereditary, and be saved as a resource that can be maintained and updated over time.</li> </ul> |  |



## HEALTHY WEIGHT

### Interoperability Need: Sending Healthy Weight Information

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">IHE Quality, Research and Public Health Technical Framework Supplement – Healthy Weight (HW)</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○      | No                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>The Integrating the Healthcare Enterprise (IHE) Healthy Weight Profile Childhood obesity surveillance systems utilize either measured (e.g., NHANES) or parent/self-report height and weight to calculate BMI. The profile also includes the <a href="#">HL7® Occupational Data for Health (ODH)</a> template.</li> <li>Public health agencies have been studying the relationship between obesity and work factors; for example, the prevalence of obesity <a href="#">has been shown</a> to vary substantially by occupation.</li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |





## HUMAN AND SOCIAL SERVICES

### Interoperability Need: Format for Structuring and Sharing Social Care Directory Information

| Type     | Standard / Implementation Specification                  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">Human Services Data Specification (HSDS)</a> | Final                      | Production              | ● ● ● ● ●      | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>HSDS defines the content that provides a minimum data set for Information and Referral (I&amp;R) applications and specialized service directory applications used to discover these services.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



## IMAGES

### Interoperability Need: Format of Medical Imaging Reports for Exchange and Distribution

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard                     | <a href="#">Digital Imaging and Communications in Medicine (DICOM®)</a>  | Final                      | Production              | ● ● ● ● ●      | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">PS3.20 Digital Imaging and Communications in Medicine (DICOM) Standard – Part 20: Imaging Reports using HL7® Clinical Document Architecture®</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | <a href="#">Yes</a>    |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>DICOM defines both its own encoding of reports and templates for encoding narrative reports and machine-generated output as DICOM Structured Reports (SR) for use within imaging systems.</li> <li>DICOM Part 20 is an implementation guide for HL7 CDA R2.</li> <li>DICOM also defines a Diagnostic Imaging Report HL7 CDA Template, which is intended to supersede the C-CDA Diagnostic Imaging Report.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-serve and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



**Interoperability Need: Format of Radiation Exposure Dose Reports for Exchange and Distribution**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability     |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|----------------------------|
| Implementation Specification | <a href="#">DICOM® PS3.3 2017e A.35.8 X-Ray Radiation Dose SR IOD</a>               | Final                      | Production              | ●●○○○              | No                 | Free | <a href="#">Yes – Open</a> |
| Implementation Specification | <a href="#">IHE Radiation Exposure Monitoring (REM)</a>                             | Final                      | Production              | ●●○○○              | No                 | Free | <a href="#">Yes – Open</a> |
| Implementation Specification | <a href="#">DICOM PS3.3 2017e A.35.14 Radiopharmaceutical Radiation Dose SR IOD</a> | Final                      | Pilot                   | ●○○○○              | No                 | Free | <a href="#">Yes – Open</a> |
| Implementation Specification | <a href="#">IHE Radiation Exposure Monitoring for Nuclear Medicine (REM-NM)</a>     | Balloted Draft             | Pilot                   | ●○○○○              | No                 | Free | No                         |
| Implementation Specification | <a href="#">DICOM PS3.3 2017e A.35.18.1 Patient Radiation Dose SR IOD</a>           | Final                      | Pilot                   | Feedback Requested | No                 | Free | <a href="#">Yes – Open</a> |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>These reports record radiation dose in three forms:                             <ul style="list-style-type: none"> <li>The dose-related information provided by an exposing device (e.g., CT) as reported by the device.</li> <li>The dose-related information about a radiopharmaceutical administration, as reported by the administering system.</li> <li>The patient or organ absorbed dose based on exposure information, patient characteristics, and patient model.</li> </ul> </li> <li>The DICOM PS3.3 2017e A.35.8 X-Ray Radiation Dose SR IOD has a higher adoption level for use with CT than for other x-ray modalities.</li> <li>To survey DICOM implementations, an internet search for the relevant SOP Class UID and the phrase “DICOM Conformance Statement” will typically return links to specific products. SOP Class UIDs can be found by searching for the SOP Class name (e.g., Radiation Dose) in <a href="#">Annex A of DICOM Part 6</a>. For example, implementations of X-ray, Radiopharmaceutical and</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <p>Patient Dose can be found with the following searches, respectively:</p> <ul style="list-style-type: none"> <li>1.2.840.10008.5.1.4.1.1.88.67 "dicom conformance statement"</li> <li>1.2.840.10008.5.1.4.1.1.88.68 "dicom conformance statement"</li> <li>1.2.840.10008.5.1.4.1.1.88.75 "dicom conformance statement"</li> <li>REM PixelMed DoseUtility test tool uses Gazelle EVS Client Application on the front end.</li> </ul> |  |


**Interoperability Need: Format of Radiology Reports for Exchange and Distribution**

| Type                         | Standard / Implementation Specification                             | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">IHE Results Distribution (RD)</a>                       | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">IHE Management of Radiology Report Templates (MRRT)</a> | Balloted Draft             | Pilot                   | Feedback Requested | No                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

**Interoperability Need: Medical Image Formats for Data Exchange and Distribution**

| Type     | Standard / Implementation Specification                                 | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability     |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|----------------------------|
| Standard | <a href="#">Digital Imaging and Communications in Medicine (DICOM®)</a> | Final                      | Production              | ● ● ● ● ●      | No                 | Free | <a href="#">Yes – Open</a> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>• Use Image Acquisition Technology Specific Service/Object Pairs (SOP) Classes.</li> <li>• For this interoperability need, reference DICOM Parts 3, 5, and 6: Image Object Definitions, Data Structures and Encoding, Data Dictionary. The DICOM Standard - Parts 3, 5 and 6 define the required meta information, and standard encoding for storing and exchanging most types of medical “Image Objects”.</li> <li>• The adoption level reflects DICOM’s usage when exchanging data between an imaging modality and PACS. An adoption level of three would better reflect the standard’s usage when exchanging medical images between organizations.</li> <li>• DICOM Image Object Definitions are “self-describing objects” that include the meta information and image information in one object.</li> <li>• DICOM also specifies standard “meta objects” that can be used to reference specific images and describe other information that can be applied to those images (e.g., annotations, overlays, window/level settings, measurements, key objects, etc.)</li> <li>• The DICOM standard includes the specification for encapsulating standard JPEG photos and MPEG videos with DICOM-defined meta information – so the photo/video becomes a DICOM object. The original JPEG image or MPEG video is preserved inside a DICOM shell. DICOM protocols can then be used to exchange these DICOM-wrapped photos/videos – the same as any other DICOM object.</li> <li>• Currently machine learning output in radiology is not stored in a standard format - often it is encapsulated as a 'secondary capture' image or in a proprietary format. This means that ML output is not in a format that could be reused and that it is not portable. Algorithm output below the level of an image specified using the FHIR ImagingStudy object should use either a DICOM SR using Template TID 1500 (for graphical annotations) or DICOM Segmentation objects for segmentations.</li> </ul> | <ul style="list-style-type: none"> <li>• Image encryption - Encryption of “whole object” or “specific attributes of the image.”</li> <li>• Digital signatures - To ensure the object has not been altered.</li> </ul> |




## LABORATORY

### Interoperability Need: Exchange InVitro Diagnostics (IVD) Orders and Results

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard                     | <a href="#">CLSI AUTO 16 - Next-Generation In Vitro Diagnostic Interface, 1st Edition</a>  | Final                      | Pilot                   | ● ○ ○ ○ ○ ○    | No                 | \$   | <a href="#">Yes</a>    |
| Standard                     | <a href="#">IVD Industry Connectivity Consortium: LIVD – Digital Format for Publication of LOINC to Vendor IVD Test Results V2.0</a> | Final                      | Production              | ● ○ ○ ○ ○ ○    | Yes                | Free | No                     |
| Implementation Specification | <a href="#">IHE LAW – Laboratory Analytical Workflow Profile</a>   | Final                      | Production              | ● ● ● ○ ○ ○    | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7® FHIR® Implementation Guide - LOINC/IVD Mapping (LIVD) R1 (STU 1)</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○    | No                 | Free | No                     |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <p>For IHE LAW:</p> <ul style="list-style-type: none"> <li>The Laboratory Analytical Workflow (LAW) Profile is part of the Pathology and Laboratory Medicine (PaLM) domain and defines plug-n-play connectivity between instruments, middleware, and LIS systems in the laboratory. It standardizes the data flow of IVD patient and QC test work order steps and results. LAW is incorporated into the PaLM Volume 1 and Volume 2 Technical Framework (see link in Table above) and also can be found <a href="#">here</a>.</li> <li>The LAW Profile defines the physical connection, message definitions (based on the HL7 Messaging Standard v2.5.1), and workflow definitions between instruments, middleware, and LIS systems in the laboratory. IICC collaborated with the IHE Pathology and Laboratory Medicine (PaLM) domain to develop the LAW Profile. See: <a href="http://ivdconnectivity.org/law-profile/">http://ivdconnectivity.org/law-profile/</a></li> </ul> | <ul style="list-style-type: none"> <li><a href="#">LIVD</a> is only required for SARS-Cov-2 orders and results.</li> <li>See ISA section <a href="#">Units of Measure</a>.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s) |
|--|--|
| <ul style="list-style-type: none"> <li>This is a <a href="#">SHIELD (Systemic Harmonization and Interoperability Enhancement for Laboratory Data)</a> standard.</li> </ul> <p>For LIVD:</p> <ul style="list-style-type: none"> <li>The digital format for publication of LOINC® to Vendor IVD Test results (LIVD) includes vendor defined IVD tests associated with a set of pre-defined LOINC codes. LIVD helps assure that laboratory personnel select the appropriate LOINC codes for IVD tests used by their laboratory. LIVD also allows LIS systems to automatically map the correct in vitro diagnostic (IVD) vendor test result to a LOINC code. LIVD was developed by the IVD Industry Connectivity Consortium in collaboration with SHIELD.</li> <li>This is a <a href="#">SHIELD (Systemic Harmonization and Interoperability Enhancement for Laboratory Data)</a> standard.</li> <li>For additional context, please refer to the Guidance for Industry and Food and Drug Administration Staff “<a href="#">Logical Observations Identifiers Names and Codes (LOINC) for In Vitro Diagnostics.</a>”</li> <li>Note that the LIVD Implementation Specification (LIVD – Digital Format for Publication of LOINC to Vendor IVD Test Results) has not been vetted through a Voluntary Consensus Standards Body (VCSB) as defined in OMB Circular A-119.</li> </ul> |  |

**Interoperability Need: Exchange Laboratory Test Results**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® Version 2.5.1 Implementation Guide: S&amp;I Framework Lab Results Interface, Release 1—US Realm [HL7 Version 2.5.1: ORU_R01] Draft Standard for Trial Use, July 2012</a> | Final                      | Production              | ● ○ ○ ○ ○      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 Version 2.5.1 Implementation Guide: Laboratory Results Interface, Release 1 STU Release 4 - US Realm</a>  | Final                      | Pilot                   | ● ○ ○ ○ ○      | No                  | Free | No                     |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>While the HL7 Version 2.5.1 Implementation Guide: S&amp;I Framework Lab Results Interface, Release 1—US Realm [HL7 Version 2.5.1: ORU_R01] Draft Standard for Trial Use, July 2012 was named in Meaningful Use and may be implemented at a few sites, the recommended standard for new implementations is HL7 Version 2.5.1 Implementation Guide: Lab Results Interface (LRI) Release 1, STU Release 4 - US Realm which is actively maintained.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">HL7 Version 2 Implementation Guide: Laboratory Value Set Companion Guide, Release 2 - US Realm</a> provides cross-implementation guide value set definitions and harmonized requirements.</li> <li>See ISA section <a href="#">Representing Laboratory Result Values</a>.</li> </ul> |

**Interoperability Need: Order Laboratory Test**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® Version 2.5.1 Implementation Guide: Laboratory Orders from EHR (LOI) Release 1, STU Release 4 - US Realm</a> | Final                      | Pilot                   | ● ○ ○ ○ ○      | No                 | Free | No                     |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)  |
|---|---|
| <ul style="list-style-type: none"> <li>The HL7 Version 2.5.1 Implementation Guide: Standards &amp; Interoperability (S&amp;I) Framework Laboratory Test Compendium Framework (eDOS) Ask at Order Entry (AOE) Release 2, STU Release 3.1 (US Realm) is not explicitly implemented. <a href="#">It is used as a resource by laboratories when setting up their catalog and order messages.</a></li> </ul> | <ul style="list-style-type: none"> <li><a href="#">HL7 Version 2 Implementation Guide: Laboratory Value Set Companion Guide, Release 2 - US Realm</a> This companion guide provides cross-implementation guide value set definitions and harmonized requirements.</li> <li>See ISA section <a href="#">Representing Laboratory Test Ordered</a>.</li> </ul> |





**Interoperability Need: Transmit Laboratory Directory of Services to Provider System**

| Type                                  | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|---------------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification          | <a href="#">HL7® Version 2.5.1 Implementation Guide: S&amp;I Framework Laboratory Test Compendium Framework, Release 2, DSTU Release 3 (also referred to as eDOS (Electronic Directory of Service))</a>                  | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |
| Implementation Specification          | <a href="#">HL7 Version 2.5.1 Implementation Guide: S&amp;I Framework Laboratory Test Compendium Framework (eDOS) Release 2, STU Release 3.1 (US Realm) (Also referred to as eDOS (Electronic Directory of Service))</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |
| Implementation Specification          | <a href="#">HL7 Version 2.5.1 Implementation Guide: Standards &amp; Interoperability (S&amp;I) Framework Laboratory Test Compendium Framework (eDOS) Ask at Order Entry (AOE) Release 2, STU Release 3.1</a>             | Final                      | Pilot                   | ● ○ ○ ○ ○      | No                 | Free | No                     |
| Emerging Implementation Specification | <a href="#">HL7 FHIR® Order Catalog Implementation Guide/Laboratory Services 0.1.1</a>   | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○      | No                 | Free | No                     |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>The Version 2.5.1 Implementation Guide: S&amp;I Framework Laboratory Test Compendium Framework, R2, STU Release 3.1 is a companion guide to the HL7 Version 2.5.1 Implementation Guide: S&amp;I Framework Laboratory Orders from EHR- US Realm (Laboratory Orders Interface Implementation Guide (LOI IG) and the HL7 Version 2.5.1 Implementation Guide: Orders and Observations; Interoperable Laboratory Reporting to EHR (US Realm) (Laboratory Result Interface IG (LRI IG)).</li> <li>The HL7 Version 2.5.1 Implementation Guide: Standards &amp; Interoperability (S&amp;I) Framework Laboratory Test Compendium Framework (eDOS) Ask at Order Entry (AOE) Release 2, STU Release 3.1 (US Realm) is not explicitly implemented, but rather used as a resource by laboratories when setting up their catalog and order messages.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">HL7 Version 2 Implementation Guide: Laboratory Value Set Companion Guide, Release 2 - US Realm</a> provides cross-implementation guide value set definitions and harmonized requirements.</li> </ul> |




## MEDICAL DEVICE COMMUNICATION TO OTHER INFORMATION SYSTEMS/TECHNOLOGIES

### Interoperability Need: Transmitting Patient Vital Signs from Medical Devices to Other Information Systems/Technologies

| Type                         | Standard / Implementation Specification                     | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">IHE-PCD (Patient Care Device Profiles)</a>      | Final                      | Production              | ●●●○○          | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">ITU H.810, H.811, H.812, H.812.5, and H.813</a> | Final                      | Production              | ●●●○○          | No                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>IHE-PCD, Continua and ITU refer to the IEEE 11073-10101 standard for its nomenclature.</li> <li>The following specific IHE-PCD profiles that best meet this interoperability need include:                             <ul style="list-style-type: none"> <li>IHE-PCD (Patient Care Device Profiles) - Alert Communication Management (ACM)</li> <li>IHE-PCD (Patient Care Device Profiles) - Device Enterprise Communication (DEC)</li> <li>IHE-PCD (Patient Care Device Profiles) - Implantable Device – Cardiac Observation (IDCO)</li> <li>IHE-PCD (Patient Care Device Profiles) - Point-of-Care Infusion Verification (PIV)</li> <li>IHE-PCD (Patient Care Device Profiles) - Rosetta Terminology Mapping (RTM)</li> </ul> </li> <li>The <a href="#">Regenstrief LOINC@/IEEE Medical Device Code Mapping Table</a> allows enterprise information systems (i.e. "Other information Systems/Technologies") to process vital signs and combine those observations with other types of information; it bridges the semantic map between IEEE 11073 10101 conformant medical devices and certified health IT or aligned information systems that use LOINC already for laboratory reports, document taxonomies, standard forms, questionnaires, assessments, social determinants, and screeners.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



| <b>Limitations, Dependencies, and Preconditions for Consideration</b>  | <b>Applicable Security Patterns for Consideration</b> |
|--|---|
| <ul style="list-style-type: none"><li>• <a href="#">FDA cybersecurity recommendations for medical device manufacturers.</a></li><li>• <a href="#">Design Considerations and FDA Pre-Market Submission Recommendations for Interoperable Medical Devices.</a></li></ul> |   |



## PATIENT EDUCATION MATERIALS

### Interoperability Need: Clinical Information Systems to Request Context-Specific Clinical Knowledge From Online Resources

| Type   | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|--|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard                                     | <a href="#">HL7® Version 3 Standard: Context Aware Knowledge Retrieval Application. (“Infobutton”), Knowledge Request, Release 2.</a>                            | Final                      | Production              | ● ● ○ ○ ○      | <a href="#">Yes</a> | Free | No                     |
| Implementation Specification                 | <a href="#">HL7 Implementation Guide: Service-Oriented Architecture Implementations of the Context-aware Knowledge Retrieval (Infobutton) Domain, Release 1.</a> | Final                      | Production              | ● ● ● ○ ○      | <a href="#">Yes</a> | Free | No                     |
| Implementation Specification                 | <a href="#">HL7 Version 3 Implementation Guide: Context-Aware Knowledge Retrieval (Infobutton), Release 4.</a>   | Final                      | Production              | ● ● ● ○ ○      | <a href="#">Yes</a> | Free | No                     |
| <i>Emerging Implementation Specification</i> | <a href="#">CDS Hooks™ Services</a>  | <i>Balloted Draft</i>      | <i>Pilot</i>            | ● ○ ○ ○ ○      | No                  | Free | Yes                    |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |




## PATIENT IDENTITY/IDENTIFICATION MANAGEMENT

### Interoperability Need: Patient Demographic Record Matching

| Type                                  | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability  |
|---------------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|---|
| Standard                              | <a href="#">HL7® 2.5.1 (or later) ADT message</a>                                | Final                      | Production              | ● ● ● ● ●          | No                 | Free | <a href="#">Yes</a>   |
| Implementation Specification          | <a href="#">IHE-PDQ (Patient Demographic Query)</a>                              | Final                      | Production              | ● ● ● ● ●          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification          | <a href="#">IHE-PIX (Patient Identifier Cross-Reference)</a>                     | Final                      | Production              | ● ● ● ● ●          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a>                        |
| Emerging Implementation Specification | <a href="#">IHE-PDQm (Patient Demographics Query for Mobile)</a>                 | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a>                        |
| Emerging Implementation Specification | <a href="#">IHE-PIXm (Patient Identifier Cross-reference for Mobile)</a>         | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a>                        |
| Emerging Implementation Specification | <a href="#">Implementation Guide for Expressing Context in Direct™ Messaging</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | No  |
| Emerging Implementation Specification | <a href="#">Interoperable Digital Identity and Patient Matching</a>              | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | No  |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>Chapter 3 of the HL7 Standard 2.5.1 named "Patient Administration" is the relevant chapter for Clinical and Administrative Domains.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-serve and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>The Implementation Guide for Expressing Context in Direct Messaging was designed to facilitate inter-organizational patient demographic record matching by standardizing the inclusion of patient demographic metadata in Direct messages. Direct is also listed in several Interoperability Needs in <a href="#">Section III - Push Exchange</a>.</li> <li>Patient Identity Proofing is outside of the scope of this interoperability need.</li> </ul> | <ul style="list-style-type: none"> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |

**Interoperability Need: Representing Patient Address**

| Type                         | Standard / Implementation Specification                          | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">Project US@ Technical Specification, Version 1.0</a> | Final                      | Pilot                   | Feedback Requested | No                 | Free | No                     |
| Operating Rules              | <a href="#">Project US@ AHIMA Companion Guide, Version 1.0</a>   | Final                      | Pilot                   | Feedback Requested | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Value Set(s) and Starter Set(s)                            |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |




**Interoperability Need: Representing Patient Names**

| Type            | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|-----------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Operating Rules | <a href="#">Essential Person Demographic Data Elements for Electronic Health Information</a>                           | Final                      | Feedback Requested      | Feedback Requested | No                 | Free | No                     |
| Standard        | <a href="#">AHIMA Naming Policy Framework 2023: Enhancing Person Matching with Essential Demographic Data Elements</a> | Final                      | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Value Set(s) and Starter Set(s)                            |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |






## PATIENT PREFERENCE/CONSENT

### Interoperability Need: Recording Patient Preferences for Electronic Consent to Access and/or Share their Health Information with Other Care Providers

| Type   | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|--|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification                 | <a href="#">IHE Basic Patient Privacy Consents (BPPC)</a>                                    | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification                 | <a href="#">HL7® Implementation Guide for CDA®, Release 2: Consent Directives, Release 1</a> | Final                      | Pilot                   | ● ○ ○ ○ ○      | No                 | Free | N/A                    |
| <i>Emerging Standard</i>                     | <a href="#">HL7 FHIR® Consent Resource</a>   | <i>In Development</i>      | <i>Pilot</i>            | ● ○ ○ ○ ○      | No                 | Free | Yes                    |
| <i>Emerging Standard</i>                     | <a href="#">HL7 FHIR Contract Resource</a>   | <i>In Development</i>      | <i>Pilot</i>            | ● ○ ○ ○ ○      | No                 | Free | Yes                    |
| <i>Emerging Implementation Specification</i> | <a href="#">IHE Advanced Patient Privacy and Consents (APPC)</a>                             | <i>Balloted Draft</i>      | <i>Pilot</i>            | ● ○ ○ ○ ○      | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification                 | <a href="#">Specialty Medication Enrollment FHIR IG</a>                                      | Final                      | Pilot                   | ● ○ ○ ○ ○      | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>The IHE and CDA-based specifications operate in conjunction with the IHE XDS, XCA, and XDR profiles.</li> <li>IHE BPPC may not support management of patient privacy across governmental jurisdictions which may have different regulations regarding access to patient data by providers, patients, governmental entities, and other organizations.</li> <li>Along with security tokens and consent documents, security labels are the critical third part of the Attribute-Based-Access-Control and SLS for this interoperability need. Security Labels are used in CDA, FHIR, as well as the IHE Document Sharing (e.g. XDS), as described on the FHIR security page at <a href="https://www.hl7.org/fhir/security-labels.html">https://www.hl7.org/fhir/security-labels.html</a></li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-serve and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>Carequality® is working to develop a technical method for distributing and identifying consent forms to be used as part of their <a href="#">Patient Consent Framework</a>.</li> </ul> | <ul style="list-style-type: none"> <li><b>Patient Consent Information</b> – Identifies the patient consent information that may be required before data can be accessed.</li> </ul> <p>Additional information about security patterns can be found in <a href="#">Appendix 1</a>.</p> |



## PHARMACY INTEROPERABILITY

### Interoperability Need: Allows a Long-Term or Post-Acute Care to Request to Send an Additional Supply of Medication

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ●●●○○              | Yes                | \$   | Yes                    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>• Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up for e-mail updates to receive the latest announcements.</li> <li>• The NCPDP SCRIPT Standard Implementation Guide supports the Resupply transaction; a request from a Long-Term or Post-Acute Care (LTPAC) organization to a pharmacy to send an additional supply of medication for an existing order. An example use case is when a medication supply for a resident is running low (2-3 doses) and a new supply is needed from the pharmacy, the LTPAC organization needs a way to notify the pharmacy that an additional supply for the medication is needed.</li> <li>• Both the prescriber and the pharmacy must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> | <ul style="list-style-type: none"> <li>• <b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li>• <b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li>• <b>Authorization Enforcer</b> – Specifies access control policies.</li> <li>• <b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li>• <b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li>• <b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li>• <b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



**Interoperability Need: Allows a Pharmacy to Notify a Prescriber of Prescription Fill Status**

| Type                         | Standard / Implementation Specification                                      | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ●●○○○              | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a> | Final                      | Feedback Requested      | Feedback Requested | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a> | Final                      | Feedback Requested      | Feedback Requested | No                  |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>The following transactions need to be implemented for interoperability purposes:                         <ul style="list-style-type: none"> <li>NCPDP SCRIPT 2017071 -                                 <ul style="list-style-type: none"> <li>RxFill: sent from a pharmacy to a prescriber or long-term or post-acute care (LTPAC) facility indicating the FillStatus (dispensed, partially dispensed, not dispensed or returned to stock, transferred to another pharmacy) of the new, refill or resupply prescriptions for a patient.</li> <li>RxFillIndicator: Informs the pharmacy of the prescriber’s intent for fill status notifications for a specific patient/medication.</li> </ul> </li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>• RxFillIndicatorChange: Sent by the prescriber to the pharmacy to indicate that the prescriber is changing the types of RxFill transactions that were previously requested, where the prescriber may modify the fill status of transactions previously selected or cancel future RxFill transactions.</li> <li>• When transferring a prescription, the RxFillRequestIndicator should be passed to the new pharmacy as part of the prescription information. If it supports the RxFill transaction, the pharmacy to which the prescription was transferred is responsible to send the appropriate Physician RxFill Request Flag with each subsequent dispensing event.</li> <li>• The prescriber must electronically send the prescription via the NCPDP SCRIPT standard in order for the prescriber’s system to receive RxFill transactions and ensures the correct matching between the original prescription and the subsequent RxFill transactions.</li> <li>• Adoption of RxFill may be improved by allowing prescribers to specify which prescriptions are to receive RxFill transactions and which RxFill message types to receive. Additionally, prescribers may choose to receive RxFill transactions for patients receiving certain medications. EMRs may also provide additional capabilities to support RxFill message handling and prescriber preferred notifications that may provide process improvements such as limiting the number of transactions received, the cost of transactions, privacy concerns and information overload.</li> <li>• Both the pharmacy and the prescriber must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> |  |




**Interoperability Need: Allows a Pharmacy to Request a Change to a Prescription**

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ●●●○○              | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>The following transactions need to be implemented for interoperability purposes:                             <ul style="list-style-type: none"> <li>NCPDP SCRIPT 2017071 -                                     <ul style="list-style-type: none"> <li>RxChangeRequest, originated from the pharmacy to request:   <ul style="list-style-type: none"> <li>A change in the original prescription (new or fillable).</li> <li>Validation of prescriber credentials.</li> <li>A prescriber to review the drug requested.</li> <li>Prior authorization from the payer for the prescription.</li> </ul> </li> <li>FollowUpRequest, originated from the pharmacy to:</li> </ul> </li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>• Notify prescribers that this is a follow-up RxRenewalRequest or RxChangeRequest transaction, when the prescriber has not responded to the first RxRenewalRequest or first RxChangeRequest transaction in a reasonable amount of time.</li> <li>• Not sent on the original request of the RxRenewalRequest or RxChangeRequest transaction.</li> <li>• RxChangeResponse, originated from the prescriber to respond:             <ul style="list-style-type: none"> <li>• To a prescription change request from a pharmacy.</li> <li>• To a request for a prior authorization from a pharmacy.</li> <li>• To a prescriber credential validation request from a pharmacy.</li> </ul> </li> <li>• Options allowed when generating an RxChangeResponse in response to an RxChangeRequest from a pharmacy:             <ul style="list-style-type: none"> <li>• Approved: Grant the RxChangeRequest when the prescriber concurs with the request. The prescriber must submit an RxChangeResponse equal to what the pharmacy requested.</li> <li>• ApprovedWithChanges: When the information submitted in the RxChangeRequest does not include all elements constituting a fillable prescription; the prescriber should include all information.</li> <li>• Denied: Denies the RxChangeRequest with information that explains the denial.</li> </ul> </li> </ul> |  |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>Validated: Sent by the prescriber system in response to an RxChangeRequest for prescriber authorization.</li> <li>When drug allergies and/or drug-drug interactions initiate a prescription change request, best practice is to alert the ordering provider and the pharmacy so that they may document these events in their respective systems for future error avoidance.</li> <li>The receiving pharmacy should handle Approved, ApprovedWithChanges, and Validated responses as a fillable NewRx where the original linked prescription/order is discontinued. A Denied response should be directed to a review queue where the Denial reason code is displayed.</li> <li>Both the pharmacy and the prescriber must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> |  |

**Interoperability Need: Allows a Pharmacy to Request a New Prescription for a New Course of Therapy or to Continue Therapy**

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ● ○ ○ ○ ○          | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  | \$   | No                     |
| Implementation Specification | <a href="#">HL7® FHIR® Medication Request</a>                                 | Final                      | Feedback Requested      | Feedback Requested | No                  | Free | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  |      |                        |






| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>• Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>• The following transactions need to be implemented for interoperability purposes:                             <ul style="list-style-type: none"> <li>• SCRIPT 2017071 -                                     <ul style="list-style-type: none"> <li>• NewRxRequest: This transaction is a request from a pharmacy to a prescriber for a new prescription for a patient   <ul style="list-style-type: none"> <li>• NewRxResponseDenied: This transaction is a denied response to a previously sent NewRxRequest (If approved, a NewRx would be sent)   <ul style="list-style-type: none"> <li>• A NewRxResponseDenied response may occur when the NewRxRequest cannot be processed or if information is unavailable</li> </ul> </li> </ul> </li> </ul> </li> </ul> </li> <li>• Both the prescriber and the pharmacy must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> | <ul style="list-style-type: none"> <li>• <b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li>• <b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li>• <b>Authorization Enforcer</b> – Specifies access control policies.</li> <li>• <b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li>• <b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li>• <b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li>• <b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |


**Interoperability Need: Allows a Pharmacy to Request Additional Refills**

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ● ● ● ● ●          | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  | \$   | No                     |




| Type                         | Standard / Implementation Specification                                      | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a> | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>• Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>• The following transactions need to be implemented for interoperability purposes:                             <ul style="list-style-type: none"> <li>• SCRIPT 2017071 -                                     <ul style="list-style-type: none"> <li>• RxRenewalRequest, originated from the pharmacy to request additional refills beyond those originally prescribed. (Within the RxRenewalRequest) FollowUpRequest, originated from the pharmacy to:   <ul style="list-style-type: none"> <li>• Notify prescribers that this is a follow-up RxRenewalRequest or RxChangeRequest transaction, when the prescriber has not responded to the first RxRenewalRequest or first RxChangeRequest transaction in a reasonable amount of time.</li> <li>• Not sent on the original request of the RxRenewalRequest or RxChangeRequest transaction.</li> <li>• RxRenewalResponse, originated from the prescriber to respond to the request.</li> </ul> </li> <li>• Options allowed when generating an RxRenewalResponse to an RxRenewalRequest from a pharmacy:   <ul style="list-style-type: none"> <li>• Approved: Grant the RxRenewalRequest as requested by the pharmacy, or, when the pharmacy does not request a specific number of</li> </ul> </li> </ul> </li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>• <b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li>• <b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li>• <b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li>• <b>Authorization Enforcer</b> – Specifies access control policies.</li> <li>• <b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li>• <b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li>• <b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li>• <b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <p>fills (PharmacyRequestedRefills is not present) and the prescriber approves any number of fills.</p> <ul style="list-style-type: none"> <li>• ApprovedWithChanges: Grant the RxRenewalRequest, approving a NumberOfRefills different than the number requested by the pharmacy or when the information submitted in the RxRenewalRequest does not include all elements constituting a fillable prescription; the prescriber should include all information.</li> <li>• Denied: Deny the RxRenewalRequest as requested by the pharmacy.</li> <li>• In a Denied response, the only new meaning that should be conveyed to the pharmacy is information that explains the denial. It is recommended that the prescribing software update the NumberOfRefills to zero and leave all other data as is in the RxRenewalResponse.</li> <li>• Replace: Data is allowed to be changed except the patient DateOfBirth. If patient DateOfBirth changes, a Denied response would be sent, and then a NewRx would follow.</li> <li>• The receiving pharmacy might handle each of these responses differently. Approved, ApprovedWithChanges, and Replace responses might be directed to a fulfillment queue, where a Denied response might be directed to a review queue.</li> <li>• The Replace response should be used if there are any changes beyond what is outlined in the Response Element.</li> </ul> |  |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>RxRenewalRequest should <i>never</i> be responded to with a NewRx, as this would result in duplicate valid prescriptions.</li> <li>Both the pharmacy and the prescriber must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> |  |


**Interoperability Need: Allows a Pharmacy to Request, Respond to or Confirm a Prescription Transfer**

| Type                         | Standard / Implementation Specification                                      | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ● ○ ○ ○ ○          | No                 | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a> | Final                      | Feedback Requested      | Feedback Requested | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a> | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>Please refer to <a href="#">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>The following transactions need to be implemented for interoperability purposes:                         <ul style="list-style-type: none"> <li>RxTransferRequest: Used when the pharmacy is asking for a transfer of one or more prescriptions for a specific patient to the requesting pharmacy.                                 <ul style="list-style-type: none"> <li>The transfer is for a fillable prescription which may be:</li> </ul> </li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>Secure Message Router – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li>Authentication Enforcer – Centralized authentication processes.</li> <li>Authorization Enforcer – Specifies access control policies.</li> <li>Credential Tokenizer – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li>Assertion Builder – Define processing logic for identity, authorization and attribute statements.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>• Yet to be filled.</li> <li>• On hold.</li> <li>• Open (active) fills.</li> <li>• Current therapy (defined as drug therapy that, based upon the most recent fill date, quantity and instructions, should still be active).</li> <li>• Allowed to be transferred by law/regulation.</li> <li>• If multiple specific prescriptions are to be transferred, but not all prescriptions, a separate RxTransferRequest must be sent for each specific prescription.</li> <li>• RxTransferResponse: The response from the transferring pharmacy to the requesting pharmacy to the RxTransferRequest, which includes the prescription(s) being transferred or a rejection of the transfer request.</li> <li>• RxTransferConfirm: Used by the pharmacy receiving (originally requesting) the transfer to confirm that the transfer prescription has been received and the transfer is complete.</li> <li>• The RxFill Transaction &lt;FillStatus&gt;&lt;Transferred&gt; is originated by the transferring pharmacy once the &lt;RxTransferConfirm&gt; is received from the transfer to pharmacy. This transaction is used to notify the prescriber when a prescription has been transferred to another pharmacy and can no longer be filled at the original pharmacy. The RxTransfer transaction will identify if the receiving pharmacy supports RxFill.</li> <li>• Both pharmacies must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> | <ul style="list-style-type: none"> <li>• User Role – Identifies the role asserted by the individual initiating the transaction.</li> <li>• Purpose of Use – Identifies the purpose for the transaction.</li> </ul> |



**Interoperability Need: Allows a Prescriber or a Pharmacy to Request a Patient’s Medication History**

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ●●●●○              | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>The following transactions need to be implemented for interoperability purposes:                             <ul style="list-style-type: none"> <li>RxHistoryRequest: a request from a prescriber or a pharmacy for a list of medications that have been prescribed, dispensed, claimed or indicated (OTCs) by a patient.                                     <ul style="list-style-type: none"> <li>This patient-specific transaction supplies enough information to uniquely identify the patient.</li> </ul> </li> <li>RxHistoryResponse: A response to an RxHistoryRequest containing a patient’s medication history; includes the medications that were dispensed or obtained within a certain timeframe, and also optionally includes the prescriber’s name.                                     <ul style="list-style-type: none"> <li>The receiver must evaluate the Consent for accurate reporting.</li> <li>Returns with loops of Medication, HistorySource, Prescriber, Pharmacy, and Patient elements when appropriate.</li> </ul> </li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>• HistorySource and FillNumber elements are included, when appropriate, so prescribers are able to de-duplicate records from multiple sources that reflect the same medication dispensing, and to help determine patient compliance with a prescription.                             <ul style="list-style-type: none"> <li>• Helps the prescriber determine if follow-up contact is required regarding the medication records.</li> </ul> </li> <li>• RxHistoryRequest and RxHistoryResponse may be sent directly or through an intermediary.</li> <li>• Medication history transactions may be exchanged among prescribers, pharmacies, or payers, and may include adjudicated claims and/or pharmacy dispensed/point of sale prescription information.</li> <li>• It is recommended that prescribers request Medication History from all applicable sources, whenever appropriate, to ensure the most complete view of a patient’s medication history. The Medication History may be reconciled with the prescriber’s patient record for improved medication management and to assist in clinical decision support.</li> <li>• Both the sender and receiver must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions. This may also include hospitals and/or Accountable Care Organizations (ACOs).</li> </ul> |  |




**Interoperability Need: Allows a Prescriber to Cancel a Prescription**

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ●●●●○              | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>The following transactions need to be implemented for interoperability purposes:                         <ul style="list-style-type: none"> <li>NCPDP SCRIPT 2017071 -                                 <ul style="list-style-type: none"> <li>CancelRx: a request from the prescriber to the pharmacy to not fill a previously sent prescription.   <ul style="list-style-type: none"> <li>Must contain pertinent information for the pharmacy to be able to find the prescription in their system (patient, medication (name, strength, dosage form, prescriber, prescription number if available).</li> <li>Changes can be indicated in the MessageRequestCode in the CancelRx transaction.</li> </ul> </li> <li>CancelRxResponse: a response from the pharmacy to the prescriber to acknowledge a CancelRx.</li> </ul> </li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |






| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>Used to denote if the cancellation is Approved or Denied.</li> <li>DenialReasonCode should be sent when a CancelRx is denied.</li> <li>When a Long-Term Care (LTC) prescriber has the need to modify an order and notify the pharmacy, the prescriber system will always send a CancelRx and a NewRx, regardless of the type of change.</li> <li>Both the prescriber and the pharmacy must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> |  |

**Interoperability Need: Allows a Prescriber to Communicate Drug Administration Events**

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ●○○○○○             | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>Please refer to <a href="#">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>The NCPDP SCRIPT Version 2017071 Implementation Guide supports the DrugAdministration transaction communicates drug administration events from a prescriber/care facility to the pharmacy or other entity. It is a notification from a prescriber/care facility to a pharmacy or other entity that a drug administration event has occurred - for example, a medication was suspended or administration was resumed.</li> <li>Both the prescriber and the pharmacy must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> | <ul style="list-style-type: none"> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |


**Interoperability Need: Allows a Prescriber to Communicate with a REMS Administrator**

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ● ○ ○ ○ ○          | No                 | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>Please refer to <a href="#">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>The NCPDP SCRIPT Version 2017071 Implementation Guide supports:                         <ul style="list-style-type: none"> <li>REMSInitiationRequest and REMSInitiationResponse</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>• REMSRequest and REMSResponse</li> <li>• Each transaction supports a particular step in the REMS process:                             <ul style="list-style-type: none"> <li>• The REMSInitiationRequest transaction is used by the prescriber to initiate the REMS process, by notifying the REMS Administrator of the patient and the medication for which REMS authorization is being requested, along with the prescriber’s information and other related details.</li> <li>• In the REMSInitiationResponse transaction, the REMS Administrator indicates the information needed from the prescriber to determine approval or denial of the authorization. In some cases, the REMS Administrator indicates to the prescriber that REMS authorization is not required for the requested medication and patient. The REMSInitiationResponse is for the medication (name, strength, dosage form) indicated in the REMSInitiationRequest. The REMS Administrator should not respond for an equivalent to the medication (e.g., generic product equivalent to brand product) indicated in the REMSInitiationRequest.</li> <li>• The prescriber system gathers the requested information by presenting questions for the prescriber to answer and/or by extracting information from the patient’s electronic medical record using the coded references associated to the question. The information is sent to the REMS Administrator in the REMSRequest transaction. This occurs in both the solicited and unsolicited models.</li> <li>• The REMS Administrator determines whether authorization can be granted and provides the determination to the prescriber in the REMSResponse transaction. In some cases the REMSResponse transaction may indicate the REMS Administrator needs additional information in order to make a determination.</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>• <b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li>• <b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li>• <b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li>• <b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>• The Food and Drug Administration Amendments Act (FDAAA) of 2007 (Public Law 110-85) enables the Food and Drug Administration (FDA) to require a REMS from a pharmaceutical manufacturer if the FDA determines that a REMS is necessary to ensure the benefits of a drug outweigh the risks associated with the drug. The currently approved REMS programs vary in levels of complexity. Typically, a Med Guide and Communication Plan is required, but some also require Elements to Assure Safe Use (ETASU). The large majority of existing REMS programs are for drugs dispensed through specialty pharmacies, clinics, and hospitals, but as REMS become more common, they may ultimately have a greater impact on retail-based products.</li> <li>• The impact of REMS is twofold. First, REMS with ETASU may require the pharmacist to verify prescriber, patient, and/or pharmacy enrollment in a registry and, in some cases, verify or check certain information, such as laboratory results. Second, all REMS, including those without ETASU, must fulfill FDA-approved reporting requirements. Each REMS program must also include a program assessment schedule that examines the program's effectiveness on intervals approved by the FDA as part of the overall REMS program. The results of these assessments are submitted to the FDA as part of the ongoing evaluation of REMS program effectiveness.</li> <li>• Both the prescriber and the REMS Administrator must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> |  |




**Interoperability Need: Allows a Prescriber to Prescribe Medication Using Weight-Based Dosing**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Standard                     | <a href="#">NCPDP Structured and Codified Sig Format Implementation Guide Version 2.2</a> | Final                      | Production              | ● ○ ○ ○ ○          | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a>             | Final                      | Production              | ● ● ● ○ ○          | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>              | Final                      | Feedback Requested      | Feedback Requested | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>              | Final                      | Feedback Requested      | Feedback Requested | No                  |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)  |
|--|---|
| <ul style="list-style-type: none"> <li>Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>Included in the Structured and Codified Sig Format of electronic prescribing transactions are elements, fields and values that are directly related to the prescriber's instructions for use.</li> <li>The following elements of the Sig are required when Structured Sig is sent:                         <ul style="list-style-type: none"> <li>Code system</li> <li>Dose</li> <li>Route Of Administration</li> </ul> </li> <li>The following elements of the Sig are conditional (only required when prescriber specifies) when Structured Sig is sent:                         <ul style="list-style-type: none"> <li>Vehicle</li> <li>Site of Administration</li> <li>Timing</li> <li>Duration</li> <li>Maximum Dose Restriction</li> </ul> </li> </ul> | <p>LOINC® 2.63 codes supporting SCRIPT 2017071 &lt;Observation&gt; segment:</p> <ul style="list-style-type: none"> <li><a href="#">8302-2 Body height, measured [LOINC]</a></li> <li><a href="#">3141-9 Body weight, measured [LOINC]</a></li> <li><a href="#">3140-1 Body surface area, derived [LOINC]</a></li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s) |
|--|--|
| <ul style="list-style-type: none"> <li>• Indication</li> <li>• The following elements of the Sig are required when Structured Sig is sent <i>and when dose is to be calculated</i>:             <ul style="list-style-type: none"> <li>• Dose Calculation:                 <ul style="list-style-type: none"> <li>• Used where a body metric such as metric weight (kg) or surface area (m*2) is used to calculate a dose for a patient.</li> <li>• May often be used in conjunction with the Rate within TimingAndDuration and/or the Vehicle.</li> </ul> </li> </ul> </li> <li>• The SCRIPT 2017071 Observation element in the NewRx transaction supports the use of a patient's height, weight and other vital signs:             <ul style="list-style-type: none"> <li>• Inclusion of VitalSign (most recent patient's height and weight) and ObservationDate (YYYY-MM-DD height and weight observed/taken) is required for patients 18 years old and younger on all new and renewal prescriptions from a prescriber to a pharmacy.                 <ul style="list-style-type: none"> <li>• If the height and/or weight have changed and a prescriber is sending an approved renewal response, the response should be coded as Approved with Changes.</li> </ul> </li> <li>• ObservationDate is now mandatory when Observation Segment Measurement is sent.</li> <li>• ObservationNotes may contain other pertinent information pertaining to weight-based calculations.</li> </ul> </li> <li>• It is recommended that developers adopt logic that results in a prescription that calculates a weight-based dose to suggest a measurable dose (e.g., rounded to the +/- 5-10% of the calculated dose). Measurable dose should be based on home dosing tool precision. For example, a weight-based dose calculation may result in instructions to give a child 4.7mL amoxicillin 400mg/5mL (375mg) when the measurable dose should be 5mL (400 mg is still a safe dose and easier to measure with a 5mL or 10mL oral syringe).</li> </ul> |  |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s) |
|---|--|
| <ul style="list-style-type: none"> <li>Both the prescriber and the pharmacy must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> |  |

**Interoperability Need: Allows a Prescriber to Recertify the Continued Administration of a Medication Order**

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ● ○ ○ ○ ○          | Yes                | \$   | Yes                    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>The NCPDP SCRIPT Version 2017071 Implementation Guide supports the Recertification transaction; a notification from a facility, on behalf of a prescriber, to a pharmacy recertifying the continued administration of a medication order. An example use is when an existing medication order has been recertified by the prescriber for continued use. Long term or post-acute care use only.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> - Identifies the purpose for the transaction.</li> </ul> |




|   |   |
|---|---|
| <b>Limitations, Dependencies, and Preconditions for Consideration</b>   | <b>Applicable Security Patterns for Consideration</b> |
| <ul style="list-style-type: none"> <li>Both the prescriber and the pharmacy must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> |   |

**Interoperability Need: Allows a Prescriber to Request, Cancel or Appeal Prior Authorization for Medications**

| Type                         | Standard / Implementation Specification                                      | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard                     | <a href="#">ASC X12®</a>   | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide Version 2017071</a> | Final                      | Production              | ● ● ● ● ○          | Yes                | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP Formulary and Benefits Standard, Version 3</a>             | Final                      | Production              | ● ● ● ● ○          | Yes                | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a> | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |
| Implementation Specification | <a href="#">NCPDP Formulary and Benefits Standard, Version 60</a>            | Final                      | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | \$   | No                     |

|   |  |
|---|--|
| <b>Limitations, Dependencies, and Preconditions for Consideration</b>   | <b>Applicable Security Patterns for Consideration</b>  |
| <ul style="list-style-type: none"> <li>Some of these standards can be used to support workflows for electronic prior authorization, but do not independently enable a prescriber to request, cancel, or appeal prior authorization for medications without the assistance of other standards and technologies.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to- server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> </ul> |






| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>The prescriber system must receive timely Formulary &amp; Benefit file updates from payers/intermediaries, giving group-level formulary and coverage information (including PA flags) for use when ordering medications.</li> <li>The following ASC X12 patient eligibility transactions enhance the PA Request transactions by supplying the prescriber system with the patient’s pharmacy benefit information, and need to be implemented for interoperability purposes:                     <ul style="list-style-type: none"> <li>Eligibility Request (ASC X12 270)</li> <li>Eligibility Response (ASC X12 271)</li> </ul> </li> <li>The following NCPDP SCRIPT 2017071 and 2022011 prior authorization transactions need to be implemented for interoperability purposes:                     <ul style="list-style-type: none"> <li>PAInitiationRequest and PAInitiationResponse</li> <li>PARrequest and PAResponse</li> <li>PAAppealRequest and PAAppealResponse</li> <li>PACancelRequest and PACancelResponse</li> <li>PANotification (only in NCPDP SCRIPT 2022011)</li> </ul> </li> <li>Both the prescriber and the payer/processor/pharmacy benefits manager (PBM) must have their systems configured for these transactions in order to facilitate successful exchange, including the ability to send or receive status or error messages.</li> </ul> | <ul style="list-style-type: none"> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |


**Interoperability Need: Allows a Prescriber to Send a New Prescription to a Pharmacy**

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ●●●●●          | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 10.6</a>     | Final                      | Production              | ●○○○○          | No                  | \$   | N/A                    |



| Type                         | Standard / Implementation Specification                                      | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a> | Final                      | Feedback Requested      | Feedback Requested | No                 | \$   | No                     |
| Implementation Specification | <a href="#">HL7® FHIR® Medication Request</a>                                | Final                      | Feedback Requested      | Feedback Requested | No                 | Free | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a> | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>The following transactions need to be implemented for interoperability purposes:                             <ul style="list-style-type: none"> <li>NCPDP SCRIPT 2017071 -                                     <ul style="list-style-type: none"> <li>NewRx: This transaction is a new prescription sent from the prescriber to the pharmacy electronically so that it can be dispensed to a patient.</li> <li>NewRxRequest: This transaction is a request from a pharmacy to a prescriber for a new prescription for a patient.   <ul style="list-style-type: none"> <li>NewRxResponseDenied: This transaction is a denied response to a previously sent NewRxRequest (If approved, a NewRx would be sent).   <ul style="list-style-type: none"> <li>A NewRxResponseDenied response may occur when the NewRxRequest cannot be processed or if information is unavailable.</li> </ul> </li> </ul> </li> </ul> </li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>Both the prescriber and the pharmacy must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> |  |

**Interoperability Need: Allows a Prescriber to Send a Prescription to a Pharmacy for a Controlled Substance**

| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard                     | <a href="#">HL7®, Version 2</a>   | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | Free |                        |
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ● ● ● ● ● ●        | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Pilot                   | ● ○ ○ ○ ○ ○        | Yes                | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>The following transactions need to be implemented for interoperability purposes:</li> <li><a href="#">21 CFR §1311</a> implements US Drug Enforcement Administration's Electronic Prescription for Controlled Substance regulation.</li> <li>DEA's EPCS requires additional information satisfied by the following SCRIPT 10.6 elements:                         <ul style="list-style-type: none"> <li>Digital Signature Indicator - Use Drug Coverage Status Code - "SI - Signed Prescription".</li> </ul> </li> </ul> | <p>The DEA's EPCS regulation, <a href="#">21 CFR §1311</a>, requires additional security considerations that:</p> <ul style="list-style-type: none"> <li>An individual practitioner must obtain an authentication credential from a credential service provider or certification authority using two of the following three factors:                         <ul style="list-style-type: none"> <li>Something only the practitioner knows, such as a password or response to a challenge question.</li> <li>Something the practitioner is, biometric data such as a fingerprint or iris scan.</li> </ul> </li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>Controlled Substance Indicator - Use DEA Schedule Field to indicate the controlled substance schedule class.</li> <li>Earliest Fill Date - Use Date/Time/Period Qualifier-value= "07 - Effective Date (Begin)".</li> <li>Drug Abuse Treatment Identifier - Use DRU Segment 090 Free Text - value= "NADEAN:xxxxxxx" (Narcotics Addiction DEA Number)".</li> <li>Medication Indication for GHB (Gamma-Hydroxybutyric acid) - Use DRU Segment 090 Free Text - value="medical need for GHB".</li> <li>The <a href="#">SUPPORT for Patients and Communities Act</a>, once implemented, will require a prescription for a Medicare part D drug be transmitted electronically using NCPDP SCRIPT 10.6, or the latest implemented version.</li> <li>Please note that the NCPDP electronic prescribing test tool currently tests the capabilities of any health IT to conform to the ONC Health IT Certification Program criterion 170.315 (b)(3), but does not test system capabilities to conform to DEA EPCS certification requirements.</li> <li>Both the prescriber and the pharmacy must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> | <ul style="list-style-type: none"> <li>Something the practitioner has, a device (hard token) separate from the computer to which the practitioner is gaining access.</li> <li>The practitioner must submit identity proofing information to the credential service provider or certification authority.</li> <li>The electronic prescription application must be capable of the setting of logical access controls to limit permissions for certain functions.</li> </ul> |


**Interoperability Need: Allows a Provider to Request a Patient’s Medication History from a State Prescription Drug Monitoring Program (PDMP)**

| Type     | Standard / Implementation Specification | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">PMIX *, Version 2</a>       | Final                      | Production              | ● ● ● ● ○      | No                 | Free | No                     |
| Standard | <a href="#">SMART® on FHIR®</a>         | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | <a href="#">Yes</a>    |
| Standard | <a href="#">CDS Hooks™ Services</a>     | Final                      | Production              | ● ● ○ ○ ○      | No                 | Free | <a href="#">Yes</a>    |




| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required | Cost        | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|---------------------------|--------------------|-------------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard Implementation Guide Version 2017071</a>                    | Final                      | Production              | ●●○○○                     | No                 | \$          | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>                   | Final                      | Pilot                   | ●○○○○                     | No                 | \$          | No                     |
| Standard                     | <a href="#">HL7®, Version 2</a>  | Final                      | Production              | Feedback Requested        | No                 | Free        | No                     |
| Implementation Specification | <a href="#">HL7 FHIR® Implementation Guide: US Meds STU2</a>                                   | Balloted Draft             | Pilot                   | Feedback Requested        | No                 | Free        | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>                   | Final                      | Feedback Requested      | Feedback Requested        | No                 |             |                        |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR SMART Application Launch Framework Implementation Guide Release 2.0.0</a> | <i>Final</i>               | <i>Production</i>       | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>Yes</i>             |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>The following NCPDP SCRIPT transactions need to be implemented for interoperability purposes:                             <ul style="list-style-type: none"> <li>RxHistoryRequest: a request from a prescriber for a list of medications that have been prescribed, dispensed, claimed or indicated (OTCs) by a patient to a state Prescription Drug Monitoring Program (PDMP).                                     <ul style="list-style-type: none"> <li>This patient-specific transaction supplies enough information to uniquely identify the patient.</li> </ul> </li> <li>RxHistoryResponse: a response from a PDMP to an RxHistoryRequest containing a patient’s medication history; includes the medications that were dispensed or</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <p>obtained within a certain timeframe, optionally it includes the prescriber's name.</p> <ul style="list-style-type: none"> <li>• PDMP must evaluate the Consent for accurate reporting.</li> <li>• Returns with loops of Medication, HistorySource (pharmacy), Prescriber, Pharmacy, and Patient elements.</li> <li>• HistorySource and FillNumber elements are included, when appropriate, so prescribers are able to de-duplicate records from multiple sources that reflect the same medication dispensing, and to help determine patient compliance with a prescription.                             <ul style="list-style-type: none"> <li>• Helps the prescriber determine if follow-up contact is required regarding the medication records.</li> </ul> </li> <li>• The medication history response transaction in SCRIPT Version 2017071 has been enhanced to return data from Prescription Drug Monitoring Program (PDMP) administrators.</li> <li>• Please note that the NCPDP electronic prescribing test tool does not currently test the capabilities of any health IT to exchange data with a state PDMP.</li> <li>• RxHistoryRequest and RxHistoryResponse may be sent directly or through an intermediary.</li> <li>• Both the prescriber and the Prescription Monitoring Drug Program (PDMP) must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive status, or error transactions.</li> <li>• The HL7 FHIR Implementation Guide: US Meds STU2 includes US Meds Prescription Drug Monitoring Program (PDMP) mapping.</li> </ul> |  |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>• SMART on FHIR defines a mechanism for interoperable “SMART Apps” that can be plugged in to EHRs and other Health IT systems. Each SMART App can expose a user interaction and can access data in the underlying system. This presents a powerful way to extend EHR capabilities via “pluggable” app functionality. Dozens of SMART apps are available, including apps for medication management, pain management, and PDMP-EHR integration, with more expected in the future. These apps serve many different clinical needs, yet they all use the same underlying FHIR-based API functionality.</li> <li>• When using the SMART on FHIR model, the authentication model uses OAuth2. Except for "Secure Communication", the security patterns listed do not apply.</li> <li>• The HL7 FHIR® SMART Application Launch Framework Implementation Guide Release 2.0.0 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> <p>* PMIX is not an ANSI-Accredited Standards Developer. For more information, see <a href="http://www.ansi.org">www.ansi.org</a>.</p> |  |




**Interoperability Need: Allows for Communication of Prescription Information Between Prescribers and Dispensers**


| Type                         | Standard / Implementation Specification                                       | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a> | Final                      | Production              | ●●●●●              | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 10.6</a>     | Final                      | Production              | ●○○○○              | No                  | \$   | N/A                    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested      | Feedback Requested | No                  |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>Please refer to <a href="https://www.cms.gov">CMS.gov</a> for more information regarding Medicare Part D electronic prescribing requirements and sign up to receive the latest announcements.</li> <li>The NCPDP SCRIPT Version 2017071 Implementation Guide supports the following transactions:                         <ul style="list-style-type: none"> <li>Ask the Mailbox if there are any transactions (GetMessage)                                 <ul style="list-style-type: none"> <li>This transaction is used by the prescriber or pharmacy asking the mailbox if there are any transactions. It is at the heart of the mechanism used by a pharmacy or prescriber system to receive transactions from each other or from a payer or the Risk Evaluation and Mitigation Strategy (REMS) Administrator via a Switch, acting as a Mailbox. Please note that the adoption level of the GetMessage transaction is not reflected above. GetMessage transaction adoption is currently lower than that of the other</li> </ul> </li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |






| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <p>communication transactions below (Status, Error, and Verify).</p> <ul style="list-style-type: none"> <li>• Relay acceptance of a transaction back to the sender (Status)                             <ul style="list-style-type: none"> <li>• This transaction is used to relay acceptance of a transaction back to the sender. A Status in response to any applicable transaction other than GetMessage indicates acceptance and responsibility for a request. A Status in response to GetMessage indicates that no mail is waiting for pickup. A Status cannot be mailboxed and may not contain an error.</li> </ul> </li> <li>• Respond that there was a problem with the transaction (Error)                             <ul style="list-style-type: none"> <li>• This transaction indicates an error has occurred, indicating the request was terminated. An Error can be generated when there is a communication problem or when the transaction actually had an error. An error can be mailboxed, as it may be signifying to the originator that a transaction was unable to be delivered or encountered problems in the acceptance. The Error must be a different response than a Status, since the communication between the system and the Mailbox must clearly denote the actions taking place. An Error is a response being delivered on behalf of a previous transaction, and the Status signifies no more mail.</li> </ul> </li> <li>• Respond that a transaction requesting a return receipt has been received (Verify)                             <ul style="list-style-type: none"> <li>• This transaction is a response to a pharmacy or prescriber indicating that a transaction requesting a return receipt has been received. Verifications results when a “return receipt requested” flag is set in the original request. Upon receiving a transaction with</li> </ul> </li> </ul> |  |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <p>ReturnReceipt set, it is the responsibility of the receiver to either generate a Verify in response to the request (recommended) or generate a Status in response to this request, followed subsequently by a free standing Verify. This transaction notifies the originator that the transaction was received at the software system. It is not a notification of action taking place, since time may elapse before the ultimate answer to the transaction may take place.</p> <ul style="list-style-type: none"> <li>Both the prescriber and the pharmacy must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive verify, status, or error transactions.</li> </ul> |  |

**Interoperability Need: Allows for the Exchange of State Prescription Drug Monitoring Program (PDMP) Data**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard                     | <a href="#">2015 ASAP Prescription Monitoring Program Web Service Standard 2.1A</a>                                     | Final                      | Production              | ● ● ● ● ●      | No                 | Free | No                     |
| Standard                     | <a href="#">2011 ASAP Version 4.2 Standard for Prescription Monitoring Programs</a>                                     | Final                      | Production              | ● ● ● ● ●      | No                 | Free | No                     |
| Standard                     | <a href="#">PMIX,* Version 2</a>  | Final                      | Production              | ● ● ● ● ○      | No                 | Free | No                     |
| Standard                     | <a href="#">2010 ASAP Prescription Monitoring Program Standards Versions 1.0 for PMP Zero Reports and Error Reports</a> | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | No                     |
| Implementation Specification | <a href="#">NIEM, Version 3.2</a>   | Final                      | Production              | ● ● ● ● ●      | No                 | Free | No                     |



| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard                     | <a href="#">2017 ASAP Version 4.2A Standard for Prescription Monitoring Programs</a>                             | Final                      | Production              | ●●●○○              | No                 | Free | No                     |
| Standard                     | <a href="#">HL7®, Version 2</a>  | Final                      | Production              | Feedback Requested | No                 | Free | No                     |
| Standard                     | <a href="#">NCPDP® Telecommunication Standard, Version D.0</a>   | Final                      | Production              | Feedback Requested | No                 | \$   | No                     |
| Standard                     | <a href="#">2020 ASAP Version 4.2B Standard for Prescription Monitoring Programs</a>                             | Final                      | Pilot                   | Feedback Requested | No                 | Free | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard Implementation Guide Version 2017071</a>                                       | Final                      | Production              | ●○○○○              | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP Prescription Drug Monitoring Programs Reporting Standard, Implementation Guide, Version 12</a> | Final                      | Production              | Feedback Requested | No                 | \$   | No                     |
| Implementation Specification | <a href="#">HL7 FHIR® Implementation Guide: US Meds STU2</a>   | Balloted Draft             | Pilot                   | Feedback Requested | No                 | Free | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>                                     | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>                                     | Final                      | Pilot                   | ●○○○○              | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP Telecommunication Standard, Version F6</a>   | Final                      | Pilot                   | Feedback Requested | No                 | \$   | No                     |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>• <a href="#">National Drug Code (NDC)</a> <ul style="list-style-type: none"> <li>• The use of NDC in conjunction with RxNorm can help minimize gaps in representing medications, including compounded products, over-the-counter medications, and herbals.</li> </ul> </li> <li>• <a href="#">RxNorm</a> <ul style="list-style-type: none"> <li>• RxNorm is often used for the exchange of information; however, it may not be available for export and import by end users.</li> </ul> </li> <li>• <a href="#">RxNav</a> <ul style="list-style-type: none"> <li>• NDC mappings are available through RxNorm via RxNav.</li> </ul> </li> <li>• Please note that many of the standards, emerging standards, and implementation specifications outlined above are specific to the in-state and interstate exchange of PDMP data. See the <a href="#">PDMP query ISA page</a> for a working list of standards, emerging standards, and implementation specifications specific to a provider's ability to query a PDMP from health information technology such as an EHR.</li> <li>• Data may be exchanged directly or through an intermediary. Prescribers, Dispensers, Prescription Monitoring Drug Program (PDMPs), and other intermediaries and endpoints must have their systems configured for the transaction in order to facilitate successful exchange, including the ability to send or receive status, or error transactions.</li> <li>• If a state PDMP requests either ASAP 4.2, 4.2A, or 4.2B, these versions of the standard includes the Zero Reports and Error Reports standard. ASAP 4.2, 4.2A, 4.2B, and the Zero Reports and Error Reports are also available as separate standards.</li> <li>• All of the ASAP standards are free to non-commercial and non-profit entities such as state PDMPs.</li> <li>• The HL7 FHIR Implementation Guide: US Meds STU2 includes US Meds Prescription Drug Monitoring Program (PDMP) standards mapping.</li> </ul> <p>* PMIX is not an ANSI-Accredited Standards Developer. For more information, see <a href="http://www.ansi.org">www.ansi.org</a>.</p> | <ul style="list-style-type: none"> <li>• <b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li>• <b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li>• <b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li>• <b>Authorization Enforcer</b> – Specifies access control policies.</li> <li>• <b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li>• <b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li>• <b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li>• <b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



**Interoperability Need: Allows Pharmacy Benefit Payers to Communicate Formulary and Benefit Information to Prescriber Systems**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® Formulary and Benefit Standard Version 3.0</a>                                      | Final                      | Production              | ●●●●●              | <a href="#">Yes</a> | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP Real Time Prescription Benefit Standard Version 12</a>                               | Final                      | Production              | ●○○○○              | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP Formulary and Benefits (F&amp;B), Version 60</a>                                     | Final                      | Production              | Feedback Requested | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP Real-Time Prescription Benefit (RTPB) Standard, Implementation Guide, Version 13</a> | Final                      | Feedback Requested      | Feedback Requested | No                  |      | No                     |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-serve and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> - Identifies the purpose for the transaction.</li> </ul> |



## PUBLIC HEALTH REPORTING


### Interoperability Need: Adverse Event Reporting

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® FHIR® Implementation Guide: Profiles for ICSR Transfusion and Vaccination Adverse Event Detection and Reporting</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○      | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

### Interoperability Need: Case Reporting to Public Health Agencies

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability     |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|----------------------------|
| Implementation Specification | <a href="#">HL7 CDA R2 Implementation Guide: Reportability Response, Release 1, STU Release 1.1 - US Realm</a>   | Balloted Draft             | Production              | ● ● ● ● ●      | No                 | Free | <a href="#">Yes – Open</a> |
| Implementation Specification | <a href="#">IHE-XDR (Cross-Enterprise Document Reliable Interchange)</a>   | Final                      | Production              | ● ● ● ● ●      | No                 | Free | <a href="#">Yes</a>        |
| Implementation Specification | <a href="#">Applicability Statement for Secure Health Transport Version 1.3</a>  | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | <a href="#">Yes</a>        |
| Implementation Specification | <a href="#">HL7® CDA® R2 Implementation Guide: Public Health Case Report - the Electronic Initial Case Report (eICR) Release 2, STU Release 3.1 - US Realm</a> | Balloted Draft             | Production              | ● ○ ○ ○ ○      | No                 | Free | <a href="#">Yes</a>        |



| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7 FHIR® Implementation Guide: Electronic Case Reporting (eCR) 2.1.1 - STU 2- US Realm</a> | Balloted Draft             | Pilot                   | Feedback Requested | No                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>Electronic Initial Case Report (eICR) and the Reportability Response are paired together in production implementations to build a complete workflow.</li> <li>Electronic case reporting involves reporting to State, Tribal, Local, and Territorial public health authorities. Electronic case reporting is implemented widely.</li> <li>Some additional implementation guides related to public health reporting follow. Reporting is often captured under a specialized registry with associated standards when not specified as a separate measure. These include: <ul style="list-style-type: none"> <li><a href="#">Early Hearing Detection and Intervention (EHDI)</a></li> <li><a href="#">Office of Populations Affairs (OPA) Family Planning Reporting IHEProfile</a></li> </ul> </li> <li>Note that the maturity level of FHIR resources may vary. The FHIR Maturity Model and each of the levels is described on the <a href="#">HL7 wiki</a>.</li> <li>Direct is used as the transport for performing an unsolicited push for Case Reporting to Public Health Agencies in some jurisdictions. See <a href="#">An Unsolicited "Push" of Clinical Health Information to a Known Destination Between Systems</a>.</li> <li>The Applicability Statement for Secure Health Transport Version 1.3 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC's Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> <li><a href="#">FHIR Security Labels</a> support compliance with laws, policies, and consent directives governing HIPAA PHI and specially protected information (SPI).</li> </ul> |



**Interoperability Need: Data Submission for Title X Family Planning Annual Reporting**


| Type                                  | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Emerging Implementation Specification | <a href="#">IHE Quality, Research, and Public Health Technical Framework Supplement Family Planning Version 2 (FPv2) Rev. 1.1 – Trial Implementation</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | No                     |
| Implementation Specification          | <a href="#">Family Planning Annual Report (FPAR) 2.0</a>   | Balloted Draft             | Production              | Feedback Requested | No                 |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Visit the <a href="#">Office of Population Affairs (OPA) website</a> for more information about the Family Planning Annual Report, and <a href="#">The Family Planning Annual Report and Health Information Technology (Health IT) Initiative (FPAR 2.0)</a>.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

**Interoperability Need: Electronic Transmission of Reportable Laboratory Results to Public Health Agencies**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® Version 2.5.1: Implementation Guide: Electronic Laboratory Reporting to Public Health (US Realm), Release 1 with Errata and Clarifications and ELR 2.5.1 Clarification Document for EHR Technology Certification</a> | Final                      | Production              | ● ● ● ● ○          | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 Version 2.5.1 Implementation Guide: Laboratory Results Interface, Release 1 STU Release 4 - US Realm</a>  | Final                      | Production              | ● ○ ○ ○ ○          | No                  | Free | No                     |
| Emerging Standard            | <a href="#">FHIR® US Lab Report</a>   | In Development             | Pilot                   | Feedback Requested | No                  | Free | No                     |






| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Value Set(s) and Starter Set(s)   |
|--|--|
| <ul style="list-style-type: none"> <li>Stakeholders should refer to the health department in their state or local jurisdiction to determine onboarding procedures, obtain a jurisdictional implementation guide if applicable, and determine which transport methods are acceptable for submitting ELR as there may be jurisdictional variation or requirements.</li> <li>While the names differ, please note the content of the Electronic Laboratory Reporting (ELR) implementation specification listed above is now handled as a profile in the Laboratory Results Interface (LRI) implementation specification, using the “LRI_PH_COMPONENT – ID: 2.16.840.1.113883.9.195.3.5” Result Profile Component.</li> <li>Where appropriate, EHRs should consider reporting required public health information directly to public health agencies (PHA) using eCR (electronic case reporting) standards or other appropriate standard from the ISA section “<a href="#">Case Reporting to Public Health Agencies</a>”.</li> <li>See <a href="#">FHIR US Lab Report</a>, an emerging standard for electronic lab reporting.</li> </ul> | <ul style="list-style-type: none"> <li><a href="#">HL7 Version 2 Implementation Guide: Laboratory Value Set Companion Guide Release 2 - US Realm</a> provides cross-implementation guide value set definitions and harmonized requirements.</li> </ul> |

**Interoperability Need: Exchanging Immunization Data with Immunization Registries**


| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® 2.5.1 Implementation Guide for Immunization Messaging, Release 1.4</a> | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | No                     |
| Implementation Specification | <a href="#">HL7 2.5.1 Implementation Guide for Immunization Messaging, Release 1.5</a>  | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>Stakeholders should refer to the health department in their state or local jurisdiction to determine onboarding procedures, and obtain a jurisdictional implementation guide if applicable.</li> <li>There is near universal adoption of the transport standard <a href="#">CDC- EHR-IIS Interoperability Enhancement Project Transport Layer Protocol Recommendation Formal Specification, Version 1.2</a>, though stakeholders should still confirm accepted processes with the health department in their jurisdiction.</li> <li><a href="#">HL7 2.5.1 Implementation Guide for Immunization Messaging, Release 1.5 – Addendum</a> is also available..</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> - Identifies the purpose for the transaction.</li> </ul> |

**Interoperability Need: Newborn Screening Results and Birth Defect Reporting to Public Health Agencies**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">IHE Quality, Research, and Public Health Technical Framework Supplement Newborn Admission Notification Information (NANI) Rev. 2.1 – Trial Implementation</a> | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | No                     |
| Implementation Specification | <a href="#">HL7® Version 2.5.1 Implementation Guide: Laboratory Orders (LOI) from EHR, Release 1, STU Release 3</a>   | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 Version 2.5.1 Implementation Guide: Laboratory Results Interface, Release 1 STU Release 3</a>   | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | No                     |



| Type   | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required | Cost        | Test Tool Availability |
|--|---|----------------------------|-------------------------|---------------------------|--------------------|-------------|------------------------|
| Implementation Specification                 | <a href="#">HL7 Version 2.6 Implementation Guide: Critical Congenital Heart Defects (CCHD) pulse oximetry screening results, Release 1</a>  | Final                      | Production              | ● ○ ○ ○ ○                 | No                 | Free        | <a href="#">Yes</a>    |
| Implementation Specification                 | <a href="#">HL7 Version 2.6 Implementation Guide: Early Hearing, Detection and Intervention (EHDI) Results Release 1</a>                    | Final                      | Production              | ● ○ ○ ○ ○                 | No                 | Free        | <a href="#">Yes</a>    |
| Implementation Specification                 | <a href="#">HL7 CDA® R2 Implementation Guide: Ambulatory Healthcare Provider Reporting to Birth Defect Registries, Release 1 - US Realm</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○                 | No                 | Free        | No                     |
| <i>Emerging Implementation Specification</i> | <a href="#">HL7 v2.6 Diagnostic Audiology Reporting implementation guide</a>  | <i>In Development</i>      | <i>Pilot</i>            | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>N/A</i>             |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Use of the listed test tool for "Ambulatory Healthcare Provider Reporting to Birth Defect Registries" <b>requires</b> digital certificates. Contact <a href="mailto:MBDR.Help@altarum.org">MBDR.Help@altarum.org</a> for digital certification information.</li> <li>There is current work to update the listed "ambulatory" implementation guides to include hospital reporting capabilities and Zika-related information.</li> <li>The "Newborn Admission Notification Information (NANI)" is included here because its functionality directly supports other standards under this heading.</li> <li>HL7 Version 2.5.1 Implementation Guide: Laboratory Orders (LOI) from EHR, Release 1, STU Release 3 and HL7 Version 2.5.1 Implementation Guide: Laboratory Results Interface, Release 1 STU Release contain profiles for newborn dried blood spot testing.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



**Interoperability Need: Reporting Antimicrobial Use and Resistance Information to Public Health Agencies**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® Implementation Guide for CDA® Release 2 – Level 3: Healthcare Associated Infection Reports, Release 1, U.S. Realm.</a> | Final                      | Production              | ●●○○○              | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 CDA R2 Implementation Guide: Healthcare Associated Infection (HAI) Reports, Release 3 - US Realm</a>                    | Balloted Draft             | Production              | Feedback Requested | Yes                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>This is a national reporting system to CDC. Stakeholders should refer to the National Healthcare Safety Network (NHSN) at: <a href="https://www.cdc.gov/nhsn/cdaportal/meaningfuluse.html">https://www.cdc.gov/nhsn/cdaportal/meaningfuluse.html</a> for information on participation.</li> <li>Release 1 of the Healthcare Associated Infections IG is normative and used in ONC certification. While there are more current releases of the Healthcare Associated Infection Reports IG, they are not valid for AU or AR submissions to NHSN. These newer releases can be found at the same link as Release 1.</li> <li>The HL7 CDA R2 Implementation Guide: Healthcare Associated Infection (HAI) Reports, Release 3 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



**Interoperability Need: Reporting Birth and Fetal Death to Public Health Agencies**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">IHE Quality, Research and Public Health Technical Framework Supplement Birth and Fetal Death Reporting-Enhanced (BFDR-E) Rev 3.1</a> | Balloted Draft             | Pilot                   | ●●○○○          | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7® FHIR® Vital Records Birth and Fetal Death Reporting Implementation Guide</a>  | Balloted Draft             | Pilot                   | ●○○○○          | No                 | Free | No                     |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>A FHIR test tool is planned for development in 2023.</li> <li>The following specifications are being retired to allow implementers to concentrate on the FHIR IG that has been created to support the Birth/Fetal Death reporting requirements. There are no current or planned standards development activity within NCHS; which may no longer be in use, or which should not be considered for use for these specifications:                             <ul style="list-style-type: none"> <li>HL7 Version 2.6 Implementation Guide: Birth and Fetal Death Reporting, Release 1 STU Release 2 (US Realm - Standard for Trial Use)</li> <li>HL7 CDA® R2 Implementation Guide: Birth and Fetal Death Reporting, Release 1, STU Release 2 - US Realm</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



**Interoperability Need: Reporting Cancer Cases to Public Health Agencies**

| Type                                  | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability                         |
|---------------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|--|
| Implementation Specification          | <a href="#">North American Association of Central Cancer Registries, Inc. (NAACCR), Standards for Cancer Registries, Volume V, Pathology Laboratory Electronic Reporting, Version 4.0, published April 2011</a> | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | <a href="#">Yes</a><br><br><a href="#">Yes</a> |
| Implementation Specification          | <a href="#">Implementation Guide for Ambulatory Healthcare Provider Reporting to Central Cancer Registries, August 2012</a>   | Final                      | Production              | ●●○○○          | <a href="#">Yes</a> | Free | <a href="#">Yes</a>                            |
| Implementation Specification          | <a href="#">HL7® CDA® Release 2 Implementation Guide: Reporting to Public Health Cancer Registries from Ambulatory Healthcare Providers, Release 1, DSTU Release 1.1 – US Realm</a>                             | Balloted Draft             | Production              | ●●○○○          | <a href="#">Yes</a> | Free | <a href="#">Yes</a>                            |
| Emerging Implementation Specification | <a href="#">IHE Quality, Research, and Public Health Technical Framework Supplement, Structured Data Capture, Trial Implementation</a>  | Balloted Draft             | Production              | ●●○○○          | No                  | Free | No   |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>Stakeholders should refer to the health department in their state or local jurisdiction to determine onboarding procedures, obtain a jurisdictional implementation guide if applicable, and determine which transport methods are acceptable for submitting cancer reporting data as there may be jurisdictional variation or requirements. Some jurisdictions may not support cancer case reporting at this time.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>Note that the NAACCR specification listed has not been vetted through a Voluntary Consensus Standards Body (VCSB), however it references the HL7 V 2.5.1 standard and LOINC, and has been sponsored by a number of organizations working in the cancer registry space.</li> <li>The NAACCR standards are used by grantees funded by CDC's National Program of Cancer Registries (NPCR). Additional detail on the NPCR standards, for both interoperability and programmatic requirements can be found here: <a href="https://www.cdc.gov/cancer/npcr/standards.htm">https://www.cdc.gov/cancer/npcr/standards.htm</a>.”</li> </ul> | <ul style="list-style-type: none"> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |

**Interoperability Need: Reporting Death Records to Public Health Agencies**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® Vital Records Death Reporting (VRDR) FHIR Implementation Guide 2.0.0 - STU 2</a>                                 | Balloted Draft             | Pilot                   | ●●●○○          | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">IHE Quality, Research and Public Health Technical Framework Supplement Vital Records Death Reporting (VRDR) R 3.2</a> | Balloted Draft             | Pilot                   | ●○○○○          | No                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>State vital records offices will be working with The National Center for Health Statistics (NCHS) to move to production beginning in early 2023. This effort will include the transmission of FHIR messages using HL7 Vital Records Death Reporting (VRDR) FHIR Implementation Guide 2.0.0 - STU 2.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>The following specifications are being retired to allow implementers to concentrate on the FHIR IG that has been created to support death reporting requirements. There are no current or planned standards development activity within NCHS for these standards; which may no longer be in use, or which should not be considered for use for these specifications:                             <ul style="list-style-type: none"> <li>HL7 Version 2.6 Implementation Guide: Vital Records Death Reporting, Release 1 STU R2.1 - US Realm</li> <li>HL7 CDA® R2 Implementation Guide: Vital Records Death Reporting, Release 1 STU 2.1 - US Realm</li> </ul> </li> <li>The Vital Records Common Library (<a href="http://hl7.org/fhir/us/vr-common-library/STU1/">http://hl7.org/fhir/us/vr-common-library/STU1/</a>) is a US Realm specific framework that provides common data elements between the birth and fetal death reporting and birth defects reporting FHIR® implementation guides. The purpose of this library is to avoid defining the same profiles multiple times within respective implementation guides.</li> </ul> |  |

**Interoperability Need: Reporting Syndromic Surveillance to Public Health (Emergency Department, Inpatient, and Urgent Care Settings)**


| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">PHIN Messaging Guide for Syndromic Surveillance: Emergency Department, Urgent Care, Inpatient and Ambulatory Care Settings, Release 2.0</a>                                | Final                      | Production              | ●●●○○              | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">Erratum to the PHIN Messaging Guide for Syndromic Surveillance: Emergency Department, Urgent Care, Inpatient and Ambulatory Care Settings Release 2.0 (April 21, 2015)</a> | Final                      | Production              | ●●●○○              | <a href="#">Yes</a> | Free | No                     |
| Implementation Specification | <a href="#">HL7 Version 2.5.1 PHIN Messaging Guide For Syndromic</a>   | Final                      | Feedback Requested      | Feedback Requested | No                  | Free | <a href="#">Yes</a>    |





| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
|                              | <a href="#">Surveillance, Release 2.0 - NIST Clarifications and Validation Guidelines (Version 1.6)</a>  |                            |                         |                    |                     |      |                        |
| Implementation Specification | <a href="#">PHIN Messaging Guide for Syndromic Surveillance: Emergency Department and Urgent Care Data Release 1.1</a>   | Final                      | Production              | ●●●●○              | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">Testing Clarification for PHIN Messaging Guide for Syndromic Surveillance: Emergency Department and Urgent Care Data (Release 1.1) Release 1.2 (February 15th, 2013)</a> | Final                      | Production              | ●●●●○              | <a href="#">Yes</a> | Free | No                     |
| Implementation Specification | <a href="#">HL7® Version 2.5.1 Implementation Guide: Syndromic Surveillance, Release 1 - US Realm</a>  | Balloted Draft             | Pilot                   | Feedback Requested | No                  | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>Stakeholders must refer to the health department in their state or local jurisdiction to determine onboarding procedures, obtain a jurisdictional implementation guide if applicable, and determine which transport methods are acceptable for submitting syndromic surveillance data as there may be jurisdictional variation or requirements.</li> <li>The PHIN Messaging Guide for Syndromic Surveillance Release 2.0 and its errata are referenced in the 2015 Edition Health Information Technology (Health IT) Certification Criteria, 2015 Edition and are <a href="#">currently used for certification</a>. In addition see the "NIST Clarifications and Validation Guidelines (Version 1.6)" listed above.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> - Identifies the purpose for the transaction.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>The PHIN Messaging Guide for Syndromic Surveillance Release 1.1 and its "testing clarification" document are referenced in the Health Information Technology: Standards, Implementation Specifications, and Certification Criteria for Electronic Health Record Technology, 2014 Edition and <a href="#">were previously used for certification</a>.</li> <li>Additional information can be found at the <a href="#">NSSP Resource Center</a>.</li> </ul> |  |

**Interoperability Need: Sending Health Care Survey Information to Public Health Agencies**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost        | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|-------------|------------------------|
| Implementation Specification | <a href="#">HL7® CDA® R2 Implementation Guide: National Health Care Surveys (NHCS), R1 STU Release 3.1 - US Realm</a> | Balloted Draft             | Production              | Feedback Requested | No                 | Free        | No                     |
| Implementation Specification | <a href="#">HL7 CDA R2 Implementation Guide: National Health Care Surveys (NHCS), R1 DSTU Release 1.2 - US Realm</a>  | Balloted Draft             | Pilot                   | ● ● ○ ○ ○ ○        | Yes                | Free        | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 CDA R2 Implementation Guide: National Health Care Surveys (NHCS), R1 DSTU Release 1.1 - US Realm</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free        | <a href="#">Yes</a>    |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR® Health Care Surveys Content Implementation Guide 0.1.0 - STU 1 Ballot</a>                       | <i>In Development</i>      | <i>Pilot</i>            | ● ○ ○ ○ ○ ○        | <i>No</i>          | <i>Free</i> |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>Stakeholders should refer to the National Health Care Survey Registry at:</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <p><a href="https://www.cdc.gov/nchs/dhcs/nhcs_registry_landing.htm">https://www.cdc.gov/nchs/dhcs/nhcs_registry_landing.htm</a> for information on participation.</p> <ul style="list-style-type: none"> <li>The HL7 CDA R2 Implementation Guide: National Health Care Surveys (NHCS), R1 STU Release 3.1 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC's Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



## RESEARCH


### Interoperability Need: Data Collection for Submission to Registries and Reporting Authorities

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard                     | <a href="#">HL7 Clinical Document Architecture (CDA®), Release 2.0, Final Edition</a> | Final                      | Production              | ●●●●●          | Yes                | Free | N/A                    |
| Standard                     | <a href="#">CDISC Clinical Data Acquisition Standards Harmonization (CDASH)</a>       | Final                      | Production              | ●●●○○          | No                 | Free | N/A                    |
| Implementation Specification | <a href="#">IHE-RFD (Retrieve Form for Data Capture)</a>                              | Final                      | Production              | ●○○○○          | No                 | Free | N/A                    |


| Limitations, Dependencies, and Preconditions for Consideration       | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Feedback requested</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

### Interoperability Need: Prepopulation of Research Forms from Electronic Health Records

| Type     | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard | <a href="#">CDISC Clinical Data Acquisition Standards Harmonization (CDASH)</a> | Final                      | Production              | ●●●○○              | No                 | Free | N/A                    |
| Standard | <a href="#">CDISC Shared Health And Research Electronic Library (SHARE)</a>     | Final                      | Production              | ●●●○○              | No                 | Free | N/A                    |
| Standard | <a href="#">HL7® FHIR® Resource Observation-Content</a>                         | Final                      | Production              | Feedback Requested | No                 | Free | No                     |
| Standard | <a href="#">HL7 FHIR Resource Medication-Content</a>                            | Balloted Draft             | Pilot                   | Feedback Requested | No                 | Free | No                     |



| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required | Cost        | Test Tool Availability |
|------------------------------|--|----------------------------|---------------------------|---------------------------|--------------------|-------------|------------------------|
| Implementation Specification | <a href="#">IHE-XUA (Cross-Enterprise User Assertion)</a>  | Final                      | Production                | ●●●○○                     | No                 | Free        | N/A                    |
| Implementation Specification | <a href="#">IHE-ATNA (Audit Trail and Node Authentication)</a>   | Final                      | Production                | ●●○○○○                    | No                 | Free        | N/A                    |
| Implementation Specification | <a href="#">IHE-RFD (Retrieve Form for Data Capture)</a>   | Final                      | Production                | ●○○○○                     | No                 | Free        | N/A                    |
| Implementation Specification | <a href="#">HL7 FHIR Implementation Guide: Structured Data Capture (SDC) Release 1</a>   | Final                      | Pilot                     | ●○○○○                     | No                 | Free        | N/A                    |
| Implementation Specification | <a href="#">IHE-CRD (Clinical Research Document)</a>   | Balloted Draft             | Production                | ●●○○○○                    | No                 | Free        | N/A                    |
| Implementation Specification | <a href="#">IHE-DEX (Data Element Exchange)</a>  | Balloted Draft             | Pilot                     | ●○○○○                     | No                 | Free        | N/A                    |
| Implementation Specification | <a href="#">IHE Quality, Research, and Public Health Technical Framework Supplement, Structured Data Capture, Trial Implementation</a> | Balloted Draft             | Pilot                     | ●○○○○                     | No                 | Free        | No                     |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR Audit Event</a>   | <i>Balloted Draft</i>      | <i>Production</i>         | ●●●○○                     | <i>No</i>          | <i>Free</i> | <i>N/A</i>             |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR Questionnaire/Questionnaire Response</a>  | <i>Balloted Draft</i>      | <i>Pilot</i>              | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>N/A</i>             |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR Resource Research Study - Content</a>   | <i>In Development</i>      | <i>Pilot</i>              | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR Resource Research Subject - Content</a>   | <i>Balloted Draft</i>      | <i>Pilot</i>              | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR Resource Questionnaire Response - Content</a>   | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR AdverseEvent</a>  | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>FHIR Resources are in various stages of maturity. Please refer to the FHIR website for updates on specific profiles and their progress. The FHIR Maturity Model and each of the levels is described on the <a href="#">HL7 wiki</a>.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

**Interoperability Need: Registering a Clinical Trial**


| Type                         | Standard / Implementation Specification                      | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required | Cost        | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|---------------------------|--------------------|-------------|------------------------|
| Standard                     | <a href="#">CDISC Clinical Trial Registry (CTR-XML)</a>      | Final                      | Pilot                   | ● ○ ○ ○ ○ ○               | No                 | Free        | N/A                    |
| Implementation Specification | <a href="#">IHE-RPE (Retrieve Protocol for Execution)</a>    | Balloted Draft             | Production              | ● ● ● ● ○                 | No                 | Free        | No                     |
| Implementation Specification | <a href="#">IHE-CPRC (Clinical Research Process Content)</a> | Balloted Draft             | Pilot                   | ● ● ○ ○ ○ ○               | No                 | Free        | No                     |
| <i>Emerging Standard</i>     | <a href="#">HL7® FHIR® Resource Research Study - Content</a> | <i>In Development</i>      | <i>Pilot</i>            | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>The CDISC Clinical Trial Registry (CTR-XML) is used internationally, but in the US, the primary area for registering Clinical Trials is via ClinicalTrials.gov.</li> <li>CTR-XML standard is based on CDISC ODM. It is an extension of the ODM standard.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



**Interoperability Need: Submission of Clinical Research Data Contained in EHRs and Other Health IT Systems for General Purpose or Preserving Specific FDA Requirements**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required | Cost        | Test Tool Availability |
|------------------------------|---|----------------------------|---------------------------|---------------------------|--------------------|-------------|------------------------|
| Standard                     | <a href="#">HL7 Clinical Document Architecture (CDA®), Release 2.0, Final Edition</a> | Final                      | Production                | ●●●●●                     | No                 | Free        | N/A                    |
| Standard                     | <a href="#">CDISC Clinical Data Acquisition Standards Harmonization (CDASH)</a>       | Final                      | Production                | ●●●○○                     | No                 | Free        | N/A                    |
| Standard                     | <a href="#">CDISC Operational Data Model (ODM)</a>                                    | Final                      | Production                | ●●●○○                     | No                 | Free        | N/A                    |
| Standard                     | <a href="#">CDISC Protocol Representation Model (PRM)</a>                             | Final                      | Production                | ●○○○○                     | No                 | Free        | Yes                    |
| Standard                     | <a href="#">CDISC Study/Trial Design Model (SDM)</a>                                  | Final                      | Production                | ●○○○○                     | No                 | Free        | N/A                    |
| Standard                     | <a href="#">IHE- RFD (Retrieve Form for Data Capture)</a>                             | Final                      | Production                | ●○○○○                     | No                 | Free        | N/A                    |
| Standard                     | <a href="#">CDISC Study Data Tabulation Model (SDTM)</a>                              | Final                      | Feedback Requested        | Feedback Requested        | No                 | Free        | No                     |
| Implementation Specification | <a href="#">IHE-RPE (Retrieve Protocol for Execution)</a>                             | Balloted Draft             | Production                | ●●●●○                     | No                 | Free        | N/A                    |
| Implementation Specification | <a href="#">IHE-CRPC (Clinical Research Process Content)</a>                          | Balloted Draft             | Production                | ●●○○○                     | No                 | Free        | N/A                    |
| Implementation Specification | <a href="#">CDISC Study Data Tabulation Model Implementation Guide</a>                | Final                      | Feedback Requested        | Feedback Requested        | No                 | Free        | No                     |
| Implementation Specification | <a href="#">CDISC Therapeutic Area User Guides</a>                                    | Final                      | Feedback Requested        | Feedback Requested        | No                 | Free        | No                     |
| <i>Emerging Standard</i>     | <a href="#">CDISC Pharmacogenomics/genetics (PGx) Implementation Guide</a>            | <i>Balloted Draft</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>              |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Stakeholders should review <a href="#">21CFR11</a> for more details.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |


**Interoperability Need: Submission of Clinical Research Data to FDA to Support Product Marketing Applications**

| Type                                  | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|---------------------------------------|--|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Standard                              | <a href="#">CDISC Study Data Tabulation Model (SDTM)</a>   | Final                      | Production              | ●●●●●              | <a href="#">Yes</a> | Free | Yes                    |
| Standard                              | <a href="#">CDISC Define-XML (ODM-Based)</a>   | Final                      | Production              | ●●●●●              | <a href="#">Yes</a> | Free | N/A                    |
| Standard                              | <a href="#">CDISC Analysis Dataset Model (ADaM)</a>  | Final                      | Production              | ●●●○○              | <a href="#">Yes</a> | Free | N/A                    |
| Standard                              | <a href="#">CDISC Standard for the Exchange of Non-clinical Data (SEND)</a>  | Final                      | Production              | ●●●○○              | <a href="#">Yes</a> | Free | N/A                    |
| Standard                              | <a href="#">CDISC Dataset-XML (ODM-Based)</a>  | Final                      | Production              | ●○○○○              | No                  | Free | N/A                    |
| Standard                              | <a href="#">Therapeutic Area Standards (to complement the aforementioned CDISC foundational standards that apply across various therapeutic areas)</a> | Final                      | Production              | ●○○○○              | <a href="#">Yes</a> | Free | N/A                    |
| Standard                              | <a href="#">CDISC Operational Data Model (ODM)</a>   | Final                      | Production              | Feedback Requested | No                  | Free | Yes                    |
| Standard                              | <a href="#">CDISC Questionnaires, Ratings and Scales (QRS)</a>   | Final                      | Feedback Requested      | Feedback Requested | No                  | Free | No                     |
| Implementation Specification          | <a href="#">Study Data Tabulation Model Implementation Guide for Medical Devices (SDTMIG-MD)</a>   | Final                      | Production              | ●○○○○              | No                  | Free | N/A                    |
| Emerging Implementation Specification | <a href="#">CDISC Pharmacogenomics/genetics (PGx) Implementation Guide</a>   | Balloted Draft             | Feedback Requested      | Feedback Requested | No                  | Free | No                     |






| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                          |
|---|---|
| <ul style="list-style-type: none"> <li>• FDA published the guidance: Use of EHR Data in Clinical Investigations, in collaboration with ONC. (<a href="https://www.fda.gov/regulatory-information/search-fda-guidance-documents/use-electronic-health-record-data-clinical-investigations-guidance-industry">https://www.fda.gov/regulatory-information/search-fda-guidance-documents/use-electronic-health-record-data-clinical-investigations-guidance-industry</a>)</li> <li>• FDA CDER published a FRN focusing on Source Data Capture From Electronic Health Records: Using Standardized Clinical Research Data. (<a href="https://www.federalregister.gov/documents/2015/06/26/2015-15644/source-data-capture-from-electronic-health-records-using-standardized-clinical-research-data">https://www.federalregister.gov/documents/2015/06/26/2015-15644/source-data-capture-from-electronic-health-records-using-standardized-clinical-research-data</a>)</li> <li>• FDA CDER and CBER encourage the submission of study data in conformance to the data standards listed in the FDA Data Standards Catalog (DSC). Standardized study data will be required in submissions for clinical and non-clinical studies that start on or after December 17, 2016 (December 17, 2017 for INDs). See Data Standards Catalog: (<a href="http://www.fda.gov/ForIndustry/DataStandards/StudyDataStandards/default.htm">http://www.fda.gov/ForIndustry/DataStandards/StudyDataStandards/default.htm</a>) and the Data Standards Strategy: (<a href="http://www.fda.gov/downloads/drugs/developmentapprovalprocess/formsubmissionrequirements/electronic submissions/ucm455270.pdf">http://www.fda.gov/downloads/drugs/developmentapprovalprocess/formsubmissionrequirements/electronic submissions/ucm455270.pdf</a>)</li> <li>• Although CDISC standards are a requirement for CDER and CBER but not for CDRH, all three Centers promote the use of real-world data (RWD) in EHRs, registries, administrative claims and mobile health technology to generate real-world Evidence regarding the safety and effectiveness of medical products. In addition, FDA collaborates closely with other standards development organizations including but not limited to HL7®, IHE, X12®, and NCPDP®.</li> <li>• FDA CDRH and CBER published the draft guidance: Use of Real-World Evidence to Support Regulatory Decision-Making for Medical Devices. (see <a href="http://www.fda.gov/downloads/MedicalDevices/DeviceRegulationandGuidance/GuidanceDocuments/UCM513027.pdf">http://www.fda.gov/downloads/MedicalDevices/DeviceRegulationandGuidance/GuidanceDocuments/UCM513027.pdf</a>)</li> </ul> | <ul style="list-style-type: none"> <li>• Feedback requested.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>Therapeutic Area Standards, that apply across a number of therapeutic areas, include a series of IGs at different level of maturity, from development to final.</li> </ul> |  |

**Interoperability Need: Submit Adverse Event Report from an Electronic Health Record to Drug Safety Regulators**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required  | Cost        | Test Tool Availability |
|------------------------------|---|----------------------------|---------------------------|---------------------------|---------------------|-------------|------------------------|
| Standard                     | <a href="#">International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use (ICH) Medical Dictionary for Regulatory Activities (MedDRA)</a> | Final                      | Production                | ● ● ● ● ●                 | <a href="#">Yes</a> | \$          | N/A                    |
| Implementation Specification | <a href="#">IHE-RFD (Retrieve Form for Data Capture)</a>  | Final                      | Production                | Feedback Requested        | No                  | Free        | N/A                    |
| Implementation Specification | <a href="#">HL7® FHIR® Implementation Guide: Profiles for ICSR Transfusion and Vaccination Adverse Event Detection and Reporting</a>  | Balloted Draft             | Pilot                     | ● ○ ○ ○ ○                 | No                  | Free        | No                     |
| Implementation Specification | <a href="#">IHE-DSC (Drug Safety Content)</a>   | Balloted Draft             | Pilot                     | Feedback Requested        | No                  | Free        | N/A                    |
| Implementation Specification | <a href="#">IHE-CPRC (Clinical Research Process Content)</a>  | Balloted Draft             | Pilot                     | Feedback Requested        | No                  | Free        | N/A                    |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR Adverse Event Resource</a>   | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>           | <i>Free</i> | <i>No</i>              |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR Adverse Event Resource</a>   | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>           | <i>Free</i> | <i>No</i>              |



| <b>Limitations, Dependencies, and Preconditions for Consideration</b>  | <b>Applicable Security Patterns for Consideration</b>                 |
|--|---|
| <ul style="list-style-type: none"><li>• MedDRA was created to manage clinical information about pharmaceuticals, biologics, vaccines and drug-device combinations for the entire lifespan of products.</li></ul> | <ul style="list-style-type: none"><li>• Feedback requested.</li></ul> |




## SECURITY TAGS FOR SENSITIVE INFORMATION

### Interoperability Need: Security Tags for Sensitive Information

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Standard                     | <a href="#">HL7® Healthcare Privacy and Security Classification System (HCS), Release 1</a>   | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | Free | No                     |
| Standard                     | <a href="#">HL7 v2.9</a>  | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | Free |                        |
| Standard                     | <a href="#">HL7 FHIR® R4 - Security Labels</a>  | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | Free |                        |
| Implementation Specification | <a href="#">HL7 Version 3 Implementation Guide: Data Segmentation for Privacy (DS4P), Release 1</a>   | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | Free | Yes                    |
| Implementation Specification | <a href="#">IHE IT Infrastructure Technical Framework Volume 4 - National Extensions – Section 3.1 Data Segmentation for Privacy (DS4P)</a> | Final                      | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 FHIR Data Segmentation for Privacy</a>  | In Development             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | No                     |
| Standard                     | <a href="#">HL7 Version 3 Standard: Privacy, Access and Security Services (PASS); Access Control, Release 1</a>                             | Final                      | Feedback Requested      | Feedback Requested | No                 | Free |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>The 2015 Edition Cures Update Health IT Certification Criteria includes two optional criteria for Security Tags - Summary of Care (<a href="#">§ 170.315(b)(7)</a>) and <a href="#">§ 170.315(b)(8)</a>). Health IT certified to these criteria use the HL7 Implementation Guide: Data Segmentation for Privacy (DS4P), Release 1.</li> <li><a href="#">HL7 FHIR v3 Implementation Guide for DS4P</a> provides CDA® templates to enable privacy and segmentation markings at the document, section and entry (data element) levels:</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> <li>Additional information about security patterns can be found in <a href="#">Appendix 1</a>.</li> <li><a href="#">ISO/IEC 27000</a> - Information security management systems</li> <li><a href="#">NIST SP 800-53 Rev. 5</a> - Security and Privacy Controls for Information Systems and Organizations</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>• CDA Privacy Markings Section - specifies how a document, section, or entry may be constrained to specify privacy and security markings.</li> <li>• CDA Privacy Segmented Section - may apply to any section of a C-CDA document if that section's metadata (sensitivity, confidentiality) is different than the metadata of the overall document.</li> <li>• Privacy Metadata Templates - support the exchange of protected information by annotating specific entries with several observations, policies and constraints.<br/>Examples include:                         <ul style="list-style-type: none"> <li>• CDA Privacy Annotation - a set of security observations that allow for specific privacy metadata for an entry that overrides that of a document or section.</li> <li>• CDA Protected Problem - combines a mandatory provenance and privacy annotations with the default constraints applied to a ProblemObservation.</li> <li>• CDA Security Observation - a class of abstract templates to indicate a security classification, control, category, or integrity criterion. Subclasses include Obligation, Confidentiality, Refrain Policy, and Purpose-of-Use Security Observations.</li> </ul> </li> <li>• US Realm CDA documents are required to include a Confidentiality code in the document header, taken from the HL7 BasicConfidentialityKind value set defined by the DS4P standard. Therefore, adoption levels may be higher for document-level tagging (vs. section level).</li> <li>• HL7 v2.9 adopted HL7 Healthcare Privacy and Security Classification System syntax for assigning security labels in the ARV (Access Restrictions), BHS (Batch Header), FHS (File Header), and MSH (Message Header) segments.</li> </ul> |  |



## SUMMARY CARE RECORD

### Interoperability Need: Support a Transition of Care or Referral to Another Health Care Provider

| Type   | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|--|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification                 | <a href="#">HL7 Implementation Guide for CDA Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use, Release 2.1</a> | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification                 | <a href="#">HL7 Consolidated CDA Release 1.1 (HL7 Implementation Guide for CDA Release 2: IHE Health Story Consolidation, DSTU Release 1.1 - US Realm)</a>      | Balloted Draft             | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Standard                                     | <a href="#">HL7® Clinical Document Architecture (CDA®), Release 2.0, Final Edition</a>  | Final                      | Production              | ● ● ● ● ●      | No                  | Free | <a href="#">Yes</a>    |
| <i>Emerging Implementation Specification</i> | <a href="#">IHE Patient Care Coordination Technical Framework Supplement 360 Exchange Closed Loop Referral (360X) Rev. 1.1 – Trial Implementation</a>           | <i>Balloted Draft</i>      | <i>Pilot</i>            | ● ● ○ ○ ○      | No                  | Free | No                     |
| Implementation Specification                 | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2020101</a>   | Final                      | Production              | ● ○ ○ ○ ○      | No                  | \$   | No                     |
| Implementation Specification                 | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>  | Final                      | Pilot                   | ● ○ ○ ○ ○      | No                  | \$   | No                     |
| Implementation Specification                 | <a href="#">HL7 FHIR® DaVinci Payer Coverage Decision Exchange (PCDE) Implementation Guide</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○      | No                  | Free | No                     |



| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm</a> | Balloted Draft             | Production              | Feedback Requested | No                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2 - US Realm</a> | Balloted Draft             | Production              | Feedback Requested | No                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 Da Vinci Clinical Data Exchange (CDex) Implementation Guide</a>                              | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>There are several specific document templates within the C-CDA implementation specification. Trading partners will need to ensure that their systems are capable of supporting specific document templates.</li> <li>HL7 provides a <a href="#">C-CDA Example repository</a> which contains a set of example C-CDA files that have undergone a review and vetting process to ensure completeness and rigor.</li> <li>The IHE 360X specification listed is designed to track and manage referrals across health IT platforms.</li> <li>The NCPDP Specialized Standard supports request/referral for Medication Therapy Management services.</li> <li>Implementers should explore use of emerging <a href="#">CDA on FHIR</a> and <a href="#">C-CDA on FHIR</a> to support this interoperability need.</li> <li>The HL7 CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 3 - US Realm is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



## UNIQUE DEVICE IDENTIFICATION

### Interoperability Need: Defining a Globally Unique Device Identifier

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard                     | <a href="#">Unique Device Identifier as Defined by the Food and Drug Administration at 21 CFR 830.3</a> | Final                      | Production              | ● ○ ○ ○ ○ ○    | <a href="#">Yes</a> | Free | N/A                    |
| Implementation Specification | <a href="#">HL7® Cross-Paradigm Implementation Guide: UDI Pattern, Release 2</a>                        | Final                      | Production              | ● ● ○ ○ ○ ○    | No                  | Free | N/A                    |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Per the FDA, Unique Device Identification system will be phased in over several years, with the initial final compliance date of September 24, 2020. In an <a href="#">update</a> published on June 30, 2020, FDA announced a <a href="#">Immediately in Effect Guidance for Industry and Food and Drug Administration Staff</a>, updating its policy regarding compliance dates for class I and unclassified devices that are not implantable, life-supporting, or life-sustaining. The guidance explains that, at this time, the FDA does not intend to enforce UDI labeling (21 CFR 801.20 &amp; 801.50), Direct Mark (21 CFR 801.45), GUDID Data Submission (21 CFR 830.300), and Standard Date Format (21 CFR 801.18) requirements before September 24, 2022.</li> <li>Compliance date for UDI of implantable, life supporting and life sustaining devices was 9/24/2015. These data are available at <a href="http://accessgudid.nlm.nih.gov">http://accessgudid.nlm.nih.gov</a>.</li> <li>The HL7 Harmonization Pattern for UDIs is currently in development, with the next revision release anticipated in February 2018.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |





**Interoperability Need: Representing Unique Implantable Device Identifiers**


| Type   | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required  | Cost        | Test Tool Availability |
|--|---|----------------------------|---------------------------|---------------------------|---------------------|-------------|------------------------|
| Standard                                     | <a href="#">Unique Device Identifier as Defined by the Food and Drug Administration at 21 CFR 830.3</a>   | Final                      | Production                | ● ○ ○ ○ ○                 | <a href="#">Yes</a> | Free        | N/A                    |
| Standard                                     | <a href="#">NCPDP® Telecommunication Standard Implementation Guide, Version F2</a>  | Final                      | Production                | Feedback Requested        | No                  | \$          |                        |
| Standard                                     | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2017071</a>  | Final                      | Production                | Feedback Requested        | No                  | \$          | Yes                    |
| Implementation Specification                 | <a href="#">HL7® Cross-Paradigm Implementation Guide: UDI Pattern, Release 2</a>  | Final                      | Production                | ● ● ○ ○ ○                 | No                  | Free        | N/A                    |
| Implementation Specification                 | <a href="#">NCPDP Product Identifiers Standard Implementation Guide Version 1.4</a>   | Final                      | Production                | Feedback Requested        | No                  | \$          | No                     |
| <i>Emerging Implementation Specification</i> | <a href="#">HL7 FHIR® US Core Implantable Device Profile</a>  | <i>In Development</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>           | <i>Free</i> | <i>No</i>              |
| <i>Emerging Implementation Specification</i> | <a href="#">HL7 CDA® R2 Implementation Guide: C-CDA Supplemental Templates for Unique Device Identifier (UDI) for Implantable Medical Devices, Release 1 - US Realm</a> | <i>Balloted Draft</i>      | <i>Production</i>         | <i>Feedback Requested</i> | <i>No</i>           | <i>Free</i> |                        |
| Implementation Specification                 | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>  | Final                      | Feedback Requested        | Feedback Requested        | No                  |             |                        |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Per the FDA, Unique Device Identification system will be phased in over several years, with the initial final compliance date of September 24, 2020. In an <a href="#">update</a> published on June 30, 2020, FDA announced a <a href="#">Immediately in Effect Guidance for Industry and Food and Drug Administration Staff</a>, updating its policy regarding compliance dates for class I and unclassified devices that are not implantable, life-supporting, or life-sustaining. The guidance explains that, at this time, the FDA does not intend to enforce UDI labeling (21 CFR 801.20 &amp; 801.50), Direct Mark (21 CFR 801.45), GUDID Data Submission (21 CFR 830.300), and Standard Date Format (21 CFR 801.18) requirements before September 24, 2022.</li> <li>Compliance date for UDI of implantable, life supporting and life sustaining devices was 9/24/2015. These data are available at <a href="http://accessgudid.nlm.nih.gov">http://accessgudid.nlm.nih.gov</a>.</li> <li>HL7 Cross-Paradigm Implementation Guide: UDI Pattern, Release 1 - will be updated with HL7 FHIR Releases.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |


**Interoperability Need: Transmitting a Unique Device Identifier**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Standard                     | <a href="#">Unique Device Identifier as Defined by the Food and Drug Administration at 21 CFR 830.3</a> | Final                      | Production              | ● ○ ○ ○ ○          | <a href="#">Yes</a> | Free | N/A                    |
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a>                           | Final                      | Production              | ● ● ● ● ●          | Yes                 | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7® Cross-Paradigm Implementation Guide: UDI Pattern, Release 2</a>                        | Final                      | Production              | ● ● ○ ○ ○          | No                  | Free | N/A                    |
| Implementation Specification | <a href="#">NCPDP Telecommunication Standard, Implementation Guide, Version F6</a>                      | Final                      | Pilot                   | Feedback Requested | No                  | \$   | No                     |



| Type                         | Standard / Implementation Specification                                      | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a> | Final                      | Pilot                   | ● ○ ○ ○ ○      | No                 | \$   | No                     |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Per the FDA, Unique Device Identification system will be phased in over several years, with the initial final compliance date of September 24, 2020. In an <a href="#">update</a> published on June 30, 2020, FDA announced a <a href="#">Immediately in Effect Guidance for Industry and Food and Drug Administration Staff</a>, updating its policy regarding compliance dates for class I and unclassified devices that are not implantable, life-supporting, or life-sustaining. The guidance explains that, at this time, the FDA does not intend to enforce UDI labeling (21 CFR 801.20 &amp; 801.50), Direct Mark (21 CFR 801.45), GUDID Data Submission (21 CFR 830.300), and Standard Date Format (21 CFR 801.18) requirements before September 24, 2022.</li> <li>Compliance date for UDI of implantable, life supporting and life sustaining devices was 9/24/2015. These data are available at <a href="http://accessgudid.nlm.nih.gov">http://accessgudid.nlm.nih.gov</a>.</li> <li>The HL7 Harmonization Pattern for UDIs is currently in development, with the next revision release anticipated in February 2018.</li> <li>Support of the full length of the UDI-DI will be available in the NCPDP SCRIPT Standard Implementation Guide, Version 2017071, and the NCPDP Telecommunication Standard Implementation Guide, Version F6. Today, these numbers are reformatted to support the field size limitations.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |




## WORK INFORMATION

### Interoperability Need: Work Information Templates

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7® Version 2.9 Messaging Standard – An Application Protocol for Electronic Data Exchange in Healthcare Environments, Normative. Chapter 3, Patient Administration</a> | Final                      | Production              | Feedback Requested | No                 | Free |                        |
| Implementation Specification | <a href="#">C-CDA R2.1 Supplemental Templates for Occupational Data for Health Release 1, STU Release 1.1 - US Realm. Standard for Trial Use</a>                                    | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">IHE Patient Care Coordination (PCC) Technical Framework Supplement: CDA Content Modules, Revision 2.8 – Trial Implementation</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free |                        |
| Implementation Specification | <a href="#">HL7 FHIR® Release 4.0.1 Implementation Guide: Occupational Data for Health (ODH), Release 1.3 (STU)</a>   | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | Yes                    |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>• An information model of Patient Work, called Occupational Data for Health (ODH), has been <a href="#">published in JAMIA</a>.</li> <li>• Any or all of the Occupational Data for Health (ODH) CDA sections, FHIR profiles, or V2 segments can be incorporated as a non-breaking addition to interoperability specifications.</li> <li>• The ODH implementation guide is referenced in several FHIR and CDA as optional if work information is desired.</li> <li>• The ODH structures for specific data elements are reflected in several implementation guides. These include:                         <ul style="list-style-type: none"> <li>• <a href="#">US Core FHIR Implementation Guide, 6.1.0—STU6 (USCDI V3)</a></li> <li>• <a href="#">HL7 CDA® R2 Implementation Guide: C-CDA Templates for Clinical Notes STU Companion Guide, Release 4.1 – US Realm, Standard for Trial Use (USCDI V3)</a></li> </ul> </li> <li>• All ODH sections/profiles are an option in these implementation specifications:                         <ul style="list-style-type: none"> <li>• <a href="#">IHE Patient Care Coordination (PCC) Technical Framework Supplement to Volume 1, CDA Occupational Data Options (XDS-MS, XHPR, EDR), Revision 1.1 – Trial Implementation</a></li> <li>• <a href="#">IHE Patient Care Coordination (PCC) Technical Framework Supplement: Query for Existing Data for Mobile (QEDm), Revision 2.3 – Trial Implementation</a></li> <li>• <a href="#">IHE PCC TF Supplement: International Patient Summary (IPS), Revision 1.2 – Trial Implementation</a></li> <li>• <a href="#">IHE Quality, Research and Public Health Technical Framework Supplement: Healthy Weight (HW), Revision 2.5 – Trial Implementation</a></li> </ul> </li> <li>• The ODH Usual Work section/profile is required in these implementation specifications:                         <ul style="list-style-type: none"> <li>• <a href="#">HL7 CDA R2 Implementation Guide: Reporting to Public Health Cancer Registries from Ambulatory Healthcare Providers, Release 1 – DSTU Release 1.1</a></li> <li>• <a href="#">HL7 CDA R2 Implementation Guide: Vital Records Death Reporting, Release 1 STU 2.1</a></li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>• These standards are intended to transmit data that are part of the medical record and must be protected accordingly.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>• <a href="#">Vital Records Death Reporting (VRDR) FHIR Implementation Guide v2.2.0: STU 2</a></li> <li>• The ODH Employment Status, Job, and Usual Work sections/profiles are options in these implementation specifications:                             <ul style="list-style-type: none"> <li>• <a href="#">HL7 CDA R2 Implementation Guide: Public Health Case Report – the Electronic Initial Case Report (eICR), Release 2, STU Release 3.1 - US Realm</a></li> <li>• <a href="#">HL7 FHIR Implementation Guide: Electronic Case Reporting (eCR), Release 2.1 - US Realm</a></li> </ul> </li> <li>• NIOSH has prepared <a href="#">A Guide to the Collection of Occupational Data for Health</a> to provide tips to health IT system developers seeking to implement work concepts.</li> </ul> |  |




# Services/Exchange

## “PUSH” EXCHANGE


**Interoperability Need: An Unsolicited "Push" of Clinical Health Information to a Known Destination and Information System User**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability  |
|------------------------------|--|----------------------------|-------------------------|----------------|---------------------|------|---|
| Standard                     | <a href="#">Applicability Statement for Secure Health Transport Version 1.2</a>  | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>   |
| Standard                     | <a href="#">HL7® FHIR® RESTful API</a>   | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">Implementation Guide for Delivery Notification In Direct Version 1.0</a>   | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a>  | Final                      | Production              | ● ● ● ● ●      | Yes                 | \$   | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">Implementation Guide for Direct Edge Protocols Version 1.1</a>   | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">XDR and XDM for Direct Messaging Specification Version 1.0</a>   | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">Applicability Statement for Secure Health Transport Also known as the Direct Standard® Version 1.3</a>                                   | Final                      | Production              | ● ● ● ● ○      | Yes                 | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">IHE-XDR (Cross-Enterprise Document Reliable Interchange)</a>   | Final                      | Production              | ● ● ● ● ●      | No                  | Free | <a href="#">Yes</a><br><a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification | <a href="#">NCPDP Pharmacist eCare Plan Version 1.0: Guidance on the Use of the HL7 CDA Consolidated Templates for Clinical Notes R2.1 Care Plan</a> | Final                      | Production              | ● ● ○ ○ ○      | No                  | \$   | No  |




| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required | Cost        | Test Tool Availability                     |
|------------------------------|--|----------------------------|-------------------------|---------------------------|--------------------|-------------|--|
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2019071</a>   | Final                      | Production              | ●●○○○                     | No                 | \$          | No   |
| Implementation Specification | <a href="#">ITU H.810, H.811, H.812, and H.813</a>   | Final                      | Production              | ●○○○○                     | No                 | Free        | <a href="#">Yes</a>                        |
| Implementation Specification | <a href="#">Implementation Guide for Expressing Context in Direct Messaging Version 1.1</a>  | Final                      | Production              | ●○○○○                     | No                 | Free        | No   |
| Implementation Specification | <a href="#">IHE-MHD (Mobile access to Health Documents)</a>  | Final                      | Production              | Feedback Requested        | No                 | Free        | <a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification | <a href="#">Specialty Medication Enrollment HL7 FHIR</a>   | Final                      | Production              | ●○○○○                     | No                 | Free        | No   |
| <i>Emerging Standard</i>     | <a href="#">ANSI/DS 2019-02-100-2021 - Trusted Instant Messaging Plus (TIM+) Applicability Statement Version 1.1.1</a>                               | <i>Final</i>               | <i>Pilot</i>            | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>                                  |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>   | Final                      | Feedback Requested      | Feedback Requested        | No                 |             |  |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>   | Final                      | Pilot                   | ●○○○○                     | No                 | \$          | No   |
| Standard                     | <a href="#">NCPDP Pharmacist eCare Plan Version 1.0: Guidance on the Use of the HL7 CDA Consolidated Templates for Clinical Notes R2.1 Care Plan</a> | Final                      | Production              | ●●○○○                     | No                 | \$          | <a href="#">Yes</a>                        |





| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>• This interoperability need also includes transport for the following purposes, primarily using the Direct Standard: The Direct Standard is based upon the underlying Simple Mail Transfer Protocol (SMTP) RFC 5321 and for security uses Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification, RFC 5751.                             <ul style="list-style-type: none"> <li>• Transport for Transition of Care or Referral to Another Health Care Provider.</li> <li>• Transport for a Notification of a Patient's Admission, Discharge and/or Transfer Status to Other Providers.</li> </ul> </li> <li>• For Direct, interoperability may depend on establishing "trust" between two parties and vary based on the trust community(ies) to which parties belong. <a href="#">DirectTrust</a> is a trust community which facilitates Direct communication among users for provider messaging and consumer-mediated exchange.</li> <li>• The Direct Standard was approved as American National Standard ANSI/DS 2019-01-100-2021-Applicability Statement for Secure Health Transport Version 1.3.</li> <li>• The ITU implementation specifications are Continual Design Guidelines, developed to provide a suite of open industry standards and specifications that provide several means to end-to-end interoperability between personal medical devices and health information systems. Unrestricted access to the implementation specification: <a href="http://www.pchalliance.org/continua-design-guidelines">http://www.pchalliance.org/continua-design-guidelines</a> .</li> <li>• The DirectTrust Trusted Instant Messaging Plus standard provides secure instantaneous communication via the XMPP standard between servers allowing for federated trust communities and cross-platform communication. The draft standard supports text-based communication, file transfers, group messaging, and "presence". Future versions of the Standard are expected to support audio and video communications. As of September 30, 2012, ANSI/DS 2019-02-100-2021 the Trusted Instant Messaging Plus (TIM+) Applicability Statement was approved as an ANSI Standard version 1.1.1.</li> </ul> | <ul style="list-style-type: none"> <li>• <b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li>• <b>Recipient Encryption</b> – The message and health information are encrypted for the intended user.</li> <li>• <b>Sender Signature</b> – Details that are necessary to identity of the individual sending the message.</li> <li>• <b>Secure Communication</b> – Create a secure channel for client-to-serve and server-to-server communication.</li> <li>• <b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li>• <b>Patient Consent Information</b> - Identifies the patient consent information that may be required before data can be accessed.                             <ul style="list-style-type: none"> <li>• May be required to authorize any exchange of patient information.</li> <li>• May be required to authorize access and use of patient information.</li> <li>• May be required to be sent along with disclosed patient information.</li> <li>• Advise the receiver about policies to which end users must comply.</li> </ul> </li> <li>• <b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>• IHE-MHD is very similar to IHE-XDR, but uses FHIR. The typical use case for MHD in this mode is when documents are known to be needed by a recipient. Such as a patient referral in the use case given in XDR. In addition, the MHD can be used as a push API to a system that ultimately delivers the content. For example, MHD initiating a push to an Intermediary. In this use case the MHD push request could be handled by the intermediary that further pushes the content using XDR or an e-mail carrying XDM (e.g., the Direct Project).</li> <li>• On the recipient side, the MHD could be used by an intermediary to forward a XDR or XDM push content. MHD could also be used on the recipient side as a query/retrieve where the intermediary has cached content addressed to that recipient. This Intermediary is an example of a Direct Project HISP with the added functionality provided by MHD, enabling FHIR based push with end-to-end interoperability between three different transport stacks in MHD, XDR, and e-mail XDM.</li> <li>• The Applicability Statement for Secure Health Transport Version 1.3 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC's Standards Version Advancement Process (SVAP).</li> <li>• The implementation guide for expressing context in Direct has been incorporated into the widely adopted Event Notifications via Direct Standard® and some organizations are sending metadata utilizing this model to communicate context according to the guide.</li> </ul> |  |



**Interoperability Need: An Unsolicited “Push” of Clinical Health Information to a Known Destination Between Systems**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required  | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|---------------------------|---------------------|------|------------------------|
| Standard                     | <a href="#">Direct™ (Applicability Statement for Secure Health Transport v1.2)</a> | Final                      | Production              | ●●●●●                     | Yes                 | Free | <a href="#">Yes</a>    |
| Standard                     | <a href="#">HL7® FHIR® RESTful API</a>   | Final                      | Production              | ●●●●○                     | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">eHealth Exchange Specification: Messaging Platform</a>                 | Final                      | Production              | ●●●●●                     | No                  | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">eHealth Exchange Specification: Authorization Framework</a>            | Final                      | Production              | ●●●●●                     | No                  | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">eHealth Exchange Specification: Document Submission</a>                | Final                      | Production              | ●●●●●                     | No                  | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">IHE-XDR (Cross-Enterprise Document Reliable Interchange)</a>           | Final                      | Production              | ●●●●●                     | No                  | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP® SCRIPT Standard, Implementation Guide, Version 2017071</a>      | Final                      | Production              | ●●●●●                     | Yes                 | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">Applicability Statement for Secure Health Transport Version 1.3</a>    | Final                      | Production              | ●●●○○                     | Yes                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2019071</a>       | Final                      | Production              | ●●○○○○                    | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>       | Final                      | Pilot                   | ●○○○○                     | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>       | Final                      | Feedback Requested      | Feedback Requested        | No                  |      |                        |
| <i>Emerging Standard</i>     | <a href="#">Specialty Transaction HL7 FHIR</a>                                     | <i>Balloted Draft</i>      | <i>Pilot</i>            | ●○○○○                     | No                  | \$   | No                     |
| <i>Emerging Standard</i>     | <a href="#">DirectTrust™ Trusted Instant Messaging Plus (TIM+)</a>                 | <i>Balloted Draft</i>      | <i>Pilot</i>            | <i>Feedback Requested</i> | No                  | Free | No                     |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>• The IHE-XDR implementation specification is based upon the underlying standards: SOAP v2, and OASIS ebXML Registry Services 3.0</li> <li>• The eHealth Exchange Specification: Authorization Framework implementation specification is based upon the underlying standards: SAML v1.2, XSPAv1.0, and WS-1.1.</li> <li>• “The Direct Standard” is based upon the underlying standard: Simple Mail Transfer Protocol (SMTP) RFC 5321 and for security uses Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification, RFC 5751.</li> <li>• For Direct, interoperability may depend on establishing “trust” between two parties and vary based on the trust community(ies) to which parties belong. <a href="#">DirectTrust</a> is a trust community which facilitates Direct communication among users for provider messaging and consumer-mediated exchange.</li> <li>• The reference to FHIR for this interoperability need is in relation to the transport services that are conformant to the “<a href="#">RESTful FHIR API</a>”</li> <li>• The DirectTrust Trusted Instant Messaging Plus standard provides secure instantaneous communication via the XMPP standard between servers allowing for federated trust communities and cross-platform communication. The draft standard supports text-based communication, file transfers, group messaging, and "presence". Future versions of the Standard are expected to support audio and video communications.</li> <li>• The Applicability Statement for Secure Health Transport Version 1.3 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>• <b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li>• <b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li>• <b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li>• <b>Authorization Enforcer</b> – Specifies access control policies.</li> <li>• <b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li>• <b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li>• <b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li>• <b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> <li>• <b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |




**Interoperability Need: Medical Device Communication to Other Information Systems/Technologies**

| Type                         | Standard / Implementation Specification            | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">ITU H.810, H.811, H.812, and H.813</a> | Final                      | Production              | ● ○ ○ ○ ○          | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">Continua Design Guidelines</a>         | Balloted Draft             | Production              | Feedback Requested | No                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>These ITU standards are Continua Design Guidelines, developed to provide a suite of open industry standards and specifications that provide several means to end-to-end interoperability between personal medical devices and health information systems. Unrestricted access to the implementation specification: <a href="http://www.pchalliance.org/continua-design-guidelines">http://www.pchalliance.org/continua-design-guidelines</a></li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |

**Interoperability Need: Push Communication of Vital Signs from Medical Devices**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability                     |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|--|
| Standard                     | <a href="#">IEEE 11073-10101-2004 - Health informatics -- Point-of-care medical device communication -- Part 10101: Nomenclature</a> | Final                      | Production              | ● ● ● ○ ○      | No                 | \$   | Yes <sup>s</sup>                           |
| Implementation Specification | <a href="#">IHE-PCD (Patient Care Device Profiles)</a>   | Final                      | Production              | ● ● ○ ○ ○      | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification | <a href="#">ITU H.810, H.811, H.812, H.812.5 and H.813</a>   | Final                      | Production              | ● ● ● ○ ○      | No                 | Free | <a href="#">Yes</a>                        |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>ISO/IEEE 11073 is a family of standards for various medical devices.</li> <li>The IEEE1073 Nomenclature is recognized in the IHE/HL7 record set</li> <li>The ITU implementation specifications are Continua Design Guidelines, developed to provide a suite of open industry standards and specifications that provide several means to end-to-end interoperability between personal medical devices and health information systems. Unrestricted access to the implementation specification: <a href="http://www.pchalliance.org/continua-design-guidelines">http://www.pchalliance.org/continua-design-guidelines</a></li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

**Interoperability Need: Remote Patient Monitoring to Support Chronic Condition Management, Patient Education and Patient Engagement**

| Type                         | Standard / Implementation Specification                     | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">ITU H.810, H.811, H.812, H.812.5, and H.813</a> | Final                      | Production              | ●●●○○          | No                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>These ITU standards are Continua Design Guidelines, developed to provide a suite of open industry standards and specifications that provide several means to end-to-end interoperability between personal medical devices and health information systems. Unrestricted access to the implementation specification: <a href="http://www.pchalliance.org/continua-design-guidelines">http://www.pchalliance.org/continua-design-guidelines</a></li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



**Interoperability Need: Representing Path Traversal Expressions**

| Type  | Standard / Implementation Specification | Standards Process Maturity  | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|---|---|---|-------------------------|----------------|--------------------|------|------------------------|
| <b>Limitations, Dependencies, and Preconditions for Consideration</b> |   | <b>Applicable Security Patterns for Consideration</b>                 |                         |                |                    |      |                        |
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |   | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |                         |                |                    |      |                        |




## CLINICAL DECISION SUPPORT SERVICES

### Interoperability Need: Immunization Decision Support Forecast

| Type                                  | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification          | <a href="#">HL7® 2.5.1 Implementation Guide (IG) for Immunization Messaging (IM), Release 1.5</a> | Final                      | Production              | ● ● ● ● ●          | Yes                | Free | Yes                    |
| Emerging Implementation Specification | <a href="#">HL7 Immunization Decision Support Forecast (ImmDS) Implementation Guide</a>           | Final                      | Pilot                   | Feedback Requested | No                 |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)                            |
|---|---|
| <ul style="list-style-type: none"> <li>ONC Certification Criteria § 170.315 (f)(1) <i>Transmission to immunization registries</i> (<a href="https://www.healthit.gov/test-method/transmission-immunization-registries">https://www.healthit.gov/test-method/transmission-immunization-registries</a>) requires that:                             <ul style="list-style-type: none"> <li>(i) The Health IT Module can create immunization information according to the IG IM Release 1.5, and the July 2015 Addendum, using CVX codes for historical vaccines and NDC codes for newly administered vaccines.</li> <li>(ii) Enable a user to request, access, and display a patient's evaluated immunization history and the immunization forecast from an immunization registry in accordance with HL7 2.5.1 standard, the HL7 2.5.1. IG IM Release 1.5, and July 2015 Addendum.</li> </ul> </li> <li>The Immunization Decision Support Forecast (ImmDS) use case covers the exchange of data between a system seeking a patient evaluated history and forecast and the clinical decision support engine capable of providing that history and forecast. Today, this layer is not standardized and leads to several unique/proprietary interfaces which are costly to implement. The scope of this implementation guide is to create a standard interface layer between the initiating system and the CDS engine.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |






| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s) |
|---|--|
| <ul style="list-style-type: none"> <li>The initiating system in this exchange is typically a system being used (either directly or indirectly) by a clinician to provide care to the patient. This can be a jurisdictional level Immunization Information System (IIS) which collates the patient’s immunization history from a variety of sources or an EHR which is being used to provide point of care support for clinicians. However other systems such as HIEs, school medical records, etc may also play this role.</li> </ul> |  |

**Interoperability Need: Providing Patient-Specific Assessments and Recommendations Based on Patient Data for Clinical Decision Support**

| Type     | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">HL7® Standard: Clinical Quality Language Specification, Release 1, R5 (CQL 1.5)</a> | Final                      | Pilot                   | ●●●●○          | No                 | Free | Yes                    |
| Standard | <a href="#">HL7 CDS Hooks™ Services [mult. versions]</a>  | Balloted Draft             | Production              | ●●●○○          | No                 | Free | <a href="#">Yes</a>    |
| Standard | <a href="#">HL7 FHIR® Profile: Quality Improvement Core (QI Core) [mult. versions]</a>          | Balloted Draft             | Pilot                   | ●●●○○          | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>FHIR Resources are in various stages of maturity. Please refer to the FHIR website for updates on specific profiles and their progress. The FHIR Maturity Model and each of the levels is described on the <a href="#">HL7 wiki</a>.</li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>Recipient Encryption</b> – The message and health information are encrypted for the intended user.</li> <li><b>Sender Signature</b> – Details that are necessary to identity of the individual sending the message.</li> <li><b>Secure Communication</b> – Create a secure channel for client-to- serve and server-to-server communication.</li> </ul> |



|   |  |
|---|--|
| <b>Limitations, Dependencies, and Preconditions for Consideration</b> | <b>Applicable Security Patterns for Consideration</b>  |
|   | <ul style="list-style-type: none"> <li>• <b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li>• <b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> </ul> |

**Interoperability Need: Retrieval of Contextually Relevant, Patient-Specific Knowledge Resources from Within Clinical Information Systems to Answer Clinical Questions Raised by Patients in the Course of Care**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard                     | <a href="#">HL7® Version 3 Standard: Context Aware Knowledge Retrieval Application. (“Infobutton”), Knowledge Request, Release 2.</a>                            | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | No                     |
| Implementation Specification | <a href="#">HL7 Implementation Guide: Service-Oriented Architecture Implementations of the Context-aware Knowledge Retrieval (Infobutton) Domain, Release 1.</a> | Final                      | Production              | ● ● ● ● ○      | Yes                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 Version 3 Implementation Guide: Context-Aware Knowledge Retrieval (Infobutton), Release 4.</a>   | Final                      | Production              | ● ● ● ● ○      | Yes                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 FHIR® Implementation Guide Clinical Reasoning Module, FHIR R4 STU</a>  | Balloted Draft             | Pilot                   | ● ● ○ ○ ○      | No                  | Free | No                     |
| Standard                     | <a href="#">CDS Hooks™ Services Version 1.0</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○      | No                  | Free | <a href="#">Yes</a>    |

|   |   |
|---|---|
| <b>Limitations, Dependencies, and Preconditions for Consideration</b>   | <b>Applicable Security Patterns for Consideration</b>                   |
| <ul style="list-style-type: none"> <li>• Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>• Feedback requested.</li> </ul> |




## CONSUMER ACCESS/EXCHANGE OF HEALTH INFORMATION

### Interoperability Need: Collection and Exchange of Patient-Reported Outcomes

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability                         |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|--|
| Implementation Specification | <a href="#">HL7 FHIR Patient Reported Outcomes Implementation Guide</a>                                | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | No   |
| Implementation Specification | <a href="#">HL7 FHIR Patient Reported Outcomes Implementation Guide (Continuous Integration Build)</a> | In Development             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | No   |
| Implementation Specification | <a href="#">HL7® FHIR® Argonaut Questionnaire Implementation Guide</a>                                 | Final                      | Feedback Requested      | Feedback Requested | No                 | Free | No   |
| Implementation Specification | <a href="#">IHE Mobile Access to Health Documents (MHD) Profile</a>                                    | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | <a href="#">Yes</a><br><br><a href="#">Yes</a> |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>The FHIR Patient Reported Outcomes (PRO) Implementation Guide is included with the balloted, standard for trial use (STU) implementation guide and a link to the continuous build of the same. The latter, as a continuous integration build, may at any point in time be unavailable or undergoing change.</li> <li>The creation/generation and scoring of PRO measure instruments and interpretation of the PRO data is dictated by the organizations/institutions that created, tested, and validated them.</li> <li>The HL7 FHIR PRO IG is not intended to be used to define or generate PRO measure instruments or interpret PRO data.</li> <li>The FHIR PRO IG leverages the Structured Data Capture Implementation Specification and the profiles listed below to capture and exchange patient-reported outcome data:                         <ul style="list-style-type: none"> <li><a href="#">SDC Questionnaire</a></li> <li><a href="#">SDC QuestionnaireResponse</a></li> <li><a href="#">SDC Adaptive Questionnaire</a></li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>PROM Instrument and Meta Data Security Conformance:                         <ul style="list-style-type: none"> <li><b>SHALL</b> support the Communication security mechanisms outlined in <a href="#">FHIR Security Specification</a>.</li> <li><b>SHALL</b> support the Authentication security mechanisms outlined in <a href="#">FHIR Security Specification</a>.</li> <li><b>SHOULD</b> support other security recommendations outlined in FHIR Security as appropriate.</li> </ul> </li> <li>EHR or Care Delivery IT System Security Conformance:                         <ul style="list-style-type: none"> <li><b>SHALL</b> support the Communication security mechanisms outlined in <a href="#">FHIR Security Specification</a>.</li> <li><b>SHALL</b> support the Authentication security mechanisms outlined in <a href="#">FHIR Security Specification</a>.</li> <li><b>SHOULD</b> support other security recommendations outlined in FHIR Security as appropriate.</li> </ul> </li> <li>External Pro Administration System Security Conformance:                         <ul style="list-style-type: none"> <li><b>SHALL</b> support the Communication security mechanisms outlined in <a href="#">FHIR Security Specification</a>.</li> </ul> </li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>• <a href="#">SDC Adaptive QuestionnaireResponse</a></li> <li>• See the PRO project in the:                             <ul style="list-style-type: none"> <li>• <a href="#">ONC Health IT Scientific Initiatives Realm</a></li> </ul> </li> <li>• The IHE-MHD profile can include data in the form of CDA, FHIR-Documents, or FHIR Bundles.</li> </ul> | <ul style="list-style-type: none"> <li>• <b>SHALL</b> support the Authentication security mechanisms outlined in <a href="#">FHIR Security Specification</a>.</li> <li>• <b>SHOULD</b> support other security recommendations outlined in FHIR Security as appropriate.</li> <li>• Patient Facing Administration App System Security Conformance:                             <ul style="list-style-type: none"> <li>• <b>SHALL</b> support the Communication security mechanisms outlined in <a href="#">FHIR Security Specification</a>.</li> <li>• <b>SHALL</b> support the Authentication security mechanisms outlined in <a href="#">FHIR Security Specification</a>.</li> <li>• <b>SHOULD</b> support other security recommendations outlined in FHIR Security as appropriate.</li> <li>• <b>MAY</b> have to comply with other security requirements to interact with the External Assessment Center.</li> </ul> </li> <li>• External Assessment Center Security Conformance:                             <ul style="list-style-type: none"> <li>• <b>SHALL</b> support the Communication security mechanisms outlined in <a href="#">FHIR Security Specification</a>.</li> <li>• <b>SHALL</b> support the Authentication security mechanisms outlined in <a href="#">FHIR Security Specification</a>.</li> <li>• <b>SHOULD</b> support other security recommendations outlined in FHIR Security as appropriate.</li> <li>• <b>MAY</b> have to comply with other security requirements to interact with the External Assessment Center.</li> </ul> </li> <li>• Feedback requested, as security is at the discretion of the implementing organization based on the ecosystem and operational considerations within each organization.</li> </ul> |



**Interoperability Need: Patient Exchanging Secure Messages with Care Providers**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard                     | <a href="#">HL7® FHIR® RESTful API</a>   | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Standard                     | <a href="#">Current Procedural Terminology (CPT®) Consumer Friendly Descriptors (CFDs)</a> | Final                      | Production              | ●●●●●          | Yes                 | \$   | N/A                    |
| Implementation Specification | <a href="#">Applicability Statement for Secure Health Transport v1.2 (Direct™)</a>         | Final                      | Production              | ●●●●○          | Yes                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">Applicability Statement for Secure Health Transport Version 1.3 (Direct)</a>   | Final                      | Production              | ●●●○○          | Yes                 | Free | <a href="#">Yes</a>    |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>To learn more about Secure Messaging, Patient Portals and their usage, see the <a href="#">Patient Engagement Playbook</a>.</li> <li>“Direct” standard is based upon the underlying standard: <a href="#">Simple Mail Transfer Protocol (SMTP) RFC 5321</a> and for security uses <a href="#">Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification, RFC 5751</a>.</li> <li>For Direct, interoperability may depend on establishing “trust” between two parties and vary based on the trust community(ies) to which parties belong. <a href="#">DirectTrust</a> is a trust community which facilitates Direct communication among users for provider messaging and consumer-mediated exchange.</li> <li>As of March 2019, DirectTrust received accreditation as an ANSI SDO. A new division of the organization, DirectTrust Standards has convened a consensus body to update and maintain the Direct Standard (TM) going forward and to seek ANSI approval for the Standard.</li> <li>Current Procedural Terminology (CPT) Consumer Friendly Descriptors (CFDs) may be used when data is being exchanged between patients and providers.</li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> <li><b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>The <a href="#">SMART® on FHIR</a> Project is working in this area, and may have additional implementation guidance, as well as a list of applications supporting this interoperability need.</li> <li>When using the SMART on FHIR model, the authentication model uses OAuth2. Except for “Secure Communication”, the security patterns listed do not apply.</li> <li>The Applicability Statement for Secure Health Transport Version 1.3 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> |  |

**Interoperability Need: Push Patient-Generated Health Data into Integrated EHR**

| Type   | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required  | Cost | Test Tool Availability                     |
|--|--|----------------------------|---------------------------|---------------------------|---------------------|------|--|
| Standard                                     | <a href="#">HL7® FHIR® RESTful API</a>   | Final                      | Production                | ●●●●○                     | <a href="#">Yes</a> | Free | <a href="#">Yes</a>                        |
| Implementation Specification                 | <a href="#">Applicability Statement for Secure Health Transport Version 1.3 (Direct™)</a>  | Final                      | Production                | ●●●○○                     | Yes                 | Free | <a href="#">Yes</a>                        |
| Implementation Specification                 | <a href="#">Direct (Applicability Statement for Secure Health Transport v1.2)</a>          | Final                      | Production                | ●○○○○                     | Yes                 | Free | <a href="#">Yes</a>                        |
| Standard                                     | <a href="#">Current Procedural Terminology (CPT®) Consumer Friendly Descriptors (CFDs)</a> | Final                      | Production                | ●○○○○                     | Yes                 | \$   | N/A  |
| Implementation Specification                 | <a href="#">IHE Mobile Access to Health Documents (MHD) Profile</a>                        | Balloted Draft             | Feedback Requested        | Feedback Requested        | No                  | Free | <a href="#">Yes</a><br><a href="#">Yes</a> |
| <i>Emerging Implementation Specification</i> | <a href="#">HL7 FHIR Patient Reported Outcomes Implementation Guide</a>                    | <i>Balloted Draft</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | No                  | Free | No   |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>To learn more about Patient-Generated Health Data and its usage, see the <a href="#">Patient Engagement Playbook</a>, as well as ONC's <a href="#">Patient-Generated Health Data webpage</a>.</li> <li>ONC published a <a href="#">White Paper</a> and a <a href="#">Practical Guide</a> to better understand and illustrate the opportunities, challenges, and best practices for using patient generated health data.</li> <li>Current Procedural Terminology (CPT) Consumer Friendly Descriptors (CFDs) may be used, as appropriate, when pushing patient-generated health data into integrated EHRs.</li> <li>The <a href="#">SMART® on FHIR</a> Project is working in this area, and may have additional implementation guidance, as well as a list of applications supporting this interoperability need.</li> <li>When using the SMART on FHIR model, the authentication model uses OAuth2. Except for “Secure Communication”, the security patterns listed do not apply.</li> <li>“Direct” standard is based upon the underlying standard: <a href="#">Simple Mail Transfer Protocol (SMTP) RFC 5321</a> and for security uses <a href="#">Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification, RFC 5751</a>.</li> <li>For Direct, interoperability may be dependent on the establishment of “trust” between two parties and may vary based on the trust community(ies) to which parties belong. The leading trust communities to enable communication amongst the most users include <a href="#">DirectTrust™</a> (for provider messaging and consumer-mediated exchange) and NATE (for consumer-mediated exchange).</li> <li>As of March 2019, DirectTrust received accreditation as an ANSI SDO. A new division of the organization, DirectTrust Standards has convened a consensus body to update and maintain the Direct Standard (TM) going forward and to seek ANSI approval for the Standard.</li> <li>The MHD profile provides methods of expressing the medical data (document), the Provenance of that document (metadata), and the reason for submitting (submission Set).</li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> <li><b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> <li><b>Query Request ID</b> – Query requesting application assigns a unique identifier for each query request in order to match the response to the original query.</li> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>The Applicability Statement for Secure Health Transport Version 1.3 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC's Standards Version Advancement Process (SVAP).</li> </ul> |  |

**Interoperability Need: Remote Patient Authorization and Submission of EHR Data for Research**

| Type                                  | Standard / Implementation Specification                                 | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|---------------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
| Standard                              | <a href="#">HL7® FHIR® RESTful API</a>                                  | Final                      | Production              | ●●●●○              | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification          | <a href="#">IHE Basic Patient Privacy Consents (BPPC) Profile</a>       | Final                      | Production              | ●○○○○              | No                  | Free | <a href="#">Yes</a>    |
| Implementation Specification          | <a href="#">IHE Advanced Patient Privacy Consents (APPC) Profile</a>    | Balloted Draft             | Feedback Requested      | Feedback Requested | No                  | Free | <a href="#">Yes</a>    |
| Emerging Implementation Specification | <a href="#">HL7 FHIR Patient Reported Outcomes Implementation Guide</a> | In Development             | Pilot                   | Feedback Requested | No                  | \$   |                        |
| Emerging Implementation Specification | <a href="#">Health Relationship Trust (HEART) Specification</a>         | In Development             | Pilot                   | Feedback Requested | No                  |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>See <a href="#">Sync for Science</a> and <a href="#">Sync for Genes</a> for more details about the research project use case that pertains to this interoperability need.</li> <li>To learn more about how APIs can help patients participate in research, see the <a href="#">Patient Engagement Playbook</a>.</li> <li>The Kantara Initiative's <a href="#">UMA (User Managed Access)</a> Work Group project's use case is designed to develop specifications that allow individual control of authorized data sharing and service access to promote interoperability in support of this interoperability need.</li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Patient Consent Information</b> – Identifies the patient consent information that may be required before data can be accessed.                         <ul style="list-style-type: none"> <li>May be required to authorize any exchange of patient information</li> </ul> </li> </ul> |






| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>• Current Procedural Terminology (CPT) Consumer Friendly Descriptors (CFDs) may be used when data is being exchanged between patients and providers.</li> <li>• The <a href="#">SMART® on FHIR</a> Project is working in this area, and may have additional implementation guidance, as well as a list of applications supporting this interoperability need.</li> <li>• When using the SMART on FHIR model, the authentication model is OAuth2. The other security patterns listed do not apply.</li> <li>• The IHE Basic Patient Privacy Consents (BPPC) profile provides a means for recording the ceremony of patient consenting to a policy. The BPPC profile will use terms consistent with ISO 22600 - Privilege Management and Access Control (PMAC), but is not restricted to systems that implement PMAC. See the IHE white paper Enabling Document Sharing Health Information Exchange Using IHE Profiles (<a href="http://profiles.ihe.net/ITI/HIE-Whitepaper/index.html">http://profiles.ihe.net/ITI/HIE-Whitepaper/index.html</a>).</li> <li>• The IHE Advanced Patient Privacy Consents (APPC) profile is used when additions or deviations from a "Basic" consent policy are needed. The APPC mechanism provides for deeper coded consents beyond what BPPC supports. BPPC continues to be used to capture the ceremony and overall policy, where APPC provides the specific additions or deviations.</li> </ul> | <ul style="list-style-type: none"> <li>• May be required to authorized access and use of patient information</li> <li>• May be required to be sent along with disclosed patient information to advise the receiver about policies to which end users must comply</li> <li>• <b>Purpose of Use</b> - Identifies the purpose for the transaction.</li> <li>• <b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> </ul> |


**Interoperability Need: View, Download and Transmit Data from EHR**

| Type     | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|----------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Standard | <a href="#">Current Procedural Terminology (CPT®) Consumer Friendly Descriptors (CFDs)</a> | Final                      | Production              | ● ● ● ● ●      | Yes                 | \$   | N/A                    |
| Standard | <a href="#">HL7® FHIR® RESTful API</a>   | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Standard | <a href="#">Direct™ (Applicability Statement for Secure Health Transport v1.2)</a>         | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |



| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required | Cost        | Test Tool Availability                     |
|------------------------------|--|----------------------------|-------------------------|---------------------------|--------------------|-------------|--|
| Implementation Specification | <a href="#">IHE Query for Existing Data for mobile (QEDm) Profile</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○                 | No                 | Free        | No   |
| Implementation Specification | <a href="#">IHE Mobile Access to Health Documents (MHD) Profile</a>  | Balloted Draft             | Feedback Requested      | Feedback Requested        | No                 | Free        | <a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification | <a href="#">UDAP™ Implementation Guide for Registration and Authorization of Consumer Facing Health Apps</a> | In Development             | Production              | <i>Feedback Requested</i> | No                 | Free        | <a href="#">Yes</a>                        |
| <i>Emerging Standard</i>     | <a href="#">HL7 FHIR SMART® Application Launch Framework Implementation Guide Release 2.0.0</a>              | <i>Final</i>               | <i>Production</i>       | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <a href="#">Yes</a>                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>To learn more about Patient Portals and their usage, see the <a href="#">Patient Engagement Playbook</a>.</li> <li>For a consumer-facing resource on this interoperability need, see <a href="#">ONC's Guide to Getting &amp; Using Your Health Records</a>.</li> <li>“Direct” standard is based upon the underlying standard: <a href="#">Simple Mail Transfer Protocol (SMTP) RFC 5321</a> and for security uses <a href="#">Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification, RFC 5751</a>.</li> <li>For Direct, interoperability may depend on establishing “trust” between two parties and vary based on the trust community(ies) to which parties belong. <a href="#">DirectTrust</a> is a trust community which facilitates Direct communication among users for provider messaging and consumer-mediated exchange.</li> <li>As of March 2019, DirectTrust received accreditation as an ANSI SDO. A new division of the organization, DirectTrust Standards has convened a consensus body to update and maintain the Direct Standard (TM) going forward and to seek ANSI approval for the Standard.</li> <li>Current Procedural Terminology (CPT) Consumer Friendly Descriptors (CFDs) may be used when data is being exchanged between patients and providers.</li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> <li><b>Patient Consent Information</b> – Identifies the patient consent information that may be required before data can be accessed.                             <ul style="list-style-type: none"> <li>May be required to authorize any exchange of patient information</li> <li>May be required to authorized access and use of patient information</li> <li>May be required to be sent along with disclosed patient information to advise the receiver about policies to which end users must comply</li> </ul> </li> <li><b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> <li><b>Query Request ID</b> - Query requesting application assigns a unique identifier for each query request in order to match the response to the original query.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>• The <a href="#">SMART on FHIR</a> Project is working in this area, and may have additional implementation guidance, as well as a list of applications supporting this interoperability need.</li> <li>• When using the SMART on FHIR model, the authentication model uses OAuth2. Except for “Secure Communication”, the security patterns listed do not apply.</li> <li>• The IHE Mobile Access to Health Documents (MHD) profile provides a simple API for document discovery and download. This API may be used in many settings including by Patient managed applications. See -- <a href="https://profiles.ihe.net/ITI/HIE-Whitepaper/index.html">https://profiles.ihe.net/ITI/HIE-Whitepaper/index.html</a></li> <li>• The IHE Query for Existing Data for mobile (QEDm) profile provides for a simple query for a subset of clinical FHIR Resources. This subset is consistent with USCDI.</li> <li>• The HL7 FHIR® SMART Application Launch Framework Implementation Guide Release 2.0.0 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>• <b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li>• <b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> </ul> |




## HEALTHCARE DIRECTORY, PROVIDER DIRECTORY

### Interoperability Need: Listing of Providers for Access by Potential Exchange Partners

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability  |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|---|
| Implementation Specification | <a href="#">HL7® FHIR® Argonaut Provider Directory Implementation Guide Version 1.0.0</a>                                       | Balloted Draft             | Production              | ● ● ○ ○ ○ ○        | No                 | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">HL7 FHIR DaVinci Provider Data Exchange (PDex: Plan Network Directory) Implementation Guide</a>                     | Balloted Draft             | Production              | ● ○ ○ ○ ○ ○        | No                 | Free | No  |
| Implementation Specification | <a href="#">HL7 FHIR Validated Healthcare Directory Implementation Guide Home</a>   | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | Yes   |
| Implementation Specification | <a href="#">IHE IT Infrastructure Technical Framework Supplement, Healthcare Provider Directory (HPD), Trial Implementation</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification | <a href="#">IHE Mobile Care Services Discovery (mCSD)</a>   | Balloted Draft             | Pilot                   | Feedback Requested | No                 | Free | No  |
| Implementation Specification | <a href="#">FHIR Human Services Directory IG</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | No  |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>The IHE IT Infrastructure Technical Framework Supplement, Healthcare Provider Directory (HPD), Trial Implementation was proposed, but not adopted for CEHRT 2015. The Health IT community has recognized the value of the underlying data elements and structure of that standard. However, this implementation specification has met with limited adoption due to several concerns.</li> </ul> | <ul style="list-style-type: none"> <li><b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> </ul> |



| <b>Limitations, Dependencies, and Preconditions for Consideration</b>  | <b>Applicable Security Patterns for Consideration</b> |
|--|---|
| <ul style="list-style-type: none"><li>• FHIR Resources are in various stages of maturity. Please refer to the FHIR website for updates on specific profiles and their progress. The FHIR Maturity Model and each of the levels is described on the <a href="#">HL7 wiki</a>.</li><li>• See <a href="#">IHE White Paper</a> for use-case analysis and recommendations on how to use mCSD.</li></ul> |   |



## IMAGE EXCHANGE

### Interoperability Need: Exchanging Images Outside a Specific Health Information Exchange Domain

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability  |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|---|
| Standard                     | <a href="#">Digital Imaging and Communication in Medicine (DICOM®)</a>   | Final                      | Production              | ● ● ● ● ●      | No                 | Free | No  |
| Implementation Specification | <a href="#">IHE Portable Data for Imaging (PDI)</a>  | Final                      | Production              | ● ● ● ● ●      | No                 | Free | No  |
| Implementation Specification | <a href="#">The combination of IHE-XCPD (Cross-Community Patient Discovery) and IHE-PIX (Patient Identifier Cross-Reference)</a> | Final                      | Production              | ● ● ● ● ○      | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification | <a href="#">IHE Cross Community Access for Imaging (XCA-I)</a>   | Final                      | Pilot                   | ● ○ ○ ○ ○      | No                 | Free | <a href="#">Yes</a>   |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>The IHE XCA-I profile can be found in Section 2.1.27 of the IHE Radiology (RAD) linked above.</li> <li>IHE-PIX and IHE-XCPD are used for the purposes of patient matching and to support this interoperability need.</li> <li>For IHE-PDI, network transfers are preferable to digital media transfers, though the latter may be used when network solutions are not in place</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> </ul> |



**Interoperability Need: Exchanging Images Within a Specific Health Information Exchange Domain**


| Type                                  | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability                     |
|---------------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|--|
| Standard                              | <a href="#">Digital Imaging and Communications in Medicine (DICOM®)</a>   | Final                      | Production              | ●●●●●          | No                 | Free | No   |
| Standard                              | <a href="#">DICOMweb Store (STOW) and Query/Retrieve (WADO) - PS3.18 DICOM Standard – Part 18: Web Services</a> | Final                      | Production              | ●●●○○          | No                 | Free | No   |
| Implementation Specification          | <a href="#">IHE-PDQ (Patient Demographic Query)</a>   | Final                      | Production              | ●●●●○          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification          | <a href="#">IHE-PIX (Patient Identifier Cross-Reference)</a>  | Final                      | Production              | ●●●●○          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification          | <a href="#">IHE Cross Enterprise Document Sharing for Images (XDS-I.b)</a>                                      | Final                      | Production              | ●●○○○          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification          | <a href="#">RESTful HL7® FHIR® Document Reference-based API Specifications</a>                                  | Final                      | Feedback Requested      | ●○○○○          | No                 |      |  |
| Emerging Implementation Specification | <a href="#">IHE - Patient Identifier Cross-reference for Mobile (PIXm)</a>                                      | Balloted Draft             | Pilot                   | ●○○○○          | No                 | Free | No   |
| Emerging Implementation Specification | <a href="#">IHE – WIA (Web-based Image Access)</a>  | Balloted Draft             | Pilot                   | ●○○○○          | No                 | Free | No   |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>IHE-PIX and IHE-PDQ are used for the purposes of patient matching and to support this interoperability need.</li> <li>To survey implementations of RESTful DICOMweb services to store, query, retrieve, an internet search for the relevant service (STOW-RS, QIDO-RS, WADO-RS) and the phrase “DICOM Conformance Statement” will typically return links to specific products.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>• STOW-RS "dicom conformance statement"</li> <li>• QIDO-RS "dicom conformance statement"</li> <li>• WADO-RS "dicom conformance statement"</li> </ul> | <ul style="list-style-type: none"> <li>• <b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li>• <b>Authorization Enforcer</b> – Specifies access control policies.</li> <li>• <b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li>• <b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li>• <b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li>• <b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |






## INFRASTRUCTURE

### Interoperability Need: Client Application Management

| Type                                  | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Emerging Standard                     | <a href="#">HL7® FHIR® SMART® Application Launch Framework Implementation Guide Release 2.0.0</a>  | Final                      | Production              | Feedback Requested | No                 | Free | Yes                    |
| Emerging Implementation Specification | <a href="#">HL7 UDAP™ Security for Scalable Registration, Authentication, and Authorization 1.0.0 - STU 1 US Implementation Guide (Security FHIR IG)</a> | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |
| Emerging Implementation Specification | <a href="#">UDAP Dynamic Client Registration</a>   | Balloted Draft             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |
| Emerging Implementation Specification | <a href="#">UDAP JWT-Based Client Authentication</a>   | In Development             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |
| Emerging Implementation Specification | <a href="#">UDAP Client Authorization Grants</a>   | In Development             | Feedback Requested      | Feedback Requested | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>The HL7 FHIR SMART Application Launch Framework Implementation Guide Release 2.0.0 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC's Standards Version Advancement Process (SVAP).</li> <li>Since FHIR transactions require the use of a FHIR client, client application registration and management is an integral component for apps using FHIR.</li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Authentication</b> – The information and process necessary to authenticate the end user.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the roles and clearances asserted by the individual initiating the transaction for purposes of authorization. E.g., the system must verify the initiator's claims and match them against the security labels for the functionalities that the user attempts to initiate and the objects the user attempts to access.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>• <a href="#">UDAP Dynamic Client Registration</a> provides an extension to RFC 7591 to better scale the registration and use of FHIR client apps. This profile has seen interest from numerous industry stakeholders as an alternative to manually re-registering apps at every different datasource and as a way to enable sharing of information about apps among datasources.</li> <li>• Trusted Dynamic Client Registration provides a path for verification of attributes for apps holding valid digital certificates and the communication of these attributes (e.g. privacy policy) to the end user, increasing confidence in valid FHIR clients within the ecosystem and facilitating the connection of apps to clinical FHIR servers without manual pre-registration. This can be used together with <a href="#">UDAP JWT-based Client Authentication</a> to support reusable client identity for authentication and authorization, to help scale the use of client credentials or authorization code flow, and <a href="#">UDAP JWT-based Client Authorization Grants</a> can be used to transmit Purpose of Use and Consent Information.</li> <li>• UDAP is an open collaborative developing profiles to increase scalability, confidence, security, and trust in Open API ecosystems, and allows the re-use of identity proofing and credentialing processes already in place in existing national health information networks. These profiles are in draft status and are in pilot stage. UDAP DCR and Authentication/Authorization have been tested successfully at several HL7 FHIR connectathons and have received positive feedback from multiple stakeholders, including national health information networks, EHR vendors, patient privacy rights advocates, and app developers. These profiles are also compatible with SMART App Launch and UMA.</li> <li>• The Security FHIR IG has been established upon the recommendations of ONC's <a href="#">FHIR at Scale Taskforce (FAST)</a> Security Tiger Team, and has been adapted from IGs previously published by <a href="#">UDAP.org</a>. The objective of the IG is to harmonize workflows for both consumer-facing and B2B applications to facilitate cross-organizational and cross-network interoperability.</li> </ul> | <ul style="list-style-type: none"> <li>• <b>Purpose of Use</b> – Identifies the purpose for the transaction, and for the purposes for which the end user intends to use the accessed objects.</li> <li>• <b>Patient Consent Information</b> – Identifies the patient consent information that may be required before data can be accessed.             <ul style="list-style-type: none"> <li>• May be required to authorize any exchange of patient information</li> <li>• May be required to authorized access and use of patient information</li> <li>• May be required to be sent along with disclosed patient information to advise the receiver about policies to which end users must comply</li> </ul> </li> <li>• <b>Query Request ID</b> - Query requesting application assigns a unique identifier for each query request in order to match the response to the original query.</li> <li>• <b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> </ul> |




## PATIENT IDENTITY/IDENTIFICATION MANAGEMENT

### Interoperability Need: Exchanging Patient Identification Within and Between Communities

| Type   | Standard / Implementation Specification                                      | Standards Process Maturity | Implementation Maturity   | Adoption Level            | Federally required | Cost        | Test Tool Availability  |
|--|--|----------------------------|---------------------------|---------------------------|--------------------|-------------|---|
| Implementation Specification                 | <a href="#">IHE-PDQ (Patient Demographic Query)</a>                          | Final                      | Production                | ● ● ● ● ●                 | No                 | Free        | <a href="#">Yes</a><br><a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification                 | <a href="#">IHE-PIX (Patient Identifier Cross-Reference)</a>                 | Final                      | Production                | ● ● ● ● ●                 | No                 | Free        | <a href="#">Yes</a><br><a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification                 | <a href="#">IHE - XCPD (Cross Community Patient Discovery)</a>               | Final                      | Production                | ● ● ● ● ●                 | No                 | Free        | <a href="#">Yes</a><br><a href="#">Yes</a>                        |
| Implementation Specification                 | <a href="#">IHE-Patient Identifier Cross-reference PIX for Mobile (PIXm)</a> | Balloted Draft             | Production                | Feedback Requested        | No                 | Free        | <a href="#">Yes</a><br><a href="#">Yes</a>                        |
| Implementation Specification                 | <a href="#">IHE-Patient Demographics Query for Mobile (PDQm) Profile</a>     | Balloted Draft             | Production                | Feedback Requested        | No                 | Free        | <a href="#">Yes</a><br><a href="#">Yes</a>                        |
| Implementation Specification                 | <a href="#">IHE-Patient Master Identity Registry (PMIR) Profile</a>          | Balloted Draft             | Feedback Requested        | Feedback Requested        | No                 | Free        | No  |
| <i>Emerging Implementation Specification</i> | <a href="#">Interoperable Digital Identity and Patient Matching</a>          | <i>Balloted Draft</i>      | <i>Feedback Requested</i> | <i>Feedback Requested</i> | <i>No</i>          | <i>Free</i> | <i>No</i>   |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>See <a href="#">Section II: Patient Identification Management</a> for more information about the HL7 2.5.1 ADT messaging standard and information about patient identity proofing.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>• Consider use of HL7® FHIR® Patient \$match operation for MPI-based query.</li> <li>• The Patient Master Identity Registry <a href="#">PMIR</a> Profile is a collaborative community-based system of cooperating patient identity sources maintaining a master identity for each patient. <a href="#">PMIR</a> leverages the <a href="#">FHIR</a> standard.</li> <li>• See the IHE IT Infrastructure White Paper covering the PMIR Profile - <a href="https://profiles.ihe.net/ITI/HIE-Whitepaper/index.html#54-patient-master-identity-registry-pmir">https://profiles.ihe.net/ITI/HIE-Whitepaper/index.html#54-patient-master-identity-registry-pmir</a>.</li> <li>• The <a href="#">Patient Demographics Query for Mobile (PDQm)</a> Profile provides similar functionality as PDQ but uses the <a href="#">FHIR</a> standard. <a href="#">PDQm</a> can be a FHIR API backed by a <a href="#">PDQ</a> query or a <a href="#">Cross-Enterprise Patient Discovery (XCPD)</a> query.</li> <li>• The PMIR, PDQm, and PIXm Profiles are used within the <a href="#">MHDS</a> Profile to manage and find the patient's identifier in that community as part of the <a href="#">Centralized Discovery and Retrieve</a> environment.</li> <li>• MHD, PDQm and PIXm also have test plan pages: <a href="#">MHD test plan page</a>; <a href="#">PDQm test plan page</a>; <a href="#">PIXm test plan page</a>.</li> <li>• See the IHE IT Infrastructure White Paper covering the methods of managing Patient Identities - <a href="https://profiles.ihe.net/ITI/HIE-Whitepaper/index.html#5-patient-identity-management">https://profiles.ihe.net/ITI/HIE-Whitepaper/index.html#5-patient-identity-management</a>.</li> </ul> |  |



## PUBLIC HEALTH EXCHANGE

### Interoperability Need: Transport for Immunization Submission and Query/Response

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">CDC-EHR-IIS Interoperability Enhancement Project Transport Layer Protocol Recommendation Formal Specification, Version 1.2</a> | Final                      | Production              | ● ● ● ● ●      | No                 | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration        | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



## PUBLISH AND SUBSCRIBE

### Interoperability Need: Publish and Subscribe Message Exchange

| Type                                  | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability                     |
|---------------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|--|
| Implementation Specification          | <a href="#">eHealth Exchange Specification: Health Information Event Messaging Production Specification</a> | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | Free | <a href="#">Yes</a>                        |
| Standard                              | <a href="#">HL7® FHIR® Subscriptions Framework</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | No   |
| Emerging Implementation Specification | <a href="#">IHE Document Metadata Subscription (DSUB), Trial Implementation</a>                             | Balloted Draft             | Pilot                   | ● ● ○ ○ ○ ○        | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a> |
| Emerging Implementation Specification | <a href="#">Carequality Subscription Implementation Guide for Push Notifications</a>                        | In Development             | Pilot                   | Feedback Requested | No                 | Free | N/A  |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>The listed eHealth Exchange Specification will be deprecated in the future in favor of the emerging IHE DSUB specification and/or the equivalent FHIR profile.</li> </ul> | <ul style="list-style-type: none"> <li><b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li><b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li><b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li><b>Authorization Enforcer</b> – Specifies access control policies.</li> <li><b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li><b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



## QUERY

### Interoperability Need: Data Element Based Query for Clinical Health Information

| Type   | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level            | Federally required  | Cost        | Test Tool Availability    |
|--|---|----------------------------|-------------------------|---------------------------|---------------------|-------------|---------------------------|
| Standard                                     | <a href="#">HL7® FHIR® RESTful API</a>  | Final                      | Production              | ●●●●○                     | <a href="#">Yes</a> | Free        | <a href="#">Yes</a>       |
| Implementation Specification                 | <a href="#">FHIR Bulk Data Access Implementation Guide</a>                                  | Final                      | Production              | Feedback Requested        | <a href="#">Yes</a> | Free        | <a href="#">Yes –Open</a> |
| Implementation Specification                 | <a href="#">HL7 FHIR DaVinci Payer Data Exchange (PDex) Implementation Guide</a>            | Balloted Draft             | Production              | ●○○○○                     | No                  | Free        | No                        |
| Implementation Specification                 | <a href="#">HL7 FHIR DaVinci Clinical Data Exchange (CDex) Implementation Guide</a>         | Balloted Draft             | Pilot                   | ●○○○○                     | No                  | Free        | No                        |
| Implementation Specification                 | <a href="#">HL7 FHIR DaVinci Payer Health Record Exchange (HReX) Implementation Guide</a>   | Balloted Draft             | Pilot                   | ●○○○○                     | No                  | Free        | No                        |
| Implementation Specification                 | <a href="#">HL7 FHIR US Core Implementation Guide STU 4.0.0</a>                             | Final                      | Production              | Feedback Requested        | No                  | Free        | <a href="#">Yes</a>       |
| Implementation Specification                 | <a href="#">HL7 FHIR Bulk Data Access (Flat FHIR) (v2.0.0 STU 2)</a>                        | Final                      | Production              | Feedback Requested        | No                  | Free        | <a href="#">Yes</a>       |
| Implementation Specification                 | <a href="#">HL7 FHIR US Core Implementation Guide STU 5.0.1</a>                             | Final                      | Production              | Feedback Requested        | No                  | Free        | <a href="#">Yes</a>       |
| <i>Emerging Implementation Specification</i> | <a href="#">IHE Mobile Cross-Enterprise Document Data Element Extraction (mXDE) Profile</a> | <i>Balloted Draft</i>      | <i>Pilot</i>            | <i>Feedback Requested</i> | <i>No</i>           | <i>Free</i> | <i>No</i>                 |
| <i>Emerging Implementation Specification</i> | <a href="#">IHE Query for Existing Data for Mobile (QEDm)</a>                               | <i>Balloted Draft</i>      | <i>Pilot</i>            | <i>Feedback Requested</i> | <i>No</i>           | <i>Free</i> | <i>No</i>                 |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>• The reference to FHIR for this interoperability need is in relation to the transport services that are conformant to the “<a href="#">RESTful FHIR API</a>”</li> <li>• Note that the maturity level of FHIR resources may vary. The FHIR Maturity Model and each of the levels is described on the <a href="#">HL7 wiki</a>.</li> <li>• The combination of mXDE and QEDm provide for Provenance evidence between the FHIR Resources made available via QEDm and the documents from which that data was decomposed. In this way the client application using FHIR Resource data can ask for Provenance. For each Provenance record given there is a unique document that contained that information. Thus the client can know how many documents stated the medical information, and can navigate to those documents. See IHE whitepaper section <a href="#">consuming data as FHIR resources</a>.</li> <li>• The HL7 FHIR Bulk Data Access (Flat FHIR) (v2.0.0: STU 2) is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> <li>• The HL7 FHIR US Core Implementation Guide STU 4.0.0 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> <li>• The HL7 FHIR US Core Implementation Guide STU 5.0.1 is a newer version of the standard that is available for health IT developers to voluntarily update and provide to their customers. It became available when it was added to the Approved Standards for 2022 through ONC’s Standards Version Advancement Process (SVAP).</li> </ul> | <ul style="list-style-type: none"> <li>• <b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li>• <b>User Details</b> – Identifies the end user who is accessing the data.</li> <li>• <b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li>• <b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> <li>• <b>Patient Consent Information</b> – Identifies the patient consent information that may be required before data can be accessed.                         <ul style="list-style-type: none"> <li>• May be required to authorize any exchange of patient information.</li> <li>• May be required to authorize access and use of patient information.</li> <li>• May be required to be sent along with disclosed patient information to advise the receiver about policies to which end users must comply.</li> </ul> </li> <li>• <b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> <li>• <b>Query Request ID</b> – Query requesting application assigns a unique identifier for each query request in order to match the response to the original query.</li> </ul> |






**Interoperability Need: Query for Documents Outside a Specific Health Information Exchange Domain**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability  |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|---|
| Implementation Specification | <a href="#">IHE-XCA (Cross-Community Access)</a>                                    | Final                      | Production              | ●●●●●          | No                 | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">IHE-XCPD (Cross-Community Patient Discovery)</a>                        | Final                      | Production              | ●●●●●          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a>                        |
| Implementation Specification | <a href="#">Carequality Query-Based Document Exchange Implementation Guide</a>      | Final                      | Production              | ●●●●●          | No                 | Free | N/A   |
| Implementation Specification | <a href="#">eHealth Exchange Specification: Patient Discovery</a>                   | Final                      | Production              | ●●●●●          | No                 | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">eHealth Exchange Specification: Messaging Platform</a>                  | Final                      | Production              | ●●●●●          | No                 | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">eHealth Exchange Specification: Authorization Framework</a>             | Final                      | Production              | ●●●●●          | No                 | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">eHealth Exchange Specification: Query for Documents</a>                 | Final                      | Production              | ●●●●●          | No                 | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">eHealth Exchange Specification: Retrieve Documents</a>                  | Final                      | Production              | ●●●●●          | No                 | Free | <a href="#">Yes</a>   |
| Implementation Specification | <a href="#">HL7® FHIR® DocumentReference resource</a>                               | Final                      | Production              | ●●○○○          | No                 | Free | No  |
| Implementation Specification | <a href="#">IHE-PIX (Patient Identifier Cross-Reference)</a>                        | Final                      | Production              | ●○○○○          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification | <a href="#">CommonWell Health Alliance Specification Services</a>                   | Balloted Draft             | Production              | ●●○○○          | No                 | Free | N/A   |
| Implementation Specification | <a href="#">HL7 FHIR DaVinci Clinical Data Exchange (CDex) Implementation Guide</a> | Balloted Draft             | Pilot                   | ●○○○○          | No                 | Free | No  |



| Type                                  | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|---------------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Emerging Implementation Specification | <a href="#">IHE - MHDS (Mobile Health Document Sharing)</a>                         | Balloted Draft             | Pilot                   | Feedback Requested | No                 | Free | No                     |
| Implementation Specification          | <a href="#">HL7 FHIR DaVinci Provider Data Exchange (PDex) Implementation Guide</a> | Balloted Draft             | Production              | ● ○ ○ ○ ○          | No                 | Free | No                     |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <ul style="list-style-type: none"> <li>IHE-PIX and IHE-XCPD are used for the purposes of patient matching and to support this interoperability need.</li> <li>While IHE-PIX and IHE-XCPD are best-available standards at this time, the current best-available standards may be insufficient to meet interoperability needs with sufficient accuracy.</li> <li>The FHIR DocumentReference reference includes the Patient/\$match operation, which allows for patient matching using MPI-based logic.</li> <li>The <a href="#">Document Sharing exchange family of specifications</a> from IHE fit this use-case well. This includes FHIR-based exchanges as specified in the Mobile access to Health Documents (MHD) and Mobile Health Documents Sharing (MHDS)</li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Authentication</b> – The information and process necessary to authenticate the end user.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the roles and clearances asserted by the individual initiating the transaction for purposes of authorization. E.g., the system must verify the initiator’s claims and match them against the security labels for the functionalities that the user attempts to initiate and the objects the user attempts to access.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction, and for the purposes for which the end user intends to use the accessed objects.</li> <li><b>Patient Consent Information</b> – Identifies the patient consent information that may be required before data can be accessed. <ul style="list-style-type: none"> <li>May be required to authorize any exchange of patient information.</li> <li>May be required to authorize access and use of patient information.</li> <li>May be required to be sent along with disclosed patient information to advise the receiver about policies to which end users must comply.</li> </ul> </li> <li><b>Query Request ID</b> - Query requesting application assigns a unique identifier for each query request in order to match the response to the original query.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration | Applicable Security Patterns for Consideration  |
|--|---|
|  | <ul style="list-style-type: none"> <li>• <b>Security Labeling</b> – The health information is labeled with security metadata necessary for access control by the end user.</li> </ul> |

**Interoperability Need: Query for Documents Within a Specific Health Information Exchange Domain**

| Type                                  | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability                     |
|---------------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|--|
| Implementation Specification          | <a href="#">IHE-XDS (Cross-enterprise document sharing)</a>                           | Final                      | Production              | ● ● ● ● ●          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification          | <a href="#">IHE-PDQ (Patient Demographic Query)</a>                                   | Final                      | Production              | ● ● ● ● ●          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification          | <a href="#">IHE-PIX (Patient Identifier Cross-Reference)</a>                          | Final                      | Production              | ● ● ● ● ●          | No                 | Free | <a href="#">Yes</a><br><a href="#">Yes</a> |
| Implementation Specification          | <a href="#">HL7® FHIR® DaVinci Clinical Data Exchange (CDex) Implementation Guide</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | No   |
| Implementation Specification          | <a href="#">HL7 FHIR DaVinci Provider Data Exchange (PDex) Implementation Guide</a>   | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | No   |
| Emerging Implementation Specification | <a href="#">IHE – MHD (Mobile Access to Health Documents)</a>                         | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | <a href="#">Yes</a>                        |
| Emerging Implementation Specification | <a href="#">IHE-PIXm (Patient Identifier Cross-Reference for Mobile)</a>              | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | No   |
| Emerging Implementation Specification | <a href="#">IHE-PDQm (Patient Demographics Query-Reference for Mobile)</a>            | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | No   |
| Emerging Implementation Specification | <a href="#">IHE - MHDS (Mobile Health Document Sharing)</a>                           | Balloted Draft             | Pilot                   | Feedback Requested | No                 | Free | No   |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>• IHE-PIX and IHE-PDQ are used for the purposes of patient matching and to support this interoperability need along with IHE-XDS.</li> <li>• The MHD Supplement Revision 2.2 published in April 2016 is based on FHIR DSTU2.</li> <li>• IHE-PIXm and IHE-PDQm are used for the purposes of patient matching and to support this interoperability need along with MHD.</li> <li>• The <a href="#">Document Sharing exchange infrastructure</a> is a family of implementation guides specifically designed to support this setting. This includes the FHIR based Mobile Health Document Sharing (MHDS) comprehensive community exchange. Both XDS and MHDS enable the automation of discovery and retrieve of document content by more advanced health information systems.</li> </ul> | <ul style="list-style-type: none"> <li>• <b>Secure Communication</b> – Create a secure channel for client-to-server and server-to-server communication.</li> <li>• <b>Secure Message Router</b> – Securely route and enforce policy on inbound and outbound messages without interruption of delivery.</li> <li>• <b>Authentication Enforcer</b> – Centralized authentication processes.</li> <li>• <b>Authorization Enforcer</b> – Specifies access control policies.</li> <li>• <b>Credential Tokenizer</b> – Encapsulate credentials as a security token for reuse (e.g., SAML, Kerberos).</li> <li>• <b>Assertion Builder</b> – Define processing logic for identity, authorization and attribute statements.</li> <li>• <b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li>• <b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |



## RESOURCE LOCATION


### Interoperability Need: Care Service Discovery Within the U.S.

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">IHE IT Infrastructure Technical Framework Supplement, Care Services Discovery (CSD), Trial Implementation</a>          | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○ ○        | No                 | Free | Yes                    |
| Implementation Specification | <a href="#">IHE IT Infrastructure Technical Framework Supplement 10 Mobile Care Services Discovery (mCSD) Trial Implementation</a> | Balloted Draft             | Pilot                   | Feedback Requested | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>See <a href="#">Human Services Data Specification and API Protocols</a></li> </ul> | <ul style="list-style-type: none"> <li><b>System Authentication</b> – The information and process necessary to authenticate the systems involved.</li> <li><b>User Details</b> – Identifies the end user who is accessing the data.</li> <li><b>User Role</b> – Identifies the role asserted by the individual initiating the transaction.</li> <li><b>Purpose of Use</b> – Identifies the purpose for the transaction.</li> </ul> |

### Interoperability Need: Finding and Retrieving Human Services Information

| Type     | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|----------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Standard | <a href="#">Alliance of Information and Referral Systems (AIRS™) Standards and Quality Indicators for Professional Information and Referral</a> | Final                      | Production              | ● ● ● ● ● ●    | No                 | Free | N/A                    |



| <b>Limitations, Dependencies, and Preconditions for Consideration</b> | <b>Applicable Security Patterns for Consideration</b>                 |
|---|---|
| <ul style="list-style-type: none"><li>• Feedback requested.</li></ul> | <ul style="list-style-type: none"><li>• Feedback requested.</li></ul> |






# Administrative

## ADMINISTRATIVE TRANSACTIONS - NON-CLAIMS

### Interoperability Need: Administrative Transaction Acknowledgements

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">ASC X12@C/005010X231 Implementation Acknowledgment for Health Care Insurance (999), June 2007 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 and ASC X12C/005010X231A1 Type 1 Errata to Implementation Acknowledgment for Health Care Insurance (999), June 2010 as Type 1 Errata to an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ●●●●○          | No                 | \$   | No                     |
| Implementation Specification | <a href="#">ASC X12N/006020X290 Implementation Acknowledgment for Health Care Insurance (999), September 2013 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a>  | Final                      | Pilot                   | ●○○○○          | No                 | \$   | No                     |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                          |
|---|---|
| <ul style="list-style-type: none"> <li>• The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use in the health care industry. Information about the HIPAA regulations regarding standards and operating rules can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>. Readers can find information about requirements for covered entities and their business associates and enforcement from this link.</li> <li>• The acknowledgement transactions have not been adopted under HIPAA but may be used voluntarily between willing trading partners.</li> <li>• Access to the information about the Acknowledgement Transaction and Implementation Specification on the X12 website is available under the Communications &amp; Controls Workgroup. X12 offers several licensing agreements to obtain copies of this and all other X12 standards, which can be viewed at <a href="https://x12.org/products/licensing-program">https://x12.org/products/licensing-program</a>. Since access to the implementation specifications is available only through a licensing agreement, X12 has made additional options for limited views of the specifications through <a href="#">Glass</a>, the X12 on-line viewer.</li> </ul> | <ul style="list-style-type: none"> <li>• Feedback requested.</li> </ul> |






**Interoperability Need: Enrollment and Disenrollment in a Health Plan**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">ASC X12@N/005010X220 Benefit Enrollment and Maintenance (834), August 2006 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 and ASC X12N/005010X220A1 Type 1 Errata to Benefit Enrollment and Maintenance (834), June 2010 as Type 1 Errata to an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ●●●○○              | Yes                | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">ASC X12N/005010X307 Health Insurance Exchange: Enrollment (834), January 2013, as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a>   | Final                      | Production              | Feedback Requested | No                 | \$   | Yes                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use in the health care industry. Information about HIPAA regulations, standards and operating rules can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>.</li> <li>This standard and the transaction were adopted under the Health Insurance Portability Act of 1996 (HIPAA) to increase efficiency in the health care system by reducing the use of paper and increasing the exchange of health care information electronically. This information is often maintained in provider</li> </ul> | <ul style="list-style-type: none"> <li>All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <p>practice management and billing systems but duplicates information in electronic health records.</p> <ul style="list-style-type: none"> <li>• Before implementation of a new version of a standard, end to end testing should be conducted with vendor systems and between trading partners to ensure changes have been accommodated.</li> <li>• There are two versions of the enrollment transaction in use by industry today. One is the adopted transaction exchanged between a covered health plan and an employer, which is not a covered entity. The other version, referred to as the HIX, is used by issuers participating in the federal marketplace or health insurance exchanges.</li> <li>• For a description of the functionality of each transaction, visit the <a href="#">X12 website</a>.</li> <li>• ASETT is the HHS compliance tool to enable testing and complaint filing for all X12 and NCPDP® transactions. To test transactions, visit the <a href="#">HHS compliance page</a>.</li> <li>• Operating rules have not been adopted for the enrollment transaction standard.</li> <li>• <i>NCPDP operating rules are in the NCPDP Telecommunication Standard, Implementation Guide, Version D.0. Additional operating rules are not developed by any entity outside of NCPDP for the pharmacy standards.</i></li> </ul> |  |



**Interoperability Need: Health Care Eligibility Benefit Inquiry and Response**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">ASC X12@N/005010X279 Health Care Eligibility Benefit Inquiry and Response (270/271), April 2008 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 and ASC X12N/005010X279A1 Type 1 Errata to Health Care Eligibility Inquiry and Response (270/271), June 2010 as Type 1 Errata to an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ●●●●●          | Yes                | \$   | <a href="#">Yes</a>    |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use in the health care industry. Information about the HIPAA regulations regarding standards and operating rules can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>. Readers can find information about requirements for covered entities and their business associates and enforcement from this link.</li> <li>This standard and the transaction were adopted under the Health Insurance Portability Act of 1996 (HIPAA) to increase efficiency in the health care system by reducing the use of paper and increasing the exchange of health care information electronically. This version was adopted in 2009 and mandatory use was required in January 2012.</li> <li>Before implementation of a new version of a standard, end to end testing should be conducted with vendor systems and between trading partners to ensure changes have been accommodated.</li> </ul> | <ul style="list-style-type: none"> <li>All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>• <a href="#">Additional information is available</a> on testing, and the full cost on any of the X12 transactions. ASETT is the HHS compliance tool to enable testing and complaint filing for all X12 transactions.</li> <li>• The HL7 FHIR Implementation Specifications are for use building APIs to support interoperability to support ONC, HHS and CMS priorities.</li> </ul> |  |

**Interoperability Need: Health Care Eligibility Benefit Inquiry and Response for Retail Pharmacy Coverage**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® Telecommunication Standard Implementation Guide, Version D, Release 0 (Version D.0), August 2010 and equivalent Batch Standard Implementation Guide Version 1.2</a>  | Final                      | Production              | ● ● ● ● ●          | Yes                | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP Telecommunication Standard, Implementation Guide, Version F6, April 2022 and Equivalent Batch Standard Implementation Guide, Version 15 <a href="https://standards.ncdp.org/Access-to-Standards.aspx">https://standards.ncdp.org/Access-to-Standards.aspx</a></a> | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP Real-Time Prescription Benefit Standard Version 12</a>  | Final                      | Production              | ● ○ ○ ○ ○ ○        | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP Real-Time Prescription Benefit (RTPB) Standard, Implementation Guide, Version 13</a>  | Final                      | Feedback Requested      | Feedback Requested | No                 | \$   | No                     |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for covered entities, which includes health plans, health care clearinghouses and certain health care providers. Information about the HIPAA regulations and enforcement can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>.</li> <li>Costs to access the NCPDP standards are based on membership status. <a href="#">NCPDP's Standards Matrix</a> is available as a reference providing a high-level overview of the latest version/release and/or the most commonly used of NCPDP standards and implementation guides, as well as NCPDP's Data Dictionary and External Code List.</li> <li>NCVHS made a recommendation to HHS to adopt the Telecommunication Standard Implementation Guide Version F6 and Subrogation Version 15 in 2019, requesting adoption through rulemaking in CY 2020. Find the history for this recommendation information on the <a href="#">NCVHS</a> website.</li> </ul> | <ul style="list-style-type: none"> <li>All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |




## ADMINISTRATIVE TRANSACTIONS TO FINANCIAL EXCHANGES

### Interoperability Need: Electronic Funds Transfer for Payments to Health Care Providers

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NACHA® Operating Rules, Appendix One and Three ACH File Exchange Specifications; ACH Record Format Specifications, Subpart 3.1.8 Sequence of Records for CCD Entries; and Data content in CCD Addenda Record: ASC X12 Standards for Electronic Data Interchange Technical Report Type 3, "Health Care Claim Payment/Advice (835), April 2006: Section 2.4: 835 Segment Detail: "TRN"</a> | Final                      | Production              | ●●●○○          | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration  |
|---|---|
| <ul style="list-style-type: none"> <li>File testing is done between the banks and their originators of the ACH files, between the banks and the ACH Operators and for the software vendors with the ACH Operators. Testing for a new originator is done with the bank before they originate their first file. Testing between the banks and the ACH Operators is done when there is a new application – currently a lot of testing is being done between the banks and the ACH Operators for Same Day ACH Debits (to be implemented in September 2017). If a bank changes ACH processing software or hires a third-party vendor, testing will be done between the bank and the ACH Operator.</li> </ul> | <ul style="list-style-type: none"> <li>All covered entities are required to meet HIPAA security and privacy requirements in order for Electronic Data Interchange (EDI) to occur.</li> <li>For Automated Clearing House (ACH) Network risks and enforcement, one can refer to <a href="#">NACHA's ACH Network Risk and Enforcement Topics</a> and <a href="#">2019 NACHA Operating Rules &amp; Guidelines</a>.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>Because only the current version of an ACH file format is allowed through the ACH Network, the originating bank reviews all files to make sure that the formatting is correct before they send the files to the ACH Operators. The ACH Operators also review all files to make sure that the mandatory fields within the ACH file are formatted correctly – if they are not the files are returned to the originating bank. Both the originating bank and the ACH Operators are looks at the files to make sure that the files are syntactically correct.</li> <li>ACH Network is an electronic funds transfer system governed by the <a href="#">NACHA Operating Rules</a>, which provides for interbank clearing of electronic entries for participating financial institutions.</li> </ul> |  |

**Interoperability Need: Health Care Payment and Remittance Advice**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">ASC X12@N/005010X221 Health Care Claim Payment/Advice (835), April 2006 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 and ASC X12N/005010X221A1 Type 1 Errata to Health Care Claim Payment/Advice (835), June 2010 as Type 1 Errata to an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ●●●○○          | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>• The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use in the health care industry. HIPAA has some different requirements for information exchange than EHRs, but there is hope for convergence in the future. Information about the HIPAA regulations regarding standards and operating rules can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>. Readers can find information about requirements for covered entities and their business associates and enforcement from this link.</li> <li>• Adoption of standards to increase the efficiency of the health care system was required by the Health Insurance Portability Act of 1996 (HIPAA). This version of the standard was adopted in 2009, and compliance was required by January 2012. The purpose of the electronic standard transactions was to improve efficiency in the health care system by reducing the use of paper and increasing the electronic exchange of health care information.</li> <li>• Challenges with this transaction may occur when the remittance information does not match the claim or the payment.</li> <li>• <a href="#">Additional information is available</a> on testing, and the full cost on any of the X12 transactions. ASETT is the HHS compliance tool to enable testing and complaint filing for all X12 transactions.</li> <li>• For a description of the functionality of each transaction, visit the <a href="#">X12 website</a>. Click on a transaction set name to toggle the display of the purpose and scope of that transaction set.</li> <li>• Pharmacy providers will receive the X12 835 remittance advice transaction with their payments, and <a href="#">NCPDP®</a> offers specific guidance on how the X12 835 remittance advice should be mapped in response to the NCPDP D.0 claim transaction to maximize reconciliation.</li> </ul> | <ul style="list-style-type: none"> <li>• All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information.</li> </ul> |






**Interoperability Need: Health Plan Premium Payments for Covered Members**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">ASC X12@N/005010X218 Payroll Deducted and Other Group Premium Payment for Insurance Products (820), February 2007 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ●●○○○              | Yes                | \$   | Yes                    |
| Implementation Specification | <a href="#">ASC X12N/005010X306 Health Insurance Exchange Related Payments (820), January 2013 as Type 1 Errata to an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a>               | Final                      | Production              | Feedback Requested | Yes                | \$   | Yes                    |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use in the health care industry. HIPAA has some different requirements for information exchange than EHRs, but there is hope for convergence in the future. Information about the HIPAA regulations regarding standards and operating rules can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>. Readers can find information about requirements for covered entities and their business associates and enforcement from this link.</li> </ul> | <ul style="list-style-type: none"> <li>All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>• This standard and the transaction were adopted under the Health Insurance Portability Act of 1996 (HIPAA) to increase efficiency in the health care system by reducing the use of paper and increasing the exchange of health care information electronically. This information is often maintained in provider practice management and billing systems but duplicates information in electronic health records.</li> <li>• Before implementation of a new version of a standard, end to end testing should be conducted with vendor systems and between trading partners to ensure changes have been accommodated.</li> <li>• <a href="#">Additional information is available</a> on testing, and the full cost on any of the X12 transactions. ASETT is the HHS compliance tool to enable testing and complaint filing for all X12 transactions.</li> <li>• For a description of the functionality of each transaction, visit the <a href="#">X12 website</a>. Click on a transaction set name to toggle the display of the purpose and scope of that transaction set.</li> </ul> |  |



## ADMINISTRATIVE TRANSACTIONS TO SUPPORT CLINICAL CARE

### Interoperability Need: Health Care Attachments to Support Claims, Referrals and Authorizations

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">ASC X12@N/006020X315 Health Care Services Request for Review and Response (278), September 2014 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a>           | Final                      | Production              | ● ○ ○ ○ ○      | No                 | \$   | No                     |
| Implementation Specification | <a href="#">ASC X12N/006020X313 Health Care Claim Request for Additional Information (277), September 2014 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a>            | Final                      | Production              | ● ○ ○ ○ ○      | No                 | \$   | No                     |
| Implementation Specification | <a href="#">ASC X12N/006020X316 Additional Information to Support a Health Care Services Review (275), September 2014 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | \$   | No                     |
| Implementation Specification | <a href="#">HL7 CDA® R2 Attachment Implementation Guide: Exchange of C-CDA Based Documents, Release 1 - US Realm</a>  | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |
| Implementation Specification | <a href="#">HL7 CDA R2 Implementation Guide: Consolidated CDA Templates for Clinical Notes (US Realm) Draft Standard for Trial Use Release 2.1</a>  | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | No                     |




| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">HL7 FHIR DaVinci Clinical Data Exchange (CDex) Implementation Guide</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○      | No                 | Free |                        |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>The HIPAA legislation requires adoption of a standard for health care attachments; the Affordable Care Act of 2010 reiterated this requirement. HHS has not proposed adoption of a standard for attachments to support claims and other administrative transactions to date (11/2021). Willing trading partners may exchange attachments through methods agreed upon by those organizations, including through different means of electronic exchange, and the use of standards.</li> <li>Pilots to test new standards for consideration to be adopted under HIPAA is permissible using the exception process under 162.940.</li> <li>CMS provides additional information about the <a href="#">HIPAA administrative simplification</a> provisions on its website.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |


**Interoperability Need: Referral Certification and Authorization for Pharmacy Transactions**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® Telecommunication Standard Implementation Guide, Version D, Release 0 (Version D.0), August 2010</a> | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP Telecommunication Standard, Implementation Guide, Version F6, April 2022</a>                          | Final                      | Production              | ● ○ ○ ○ ○      | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2017071</a>  | Final                      | Production              | ● ● ● ● ●      | No                  | \$   | No                     |



| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard Implementation Guide, Version 2022011</a>         | Final                      | Production              | ● ○ ○ ○ ○          | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2023011</a>        | Final                      | Feedback Requested      | Feedback Requested | No                 |      |                        |
| Implementation Specification | <a href="#">HL7 FHIR DaVinci Clinical Data Exchange (CDex) Implementation Guide</a> | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○          | No                 | Free | No                     |


| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Updated referral transactions are published in the NCPDP SCRIPT Standard Version 2022011. These transactions are currently available for use by trading partner agreement.</li> <li>In 2019, NCVHS recommended that HHS adopt the Telecommunication Standard Implementation Guide Version F6 and Subrogation (as HIPAA Standards). Adoption of this updated standard is pending HHS rulemaking.</li> <li>NCPDP requested that HHS adopt the NCPDP SCRIPT standard for prior authorization under HIPAA. This standard has since been adopted under the Medicare Part D program. Check the Federal Register for current rules.</li> <li>Costs for access to the NCPDP standards are based on membership. <a href="#">NCPDP's Standards Matrix</a> is available as a reference providing a high-level overview of the latest version/release and/or the most commonly used of NCPDP standards and implementation guides, as well as NCPDP's Data Dictionary and External Code List.</li> <li>All operating rules are incorporated as part of the NCPDP standards and separate operating rules are not adopted under HIPAA for pharmacy standards; including for the NCPDP SCRIPT standard.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |




**Interoperability Need: Referral Certification and Authorization Request and Response for Dental, Professional and Institutional Services**

| Type                         | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">ASC X12®N/005010X217 Health Care Services Review—Request for Review and Response (278), May 2006 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ● ○ ○ ○ ○      | Yes                | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7® FHIR® Da Vinci Coverage Requirements Discovery (CRD) Implementation Guide</a>   | Balloted Draft             | Production              | ● ● ○ ○ ○      | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7® FHIR® Da Vinci Documentation Templates and Payer Rules (DTR) Implementation Guide</a>   | Balloted Draft             | Production              | ● ● ○ ○ ○      | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7® FHIR® Da Vinci Prior Authorization Support (PAS) Implementation Guide</a>   | Balloted Draft             | Pilot                   | ● ● ○ ○ ○      | No                 | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 CDA® R2 Implementation Guide: Dental Data Exchange</a>   | Balloted Draft             | Production              | ● ○ ○ ○ ○      | No                 | Free | Yes                    |
| Implementation Specification | <a href="#">HL7 FHIR DaVinci Clinical Data Exchange (CDex) Implementation Guide</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○      | No                 | Free | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use in the health care industry. Information about the HIPAA regulations and enforcement may be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>.</li> <li>Adoption of standards to increase the efficiency of the health care system was required by the Health Insurance Portability</li> </ul> | <ul style="list-style-type: none"> <li>All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <p>Act of 1996 (HIPAA). The most recent versions of the medical and pharmacy standards were adopted in 2009, with a January 2012 compliance date. The purpose of the electronic standard transactions is to improve efficiency in the health care system by reducing the use of paper and increasing the electronic exchange of health care information.</p> <ul style="list-style-type: none"> <li>• Before implementation of a new version of a standard, end to end testing should be conducted with vendor systems and between trading partners to ensure changes have been accommodated.</li> <li>• ASETT is the HHS compliance tool to enable testing and complaint filing for X12 and NCPDP® transactions.</li> <li>• For a description of the functionality of each transaction, visit the <a href="#">X12 website</a>. Click on a transaction set name to toggle the display of the purpose and scope of that transaction set.</li> <li>• HL7 Da Vinci Use Cases:             <ul style="list-style-type: none"> <li>• Coverage Requirements Discovery (CRD). The goal of the CRD use case is to give providers real-time access to payer approval requirements, documentation, and rules at point of service to reduce provider burden and support treatment planning.</li> <li>• Documentation Templates and Payer Rules (DTR). The goal of the DTR use case is to reduce provider burden and simplify process by establishing electronic versions of administrative and clinical requirements that can become part of the providers workflow.</li> <li>• Prior Authorization Support (PAS). The goal of the PA use case is to define FHIR based services to enable provider, at the point of service, to request authorization (including all necessary clinical information to support the request) and receive immediate authorization.</li> </ul> </li> </ul> |  |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>Note: all Da Vinci use cases are piloted and tested during regular connectathons hosted by HL7 and approved professional affiliates throughout the year. To learn more about connectathons and other Da Vinci use cases or FHIR accelerator programs, visit <a href="http://www.hl7.org">www.hl7.org</a> or <a href="http://www.hl7.org/about/davinci/use-cases.cfm">http://www.hl7.org/about/davinci/use-cases.cfm</a>.</li> <li>The HL7 Dental Data Exchange STU Implementation Guide provides both <a href="#">FHIR-based</a> and <a href="#">CDA-based</a> sets of templates defining the Dental Referral Note and Dental Consultation Note. These standardized documents are intended to support bi-directional information exchange between a medical and a dental provider or between dental providers. This publication provides the data model, defined data items, and their corresponding code and value sets, specific to a dental referral note and dental consultation note intended for exchange.</li> </ul> |  |






## ADMINISTRATIVE TRANSACTIONS: PRICE TRANSPARENCY

### Interoperability Need: Advanced Estimates for Patient Costs from Providers & Payers

| Type                     | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity   | Adoption Level | Federally required | Cost        | Test Tool Availability |
|--------------------------|--|----------------------------|---------------------------|----------------|--------------------|-------------|------------------------|
| <i>Emerging Standard</i> | <a href="#">HL7 FHIR Da Vinci Patient Cost Transparency Implementation Guide</a> | <i>Balloted Draft</i>      | <i>Feedback Requested</i> | ● ○ ○ ○ ○ ○    | <i>No</i>          | <i>Free</i> | <i>Yes – Open</i>      |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration  |
|--|---|
| <p>This IG is not required for use at this time. Its development is informed by the <a href="#">No Surprises Act (see Division BB, Title I, Sections 111 and 112)</a>, which was enacted as part of the Consolidated Appropriations Act, 2021. The No Surprises Act specifically requires that a provider share a Good Faith Estimate (GFE) with a payer and that a payer make an AEOB available to a patient in advance of service. The initial scope of this IG was inspired by this general requirement.</p> <p>This IG provides detailed guidance to support providers and payers exchanging financial information for specific services and items using FHIR-based standards.</p> <p>The exchange involves a provider submitting a GFE to a payer, and the payer generating an Advanced Explanation of Benefits (AEOB) for a patient (which may optionally be returned to the submitting provider). This information about the cost of healthcare items or services could enable better decision making by the patient in consultation with the provider. Note: This exchange will be triggered via a “request” or “scheduled service”. The AEOB will also include the GFE used to inform the AEOB generation.</p> <p>This specification is a Standard for Trial Use. It is expected to continue to evolve and improve through HL7® FHIR® Connectathon testing and feedback from early adopters.</p> <p>Criteria regarding what payers must verify in a good faith estimate (GFE) will be evaluated during the next phase of the project after the project stakeholders receive feedback on error handling during testing and implementation.</p> | <p>The sharing of information from provider to payer for determining an Advanced Explanation of Benefits (AEOB) is subject to the Health Insurance Portability and Accountability Act’s (HIPAA) “minimum necessary” regulations (specifically 45 CFR 164.514(d)(3) and (d)(4)). Payers are responsible for ensuring that only information necessary to create an AEOB is solicited, and providers are responsible for ensuring that only data that is reasonably relevant to creating an AEOB is transmitted.</p> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <p>Feedback is welcome and may be submitted through the <a href="#">FHIR change tracker</a> indicating "US Da Vinci PCT" as the specification.</p> <p>This implementation guide (IG) is dependent on other specifications. Please submit any comments you have on these base specifications as follows:</p> <ul style="list-style-type: none"> <li>• Feedback on the FHIR core specification should be submitted to the <a href="#">FHIR change tracker</a> with "FHIR Core" as the specification.</li> <li>• Feedback on the US core profiles should be submitted to the <a href="#">FHIR change tracker</a> with "US Core" as the specification.</li> </ul> |  |




## HEALTH CARE CLAIMS AND COORDINATION OF BENEFITS

### Interoperability Need: Health Care Claim Status Request and Response

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Implementation Specification | <a href="#">X12@N/005010X212 Health Care Claim Status Request and Response (276/277), August 2006 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ●●●○○          | Yes                | \$   | Yes                    |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use in the health care industry. HIPAA has some different requirements for information exchange than EHRs, but there is hope for convergence in the future. Information about the HIPAA regulations regarding standards and operating rules can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>. Readers can find information about requirements for covered entities and their business associates and enforcement from this link.</li> <li>This standard and the transaction were adopted under the Health Insurance Portability Act of 1996 (HIPAA) to increase efficiency in the health care system by reducing the use of paper and increasing the exchange of health care information electronically. This information is often maintained in provider practice management and billing systems but duplicates information in electronic health records.</li> <li>Before implementation of a new version of a standard, end to end testing should be conducted with vendor systems and between trading partners to ensure changes have been accommodated.</li> </ul> | <ul style="list-style-type: none"> <li>All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |




| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>• <a href="#">Additional information is available</a> on testing, and the full cost on any of the X12 transactions.</li> <li>• For a description of the functionality of each transaction, visit the <a href="#">X12 website</a>. Click on a transaction set name to toggle the display of the purpose and scope of that transaction set.</li> </ul> |  |

**Interoperability Need: Health Care Claims or Equivalent Encounter Information for Dental Claims**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">ASC X12®N/005010X224 ASC X12 Standards for Electronic Data Interchange Technical Report Type 3—Health Care Claim: Dental (837), May 2006 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 and ASC X12N/005010X224A2 Type 1 Errata to Health Care Claim: Dental (837), June 2010 as Type 1 Errata to an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ● ● ● ● ●      | Yes                 | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7® FHIR® Consumer Directed Payer Data Exchange (CARIN IG for BlueButton®) STU 2</a>   | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |




| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>• The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use in the health care industry. HIPAA has some different requirements for information exchange than EHRs, but there is hope for convergence in the future. Information about the HIPAA regulations regarding standards and operating rules can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>. Readers can find information about requirements for covered entities and their business associates and enforcement from this link.</li> <li>• This standard and the transaction were adopted under the Health Insurance Portability Act of 1996 (HIPAA) to increase efficiency in the health care system by reducing the use of paper and increasing the exchange of health care information electronically. This information is often maintained in provider practice management and billing systems but duplicates information in electronic health records.</li> <li>• This transaction is also used to conduct coordination of benefits (COB) between organizations that agree to do so.</li> <li>• Before implementation of a new version of a standard, end to end testing should be conducted with vendor systems and between trading partners to ensure changes have been accommodated.</li> <li>• <a href="#">Additional information is available</a> on testing, and the full cost on any of the X12 transactions. <a href="#">ASETT</a> is the HHS compliance tool to enable testing and complaint filing for all X12 and NCPDP® transactions.</li> <li>• For a description of the functionality of each transaction, visit the <a href="#">X12 website</a>. Click on a transaction set name to toggle the display of the purpose and scope of that transaction set.</li> <li>• The May 2020 CMS Patient Access and Interoperability Rule enables patients in Medicaid, Medicaid Managed Care, Medicare Advantage and Qualified Health Plans on the Federally Facilitated Exchanges to request that their payer allow them to have their data sent to a health app of their choice upon request through an API. CMS has recommended the use of</li> </ul> | <ul style="list-style-type: none"> <li>• All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| certain HL7 based Implementation Guides.<br>The HL7 FHIR Consumer Directed Payer Data Exchange (CARIN IG for BlueButton®) STU 2 is one of those IGs, and enables the exchange of dental claims. |  |

**Interoperability Need: Health Care Claims or Equivalent Encounter Information for Institutional Claims**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">ASC X12®/N005010X223 Health Care Claim: Institutional (837), May 2006 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 and ASC X12N/005010X223A2 Type 1 Errata to Health Care Claim: Institutional (837), June 2010 as Type 1 Errata to an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ● ● ● ● ●      | Yes                 | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7® FHIR® Consumer Directed Payer Data Exchange (CARIN IG for BlueButton®) STU 1</a>   | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 FHIR Consumer Directed Payer Data Exchange (CARIN IG for BlueButton) STU 2</a>  | Balloted Draft             | Pilot                   | ● ○ ○ ○ ○      | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration   |
|---|--|
| <ul style="list-style-type: none"> <li>• The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use in the health care industry. Information about the HIPAA regulations regarding standards and operating rules can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>.</li> <li>• Before implementation of a new version of a standard, end to end testing should be conducted with vendor systems and between trading partners to ensure changes have been accommodated.</li> <li>• <a href="#">Additional information is available</a> on testing, and the full cost on any of the X12 transactions. <a href="#">ASETT</a> is the HHS compliance tool to enable testing and complaint filing for all X12 and NCPDP® transactions.</li> <li>• For a description of the functionality of each transaction, visit the <a href="#">X12 website</a>. Click on a transaction set name to toggle the display of the purpose and scope of that transaction set.</li> <li>• The HL7 FHIR Consumer Directed Payer Data Exchange (Carin IG for BlueButton) STU 1 was recommended for use in the May 2020 CMS Interoperability and Patient Access final rule to enable the Patient Access API policy, specifically to support patients access to data held by their payers, enabling them to request data to be sent to a third party app.</li> <li>• STU 2 of the HL7 FHIR Consumer Directed Payer Data Exchange (Carin IG for BlueButton) will include the ability to exchange dental claim information.</li> </ul> | <ul style="list-style-type: none"> <li>• All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |




**Interoperability Need: Health Care Claims or Equivalent Encounter Information for Professional Claims**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">ASC X12®N/005010X222 Health Care Claim: Professional (837), May 2006 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 and ASC X12N/005010X222A1 Type 1 Errata to Health Care Claim: Professional (837), June 2010 as Type 1 Errata to an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3</a> | Final                      | Production              | ●●●●●          | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7® FHIR® Consumer Directed Payer Data Exchange (CARIN IG for BlueButton®) STU 1</a>   | Final                      | Production              | ●●●●●          | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">HL7 FHIR Consumer Directed Payer Data Exchange (CARIN IG for BlueButton) STU 2</a>  | Balloted Draft             | Pilot                   | ●○○○○          | <a href="#">Yes</a> | Free | <a href="#">Yes</a>    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use in the health care industry. Information about the HIPAA regulations regarding standards and operating rules can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>. Readers can find information about requirements for covered entities and their business associates and enforcement from this link.</li> </ul> | <ul style="list-style-type: none"> <li>All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |






| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>• This standard and the transaction were adopted under the Health Insurance Portability Act of 1996 (HIPAA) to increase efficiency in the health care system by reducing the use of paper and increasing the exchange of health care information electronically. The current version was adopted in 2009 and required for use in 2012. Content from the transactions is often maintained in provider practice management and billing systems but duplicates information in electronic health records.</li> <li>• Before implementation of a new version of a standard, end to end testing should be conducted with vendor systems and between trading partners to ensure changes have been accommodated.</li> <li>• <a href="#">Additional information is available</a> on testing, and the full cost on any of the X12 transactions. <a href="#">ASETT</a> is the HHS compliance tool to enable testing and complaint filing for all X12 and NCPDP® transactions.</li> <li>• Information about the CMS May 2020 Interoperability and Patient Access final rule and the implementation guides recommended to comply with the FHIR based APIs included in that rule may be found on the <a href="#">CMS Interoperability website</a>. The HL7 FHIR Consumer Directed Payer Data Exchange (CARIN IG for BlueButton) STU 1 was recommended to comply with the Patient Access API requirement.</li> </ul> |  |



**Interoperability Need: Health Care Claims or Equivalent Encounter Information for Retail Pharmacy Claims**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® Telecommunication Standard Implementation Guide, Version D, Release 0 (Version D.0), August 2010</a> | Final                      | Production              | ●●●●●          | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">NCPDP Telecommunication Standard, Implementation Guide Version F6, April 2022</a>                           | Final                      | Production              | ●○○○○          | No                  | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP Batch Standard Medicaid Subrogation Implementation Guide Version 3.0</a>                              | Final                      | Production              | ●●●●●          | Yes                 | \$   |                        |
| Implementation Specification | <a href="#">NCPDP Batch Standard Subrogation Implementation Guide Version 10</a>  | Final                      | Production              | ●○○○○          | No                  | \$   |                        |
| Implementation Specification | <a href="#">HL7® FHIR® DaVinci Provider Data Exchange (PDex: Formulary) Implementation Guide</a>                        | Balloted Draft             | Production              | ●●●○○          | No                  | Free | <a href="#">Yes</a>    |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>NCPDP submitted request in February 2018 to have updated standards adopted under HIPAA: NCPDP Telecommunication Standard Implementation Guide Version F2 and Subrogation standard Version 10. Pending rulemaking 10/2021.</li> <li>The pharmacy telecommunication standard provides a standard format for the electronic submission of third party drug claims and other transactions between pharmacy providers, health plans (payers, insurance companies), third-party administrators, and others with financial responsibility.</li> <li>Under the Health Insurance Portability and Accountability Act of 1996 (HIPAA), all covered entities – health plans, clearinghouses and covered health care providers are required to use the telecommunication standard for claim and service billing, as well as eligibility verification, predetermination of</li> </ul> | <ul style="list-style-type: none"> <li>All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <p>benefits, and prior authorization. The standard can perform a variety of other functions as well.</p> <ul style="list-style-type: none"> <li>• The Medicare Part D program may require use of different NCPDP standards per statute.</li> <li>• Costs for access to the NCPDP standards are based on membership. <a href="#">NCPDP's Standards Matrix</a> is available as a reference providing a high-level overview of the latest version/release and/or the most commonly used of NCPDP standards and implementation guides, as well as NCPDP's Data Dictionary and External Code List.</li> <li>• Information about the CMS May 2020 Interoperability and Patient Access final rule and the HL7 FHIR APIs included in that rule may be found on the <a href="#">CMS Interoperability website</a>. This rule includes use of the HL7 FHIR DaVinci Provider Data Exchange (PDex: Formulary) Implementation Guide.</li> </ul> |  |


**Interoperability Need: Health Care Claims or Equivalent Encounter Information for Retail Pharmacy Supplies and Professional Services**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Implementation Specification | <a href="#">NCPDP® Telecommunication Standard Implementation Guide, Version D, Release 0 (Version D.0), August 2010</a>   | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |
| Implementation Specification | <a href="#">ASC X12®N/005010X222 Health Care Claim: Professional (837), May 2006 as an ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 and ASC X12N/005010X222A1 Type 1 Errata to Health Care Claim: Professional (837), June 2010 as Type 1 Errata to an ASC X12 Standards for Electronic Data</a> | Final                      | Production              | ● ● ● ● ●      | <a href="#">Yes</a> | \$   | <a href="#">Yes</a>    |



| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level     | Federally required  | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|--------------------|---------------------|------|------------------------|
|                              | <a href="#">Interchange Technical Report Type 3</a>   |                            |                         |                    |                     |      |                        |
| Implementation Specification | <a href="#">NCPDP Batch Standard Medicaid Subrogation Implementation Guide Version 3.0</a>  | Final                      | Production              | ●●●●●              | <a href="#">Yes</a> | \$   |                        |
| Implementation Specification | <a href="#">NCPDP Telecommunication Standard, Implementation Guide Version F6, April 2022 and equivalent Batch Standard Implementation Guide Version 15</a> | Final                      | Production              | ●○○○○              | No                  | \$   | Yes                    |
| Standard                     | <a href="#">NCPDP Batch Standard Subrogation Implementation Guide Version 10</a>  | Final                      | Production              | Feedback Requested | No                  | \$   | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration   |
|--|--|
| <ul style="list-style-type: none"> <li>The Administrative Simplification provisions of HIPAA apply to the adoption of electronic transaction standards and operating rules for use by covered health care organizations - all health plans, covered health care providers and clearinghouses. Information about the HIPAA regulations regarding standards and operating rules can be found at <a href="https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html">https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index.html</a>.</li> <li>The NCPDP pharmacy telecommunication standard provides a standard format for the electronic submission of third party drug claims and other transactions between pharmacy providers, health plans (payers, insurance companies), third-party administrators, and others with financial responsibility.</li> <li>Under the Health Insurance Portability and Accountability Act of 1996 (HIPAA), covered entities are required to use the telecommunication standard for eligibility verification, claim and service billing, predetermination of benefits, and prior authorization for retail pharmacy transactions.</li> <li>Before implementation of a new version of a standard, end to end testing should be conducted with vendor systems and</li> </ul> | <ul style="list-style-type: none"> <li>All covered entities and their business associates are required to comply with the HIPAA Privacy and Security Rules. Health and Human Services has partnered with the Office of the National Coordinator and the National Institutes of Standards and Technology to publish comprehensive guidance for Security specific to electronic protected health information. A <a href="#">self-assessment tool kit</a> is available to support integrating privacy and security into practices.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <p>between trading partners to ensure changes have been accommodated.</p> <ul style="list-style-type: none"> <li>• Costs to access the NCPDP standards is based on membership. <a href="#">NCPDP's Standards Matrix</a> is available as a reference providing a high-level overview of the latest version/release and/or the most commonly used NCPDP standards and implementation guides, as well as NCPDP's Data Dictionary and External Code List.</li> <li>• <a href="#">Additional information</a> is available on testing, and the full cost on any of the X12 transactions.</li> <li>• For issues related to enforcement of the HIPAA standards and operating rules, ASETT is the HHS compliance tool to enable testing and complaint filing.</li> <li>• The NCPDP Telecommunication Standard Implementation Guide Version F2 and subrogation Version 10 have been requested for adoption under HIPAA by NCVHS. NCVHS recommendation letters to HHS may be viewed on the <a href="#">NCVHS</a> website.</li> <li>• For a description of the functionality of each X12 transaction, visit the <a href="#">X12 website</a>. Click on a transaction set name to toggle the display of the purpose and scope of that transaction set.</li> </ul> |  |




## OPERATING RULES TO SUPPORT ADMINISTRATIVE TRANSACTIONS

### Interoperability Need: CAQH CORE Operating Rules for Connectivity

| Type            | Standard / Implementation Specification                     | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|-----------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Operating Rules | <a href="#">CAQH® CORE Operating Rules for Connectivity</a> | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Operating rules for HIPAA standard transactions were added as a requirement of the Patient Protection and Affordable Care Act of 2010, under Section 1104, Administrative Simplification.</li> <li>Operating rules are intended to support and enhance the use of standard transactions. They may include certain requirements to help implement the transaction in a more uniform way across health plans and ensure a more complete set of information in the response.</li> <li>The CORE Operating Rules for Connectivity support the adoption and implementation of transaction-based operating rules by establishing key requirements to maintain the secure exchange of health care information.</li> <li>In 2012 and 2013 HHS adopted two versions of the CORE Connectivity Rules, which were incorporated by reference at §162.920.</li> <li>Prior versions of the CAQH CORE Operating Rules for Connectivity are available on the <a href="#">CAQH CORE Mandated Operating Rules website</a>.</li> <li>In 2020, CAQH CORE updated its Operating Rules for Connectivity to version C4.0.0 to enhance security protocols, and to support REST and SOAP. The updated Rule is available for voluntary use by covered entities.</li> <li>CORE Connectivity Rule <a href="#">vC4.0.0</a> was recommended for Federal adoption by the National Committee of Vital Health and Statistics (NCVHS) to the Department of Health and Human Services (HHS) in June 2023.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>• <a href="#">Testing or certification</a> with operating rules is voluntary and available through CORE. CORE maintains <a href="#">free tools</a> to support operating rule implementation. Additionally, CORE offers <a href="#">educational webinars</a> on its website.</li> <li>• Portions of the CORE Connectivity Rule are mandated for the Eligibility, Claim Status, ERA and EFT operating rules. Others may be adopted at a future date.</li> </ul> |  |

**Interoperability Need: CAQH CORE Operating Rules for Electronic Funds Transfer (EFT) & Electronic Remittance Advice (ERA)**

| Type            | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|-----------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Operating Rules | <a href="#">CAQH® CORE Operating Rules for Electronic Funds Transfer (EFT) and Electronic Remittance Advice (ERA)</a> | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |
| Operating Rules | <a href="#">CORE EFT Enrollment Data Set</a>  | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |
| Operating Rules | <a href="#">CAQH CORE Payment &amp; Remittance ERA Enrollment Data Rule Version PR.1.0</a>                            | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |
| Operating Rules | <a href="#">CAQH CORE Payment &amp; Remittance (835) Infrastructure Rule Version PR.2.0</a>                           | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |
| Operating Rules | <a href="#">CAQH CORE Payment &amp; Remittance (835) Uniform Use of CARCs and RARCs Rule Version PR.1.1</a>           | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |
| Operating Rules | <a href="#">CAQH CORE Payment &amp; Remittance (CCD+/835) Reassociation Rule Version PR.1.0</a>                       | Final                      | Production              | ● ● ● ● ○      | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |



| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Value Set(s) and Starter Set(s)                              |
|---|---|
| <ul style="list-style-type: none"> <li>• Operating rules for HIPAA standard transactions were added as a requirement of the Patient Protection and Affordable Care Act of 2010 (ACA), under section 1104, Administrative Simplification.</li> <li>• Operating rules are intended to support and enhance the use of standard transactions. They include requirements to help implement the transaction in a more uniform way between health plans and providers and ensure a more complete set of information in the response.</li> <li>• The EFT/ERA rules support the uniform use of combinations for certain Claim and Remark Codes (<a href="#">CARCs and RARCs</a>), as well as use of certain standard data elements for <a href="#">enrolling</a> providers</li> <li>• In 2013, HHS adopted CORE Operating Rules for EFT and ERA, which were incorporated by reference at §162.920.</li> <li>• Prior versions of the adopted operating rules for EFT and ERA Enrollment are available on the <a href="#">CAQH CORE Mandated Operating Rules website</a> and are incorporated by reference at § 162.920.</li> <li>• Updated and new CORE Operating Rules for ERA were recommended for Federal adoption by the National Committee of Vital Health and Statistics (NCVHS) to the Department of Health and Human Services (HHS) in June 2023.</li> <li>• <a href="#">Testing or certification</a> with the operating rules is voluntary and available through CORE. CORE maintains <a href="#">free tools</a> to support operating rule implementation. Additionally, CORE offers <a href="#">educational webinars</a> on its website.</li> </ul> | <ul style="list-style-type: none"> <li>• Feedback requested.</li> </ul> |






**Interoperability Need: CAQH CORE Operating Rules for Eligibility & Benefits**

| Type            | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|-----------------|--|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Operating Rules | <a href="#">CAQH® CORE Operating Rules for Eligibility and Benefits: Data Content, Infrastructure and Single Patient Attribution</a> | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |
| Operating Rules | <a href="#">CAQH CORE Eligibility &amp; Benefits (270/271) Data Content Rule Version EB.2.0</a>                                      | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |
| Operating Rules | <a href="#">CAQH CORE Eligibility &amp; Benefits (270/271) Infrastructure Rule Version EB.2.0</a>                                    | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |
| Operating Rules | <a href="#">CAQH CORE Eligibility &amp; Benefits (270/271) Single Patient Attribution Data Content Rule vEB.1.0</a>                  | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |


| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Operating rules for HIPAA standard transactions were added as a requirement of the Patient Protection and Affordable Care Act of 2010, under section 1104, Administrative Simplification.</li> <li>Operating rules are intended to support and enhance the use of the standard transactions. They may include certain requirements to help implement the transaction in a more uniform way between health plans and providers, and to ensure a more complete set of information in the response.</li> <li>In 2012 HHS adopted CORE Operating Rules for Eligibility and Benefits, which were incorporated by reference at §162.920.</li> <li>Prior versions of the adopted operating rules for Eligibility and Benefits are available on the <a href="#">CAQH CORE Mandated Operating Rules website</a> and are incorporated by reference at § 162.920.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration |
|--|--|
| <ul style="list-style-type: none"> <li>In 2022, The CAQH CORE Operating Rules for Eligibility &amp; Benefits were updated to align with current industry business requirements to better support complex benefit design, telehealth, and support for the implementation of value-based payment initiatives.</li> <li>These updates also support the identification of prior authorization requirements for services queried during eligibility verifications in real-time, at the point of care.</li> <li>Updated and new CORE Operating Rules for Eligibility &amp; Benefits were recommended for Federal adoption by the National Committee of Vital Health and Statistics (NCVHS) to the Department of Health and Human Services (HHS) in June 2023. Covered entities may refer to the Unified Agenda to determine when these updates will be included in an HHS regulation. A regulation will provide an implementation date.</li> <li><a href="#">Testing, or certification</a> with the operating rules is voluntary and available through CORE. CORE maintains <a href="#">free tools</a> to support operating rule implementation. Additionally, CORE offers <a href="#">educational webinars</a> on its website.</li> </ul> |  |

**Interoperability Need: CAQH CORE Operating Rules for Health Care Claims**

| Type            | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|-----------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Operating Rules | <a href="#">CAQH® CORE Operating Rules for Health Care Claims</a>                         | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | Yes                    |
| Operating Rules | <a href="#">CAQH CORE Health Care Claim (837) Infrastructure Rule Version HC.2.0</a>      | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | Yes                    |
| Operating Rules | <a href="#">CAQH CORE Attachments Health Care Claims Data Content Rule Version HC.1.0</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | Yes                    |



| Type            | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|-----------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Operating Rules | <a href="#">CAQH CORE Attachments Health Care Claims Infrastructure Rule Version HC.1.0</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | Yes                    |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Operating rules for HIPAA standard transactions were added as a requirement of the Patient Protection and Affordable Care Act of 2010, under section 1104, Administrative Simplification.</li> <li>Operating rules are intended to support and enhance the use of standard transactions. They may include certain requirements to help implement the transaction in a more uniform way between health plans and providers and ensure a more complete set of information in the response.</li> <li>The CAQH CORE Health Care Claims Operating Rules are available for voluntary use by covered entities.</li> <li>HHS has adopted operating rules for Eligibility and Benefits and Claim Status (2011), and Electronic Funds Transfer and Electronic Remittance Advice (2013).</li> <li>HHS has not adopted Operating Rules for other HIPAA transaction standards, including Health Care Claims, Prior Authorization, Premium Billing, and Enrollment/Disenrollment.</li> <li><a href="#">Testing or certification</a> with operating rules is voluntary and available through CORE. CORE maintains <a href="#">free tools</a> to support operating rule implementation. Additionally, CORE offers <a href="#">educational webinars</a> on its website.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



**Interoperability Need: CAQH CORE Operating Rules for the Exchange of an Attributed Patient Roster**

| Type            | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|-----------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Operating Rules | <a href="#">CAQH® CORE Operating Rules for the Exchange of an Attributed Patient Roster: Data Content and Infrastructure</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | <a href="#">Yes\$</a>  |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Operating rules for HIPAA standard transactions were added as a requirement of the Patient Protection and Affordable Care Act of 2010, under Section 1104, Administrative Simplification.</li> <li>Operating rules are intended to support and enhance the use of standard transactions. They may include certain requirements to help implement the transaction in a more uniform way across health plans, and to ensure a more complete set of information in the response.</li> <li>Operating rules for the electronic exchange of a roster of patients attributed to the provider under a value-based contract are available for voluntary use by covered entities.</li> <li>Testing or certification with operating rules is voluntary and available through CORE. CORE maintains free tools to support operating rule implementation. Additionally, CORE offers educational webinars on its website.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



**Interoperability Need: CAQH CORE Operating Rules to Support Claim Status**

| Type            | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required  | Cost | Test Tool Availability |
|-----------------|---|----------------------------|-------------------------|----------------|---------------------|------|------------------------|
| Operating Rules | <a href="#">CAQH® CORE Operating Rules for Claim Status</a>                         | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |
| Operating Rules | <a href="#">CAQH CORE Claim Status (276/277) Infrastructure Rule Version CS.2.0</a> | Final                      | Production              | ●●●●○          | <a href="#">Yes</a> | Free | <a href="#">Yes\$</a>  |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Operating rules for HIPAA standard transactions were added as a requirement of the Patient Protection and Affordable Care Act of 2010, under section 1104, Administrative Simplification.</li> <li>Operating rules are intended to support and enhance the use of the standard transactions. They may include certain requirements to help implement the transaction in a more uniform way between health plans and providers, and to ensure a more complete set of information in the response.</li> <li>In 2012 HHS adopted CORE Operating Rules for Claim Status, which were incorporated by reference at §162.920.</li> <li>Prior versions of the adopted operating rules are available on the <a href="#">CAQH CORE Mandated Operating Rules website</a> and incorporated by reference at §162.920.</li> <li>Updated and new CORE Operating Rules for Claim Status were recommended for Federal adoption by the National Committee of Vital Health and Statistics (NCVHS) to the Department of Health and Human Services (HHS) in June 2023</li> <li><a href="#">Testing, or certification</a> with the operating rules is voluntary and available through CORE, however, CORE maintains <a href="#">free tools</a> to support operating rule implementation. Additionally, CORE offers <a href="#">educational webinars</a> on its website.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |




**Interoperability Need: CAQH® CORE Operating Rules for Benefit Enrollment and Disenrollment**

| Type            | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|-----------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Operating Rules | <a href="#">CAQH® CORE Operating Rules for Benefit Enrollment and Disenrollment: Infrastructure</a> | Final                      | Production              | ●●●○○          | No                 | Free | Yes <sup>5</sup>       |
| Operating Rules | <a href="#">CAQH CORE Benefit Enrollment (834) Infrastructure Rule Version BE.2.0</a>               | Final                      | Production              | ●●●○○          | No                 | Free | <a href="#">Yes\$</a>  |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Operating rules for HIPAA standard transactions were included as a requirement of the Patient Protection and Affordable Care Act of 2010, under section 1104, Administrative Simplification.</li> <li>Operating rules are intended to support and enhance the use of HIPAA administrative standard transactions. They may include certain requirements to help implement the transaction in a more uniform way between covered entities.</li> <li>CORE has developed operating rules for Benefit Enrollment which are available for voluntary use by covered entities. These have not yet been adopted through rulemaking by HHS.</li> <li><a href="#">Testing or certification</a> with operating rules is voluntary and available through CORE. CORE maintains <a href="#">free tools</a> to support operating rule implementation. Additionally, CAQH CORE offers <a href="#">educational webinars</a> on its website.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |

**Interoperability Need: CAQH® CORE Operating Rules for Premium Payments**

| Type            | Standard / Implementation Specification                         | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|-----------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Operating Rules | <a href="#">CAQH® CORE Operating Rules for Premium Payments</a> | Final                      | Production              | ●○○○○          | No                 | Free | <a href="#">Yes\$</a>  |



| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                          |
|--|---|
| <ul style="list-style-type: none"> <li>• Operating rules were included as a requirement of the Patient Protection and Affordable Care Act of 2010, under section 1104, Administrative Simplification.</li> <li>• Operating rules are intended to support and enhance the use of the adopted HIPAA standard transactions. They may include certain requirements to help implement the transaction in a more uniform way between health plans and providers, to ensure a more complete set of information, and more consistent use of the adopted standards.</li> <li>• HHS has adopted operating rules for Eligibility and Benefits and Claim Status (2011), and Electronic Funds Transfer and Electronic Remittance Advice (2013).</li> <li>• As of 2022, HHS had not adopted Operating Rules for other HIPAA standards, including Benefits Enrollment and Disenrollment, Premium Billing, Health Care Claims, and Prior Authorization.</li> <li>• CAQH CORE has developed Operating Rules for Premium Payments which are available for voluntary use by covered entities.</li> <li>• <a href="#">Testing or certification</a> with operating rules is voluntary and available through a vendor contracted to CAQH CORE. There is a fee for certification, however, CAQH CORE maintains <a href="#">free tools</a> to support operating rule implementation. Additionally, CAQH CORE offers <a href="#">educational webinars</a> which are archived on its website.</li> </ul> | <ul style="list-style-type: none"> <li>• Feedback requested.</li> </ul> |




**Interoperability Need: CAQH® CORE Operating Rules for Prior Authorization and Referrals**

| Type            | Standard / Implementation Specification  | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|-----------------|--|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Operating Rules | <a href="#">CAQH® CORE Operating Rules for Prior Authorization and Referrals: Data Content, Infrastructure</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | Free | <a href="#">Yes\$</a>  |
| Operating Rules | <a href="#">CAQH CORE Prior Authorization &amp; Referrals (278) Data Content Rule Version PA.1.0</a>           | Final                      | Production              | ● ○ ○ ○ ○      | No                 |      |                        |
| Operating Rules | <a href="#">CAQH CORE Prior Authorization &amp; Referrals (278) Infrastructure Rule Version PA.3.0</a>         | Final                      | Production              | ● ○ ○ ○ ○      | No                 |      |                        |
| Operating Rules | <a href="#">CAQH CORE Prior Authorization Web Portal Rule Version PA.1.0</a>                                   | Final                      | Production              | ● ○ ○ ○ ○      | No                 |      |                        |
| Operating Rules | <a href="#">CAQH CORE Attachments Prior Authorization Data Content Rule Version PA.1.0</a>                     | Final                      | Production              | ● ○ ○ ○ ○      | No                 |      |                        |
| Operating Rules | <a href="#">CAQH CORE Attachments Prior Authorization Infrastructure Rule Version PA.1.0</a>                   | Final                      | Production              | ● ○ ○ ○ ○      | No                 |      |                        |

| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration                        |
|---|---|
| <ul style="list-style-type: none"> <li>Operating rules for HIPAA standard transactions were added as a requirement of the Patient Protection and Affordable Care Act of 2010, under Section 1104, Administrative Simplification.</li> <li>Operating rules are intended to support and enhance the use of standard transactions. They may include certain requirements to help implement the transaction in a more uniform way between health plans and providers, and to ensure a more complete set of information in the response.</li> <li>The CORE Prior Authorization and Referrals Operating Rules are available for voluntary use by covered entities.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |






| Limitations, Dependencies, and Preconditions for Consideration  | Applicable Security Patterns for Consideration |
|---|--|
| <ul style="list-style-type: none"> <li>In 2022, the CORE Operating Rules for Prior Authorization and Referrals were updated to support the electronic exchange of attachments and medical information.</li> <li>Updates to the CORE Operating Rules for Eligibility &amp; Benefits allow health plans to indicate whether a service requires prior authorization during eligibility verification in real-time, at the point-of-care. This update to the CORE Operating Rule for Eligibility and Benefits was recommended for federal adoption by NCVHS to HHS in 2023. When rulemaking is scheduled, it will be publicized in the Unified Agenda.</li> <li><a href="#">Testing or certification</a> with operating rules is voluntary and available through CORE. CORE maintains <a href="#">free tools</a> to support operating rule implementation. Additionally, CORE offers <a href="#">educational webinars</a> on its website.</li> </ul> |  |

**Interoperability Need: Operating Rules to Support Electronic Prescribing Transactions**

| Type                         | Standard / Implementation Specification   | Standards Process Maturity | Implementation Maturity | Adoption Level | Federally required | Cost | Test Tool Availability |
|------------------------------|---|----------------------------|-------------------------|----------------|--------------------|------|------------------------|
| Operating Rules              | <a href="#">NCPDP® Operating Rules for the Formulary and Benefit Standard v10</a> | Final                      | Pilot                   | ● ○ ○ ○ ○      | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP® Operating Rules for the Formulary and Benefit Standard v11</a> | Final                      | Production              | ● ○ ○ ○ ○      | No                 | \$   | No                     |
| Implementation Specification | <a href="#">NCPDP SCRIPT Standard, Implementation Guide, Version 2022011</a>      | Final                      | Pilot                   | ● ○ ○ ○ ○      | No                 | \$   | No                     |

| Limitations, Dependencies, and Preconditions for Consideration   | Applicable Security Patterns for Consideration                        |
|--|---|
| <ul style="list-style-type: none"> <li>Operating rule for formulary corresponds with NCPDP Formulary and Benefit Standard v60 and later which has not been named in regulation.</li> </ul> | <ul style="list-style-type: none"> <li>Feedback requested.</li> </ul> |



| <b>Limitations, Dependencies, and Preconditions for Consideration</b>   | <b>Applicable Security Patterns for Consideration</b> |
|---|---|
| <ul style="list-style-type: none"><li>• These operating rules are not related to the HIPAA standards, but rather to electronic prescription standards adopted under a different statutory authority.</li><li>• NCPDP operating rules are incorporated as part of the NCPDP SCRIPT Standard, Implementation Guide Version 2022011.</li></ul> |   |

# Appendices

Appendices, including [Sources for Security Standards/Security Patterns, Models and Profiles](#), [Educational/Informational Resources](#), and [State and Local Public Health Readiness for Interoperability](#) are available for viewing online at [www.healthit.gov/isa](http://www.healthit.gov/isa).